



Specialist Medical Review Council

Declaration and Reasons for Decisions

*Section 196W
Veterans' Entitlements Act 1986*

Re: Statements of Principles No. 28 of 2010 as amended by Statement of Principles No. 57 of 2014 and No. 86 of 2014; and Statement of Principles No. 29 of 2010 as amended by Statement of Principles No. 87 of 2014 in respect to non-Hodgkin's lymphoma

Request for Review Declaration No. 26

APPENDICES

Appendix A	Table 1 - Material Before the RMA Table 2 - Relevant SMSE for this Review Table 3 - New Information Relied on by the Applicant
Appendix B	The constituted council and legislative framework of the review
Appendix C	List of Abbreviations

APPENDIX A:

TABLE 1 MATERIAL BEFORE THE RMA



Australian Government
Repatriation Medical Authority

NON-HODGKIN'S LYMPHOMA

RMA ID Number	Reference List for # RMA109 as at 9 April 2014
51912	Abasolo L, Judez E, Descalzo MA, Gonzalez-Alvaro I, et al (2008). Cancer in rheumatoid arthritis: occurrence, mortality, and associated factors in a south European population. <i>Semin Arthritis Rheum</i> , 37: 388-97.
51910	Aberg F, Pukkala E, Hockerstedt K, Sankila R, Isoniemi H (2008). Risk of malignant neoplasms after liver transplantation: a population-based study. <i>Liver Transpl</i> , 14: 1428-36.
51933	Abouyabis AN, Shenoy PJ, Lechowicz MJ, Flowers CR (2008). Incidence and outcomes of the peripheral T-cell lymphoma subtypes in the United States. <i>Leukemia & Lymphoma</i> , 49(11): 2099-107.
16744	Acquavella J, Olsen G, Cole P, Ireland B, et al (1998). Cancer among farmers: a meta-analysis. <i>Ann Epidemiol</i> , Vol 8 pp 64-74.
26092	Acquavella J, et al; Hardell L, et al (1999) [LETTERS]. A case-control study of non-Hodgkin's lymphoma and exposure to pesticides. <i>Cancer</i> , 86(4) pp 729-31.
10773	Adami H-O, Tsaih S-W, Lambe M, Hsieh C-c, et al (1997). Pregnancy and Risk of Non-Hodgkin's lymphoma: A prospective study. <i>International Journal of Cancer</i> , 70: 155-8.
26198	Adami J (2000). [LETTER] Response to sunlight and non-Hodgkin's lymphoma, Zheng and Hansen Owens. <i>Int J Cancer</i> , Vol 87 p 886.
1252	Adami J, Frisch M, Yuen J, Glimelius B, Melbye M (1995). Evidence of an association between non-Hodgkin's lymphoma and skin cancer. <i>BMJ</i> , 310(6993): 1491-5.
26125	Adami J, Gridley G, Nyren O, Dosemeci M, et al (1999). Sunlight and non-Hodgkin's lymphoma: a population-based cohort study in Sweden. <i>International Journal of Cancer</i> , 80(5) pp 641-645.
12928	Adami J, Nyren O, Bergstrom R, Ekblom A, et al (1997). Blood transfusion and non-Hodgkin lymphoma: lack of association. <i>Annals of Internal Medicine</i> , 127(5): 365-71.

13020	Adami J, Nyren O, Bergstrom R, Ekblom A, et al (1997). Blood transfusion and non-Hodgkin lymphoma: lack of association. <i>Annals of Internal Medicine</i> , 127(5): 365-71.
50300	Adamson P, Bray F, Costantini AS, et al (2007). Time trends in the registration of Hodgkin and non-Hodgkin lymphomas in Europe. <i>Eur J Cancer</i> , 43: 391-401.
52741	Adiguzel C, Bozkurt SU, Kaygusuz I, Uzay A, et al (2009). Human herpes virus 8-unrelated primary effusion lymphoma-like lymphoma: report of a rare case and review of the literature. <i>APMIS</i> , 117: 222-9.
56275	Adlkofer F (2004). Risk evaluation of potential environmental hazards from low energy electromagnetic field exposure using sensitive in vitro methods. <i>Quality of Life and Management of Living Resources</i> , . Springer, Netherlands.
14831	Agency for Toxic Substances and Disease Registry (ATSDR). Creosote. Http://atsdr1.atsdr.cdc.gov:8080/tfacts85.html
42676	Agent Orange (2006). Obtained from http://www.landscaper.net/agent.htm
53840	Agopian J, Navarro J-M, Gac A-C, Lelux Y, et al (2009). Agricultural pesticide exposure and the molecular connection to lymphomagenesis. <i>J Exp Med</i> , 206(7): 1473-83.
1246	Aisenberg AC (1991). Malignant Lymphoma. <i>Malignant Lymphoma: Biology, Natural History, and Treatment</i> , : 174-5; 358, 363. Lea & Febiger, Philadelphia and London.
14521	Aisenberg AC (1995). Coherent view of non-Hodgkin's lymphoma. <i>Journal of Clinical Oncology</i> , 13(10): 2656-75.
26577	Aisenberg AC, Finkelstein DM (2000). Second malignancies in Hodgkin's disease. <i>Journal of Clinical Oncology</i> , Vol 18 pp 2186-7.
38775	Akhtar FZ, Garabrant DH, Ketchum NS, Michalek JE (2004). Cancer in US Air Force Veterans of the Vietnam War. <i>JOEM</i> , 46(2): 123-36.
9106	Aksoy M (1985). Benzene as a leukemogenic and carcinogenic agent. <i>American Journal of Industrial Medicine</i> , 8: 9-20.
9105	Aksoy M (1985). Malignancies due to occupational exposure to benzene. <i>American Journal of Industrial Medicine</i> , 7: 395-402.
4596	Aksoy M (1989). Hematotoxicity and carcinogenicity of benzene. <i>Environmental Health Perspectives</i> , 82: 193-7.
9607	Aksoy M, Erdem S, DinCol G (1974). Leukemia in shoe-workers exposed chronically to benzene. <i>Blood</i> , 44(6): 837-41.
8929	Aksoy M, Ozeris S, Sabuncu H, Inanici Y, Yanardag R (1987). Exposure to benzene in Turkey between 1983 and 1985: a haematological study on 231 workers. <i>British Journal of Industrial Medicine</i> , 44: 785-7.
45751	Alavanja MCR, Bonner MR (2005). Pesticides and human cancer. <i>Cancer Investigation</i> , 23: 700-11.
45744	Alavanja MCR, Sandler DP, Lynch CF, Knott C, et al (2005). Cancer incidence in the Agricultural Health Study. <i>Scand J Work Environ Health</i> , 31(Suppl 1): 39-45.
15450	Albanese RA (1991). The chemical 2,3,7,8-tetrachlorodibenzo-p-dioxin and U.S. Army Vietnam-era Veterans. <i>Chemosphere</i> , 22(5-6): 597-603.
45743	Alexander BH, Bloeman L, Allen RH (2005). Sessions on the epidemiology of agricultural exposure and cancer. <i>Scand J Work Environ Health</i> , 31(S): 5-7.
50309	Alexander DD, Mink PJ, Adami H-O, Chang ET, et al (2007). The non-Hodgkin lymphomas: a review of the epidemiologic literature. <i>Int J Cancer</i> , 120: 1-39.

70084	Alexander DD, Wagner ME (2010). Benzene exposure and non-Hodgkin lymphoma: a meta-analysis of epidemiologic studies. <i>J Occup Environ Med</i> , 52(2): 169-89.
13022	Alexander FE (1997). Blood transfusion and risk of non-Hodgkin lymphoma. <i>The Lancet</i> , 350(9089): 1414-15.
52183	Allen NE, Beral V, Casabonne D et al (2009). Moderate alcohol intake and cancer incidence in women. <i>J Natl Cancer Inst</i> , 101(5): 296-305.
26298	Altekruse SF, Henley SJ, Thun MJ. Deaths from hematopoietic and other cancers in relation to permanent hair dye use in a large prospective study (United States). <i>Cancer Causes Control</i> 1999 Dec;10(6):617-25.
52366	Altieri A, Bermejo JL, Hemminki K (2005). Familial risk for non-Hodgkin lymphoma and other lymphoproliferative malignancies by histopathologic subtype: the Swedish family-cancer database. <i>Blood</i> , 106: 668-72.
52213	Altieri A, Castro F, Bermejo JL, Hemminki K (2006). Number of siblings and the risk of lymphoma, leukemia and myeloma by histopathology. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(7): 1281-6.
50310	Altieri A, Gallus S, Franceschi S, Fernandez E, et al (2004). Hormone replacement therapy and risk of lymphomas and myelomas. <i>Eur J Cancer Prev</i> , 13: 349-51.
1266	Amadori D, Nanni O, Falcini F, Saragoni A, et al (1995). Chronic lymphocytic leukaemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on job titles. <i>Occup Environ Med</i> , 52(6): 374-9.
14767	Amadori D, Nanni O, Falcini F, Saragoni A, et al (1995). Chronic lymphocytic leukaemias and non-Hodgkin's lymphomas by histological type in farming-animal breeding workers: a population case-control study based on job titles. <i>Occupational and Environmental Medicine</i> , 52(6): 374-379.
32407	Amann U, Mielke V, Metze D, Bonsmann G, Schwarz T. Perioral eczema as a manifestation of cutaneous T-cell lymphoma. <i>Br J Dermatol</i> . 1995 Apr;132(4):671-3.
55809	American Institute for Cancer Research (2006). Food, nutrition, physical activity and the prevention of cancer: a global perspective. <i>World Cancer Research Fund International</i> , . IARC, Washington DC.
53824	Amin A, Burkhart C, Groben P, Morrell DS (2009). [Comment] Primary cutaneous T-cell lymphoma following organ transplantation in a 16-year-old boy. <i>Pediatr Dermatol</i> , 26(1): 112-3.
52358	Amirzargar MA, Dadras F, Khoshjoo F, Yavangi M, et al (2007). Non-Hodgkin's lymphoma in autosomal dominant polycystic kidney disease, 12 years after renal transplantation. <i>Saudi J Kidney Dis Transplant</i> , 18(3): 419-21.
7432	Amoateng-Adjepong Y, Sathiakumar, N, Delzell E, Cole P (1995). Mortality among workers at a pesticide manufacturing plant. <i>JOEM</i> , 37(4): 471-8.
43896	Anderson GL, Judd HL, Kaunitz AM, Barad DH, et al (2003). Effects of estrogen plus progestin on gynecologic cancers and associated diagnostic procedures. The Women's Health Initiative randomized trial. <i>JAMA</i> , 290(13) pp 1739-1748.
26300	Anderson JR, Armitage JO, Weisenburger DD. Epidemiology of the non-Hodgkin's lymphomas: distributions of the major subtypes differ by geographic locations. <i>Non-Hodgkin's Lymphoma Classification Project</i> . <i>Ann Oncol</i> 1998 Jul;9(7):717-20.
51909	Anderson LA, Engels EA (2008). [Comment] Hepatitis C virus infection and non-Hodgkin lymphoma: interesting association or causal relationship? <i>Int J Cancer</i> , 122(8): x-xii.

53798	Anderson LA, Gadalla S, Morton LM, Landgren O, et al (2009). Population-based study of autoimmune conditions and the risk of specific lymphoid malignancies. <i>Int J Cancer</i> , 125: 398-405.
50311	Anderson LA, Gridley G, Engles EA, Morton LM, et al (2008). Antibiotic use and risk of non-Hodgkin's lymphoma: a population-based case-control study. <i>Br J Cancer</i> , 98: 161-4.
52273	Anderson LA, McMillan SA, Watson RGP, Monaghan P, et al (2007). Malignancy and mortality in a population-based cohort of patients with coeliac disease or 'gluten sensitivity'. <i>World J Gastroenterol</i> , 13(1): 146-51.
52056	Anderson LA, Pfeiffer R, Warren JL, Landgren O, et al (2008). Hematopoietic malignancies associated with viral and alcoholic hepatitis. <i>Cancer Epidemiol Biomarkers Prev</i> , 17(11): 3069-75.
51908	Andrews CN, Gill MJ, Urbanski SJ, Stewart D, et al (2008). Changing epidemiology and risk factors for gastrointestinal non-Hodgkin's lymphoma in a north American population: population-based study. <i>Am J Gastroenterol</i> , 103: 1762-9.
52272	Angeletti PC, Zhang L, Wood C (2008). The viral etiology of AIDS-associated malignancies. <i>Adv Pharmacol</i> , 56: 509-57.
50312	Anile M, Venuta F, Diso D, De Giacomo T, et al (2007). Malignancies following lung transplantation. <i>Transplantation Proceedings</i> , 39: 1983-4.
12251	Anonymous (1987). Postservice mortality among Vietnam veterans. The Centers for Disease Control Vietnam Experience Study. <i>JAMA</i> , 257(6): 790-5.
11749	Anonymous (1988). Health status of Vietnam veterans. I. Psychosocial characteristics. The Centers for Disease Control Vietnam Experience Study. <i>JAMA</i> , 259(18): 2708-14.
26554	Anonymous (2000). Acute leukaemia and other secondary neoplasms in patients treated with conventional chemotherapy for multiple myeloma: a Finnish Leukaemia Group study. <i>Eur J Haematol</i> , 65(2) pp 123-7
50733	Anonymous (2006). [Comment] Research report 132, an updated study of mortality among north American synthetic rubber industry workers, E Delzell et al. <i>Res Rep Health Eff Inst</i> , 132: 65-74.
52211	Anonymous (2009). Malignancies of lymphoid cells. Chapter 105. Retrieved 1 April 2009, from http://proxy14.use.hcn.com.au/popup.aspx?aID=2890046&print=yes_chapter
15741	Anttila A, Pukkala E, Riala R, Sallmen M, Hemminki K (1998). Cancer incidence among Finnish workers exposed to aromatic hydrocarbons. <i>Int Arch Occup Environ Health</i> , Vol 71 pp 187-193.
10362	Anttila A, Pukkala E, Sallemen M, Hernberg S, et al (1995). Cancer Incidence among Finnish workers exposed to halogenated hydrocarbons. <i>Journal of Occupational & Environmental Medicine</i> , 37(7): 797-806.
26098	Arican A, Karakayali H, Coskun M, Colak T, Erdal R, Haberal M. Incidence and clinical characteristics of malignancies after renal transplantation: one center's experience. <i>Transplant Proc</i> 2001 Aug;33(5):2809-11.
52271	Armstrong BK, Krickler A (2007). Sun exposure and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 396-400.
70413	Arnold SM, Angerer J, Boogaard PJ, et al (2013). The use of biomonitoring data in exposure and human health risk assessment: benzene case study. <i>Crit Rev Toxicol</i> , 43(2): 119-53.
26834	Arseneau KO, Stukenborg GJ, Connors AF Jr, Cominelli F. The incidence of lymphoid and myeloid malignancies among hospitalized Crohn's disease patients. <i>Inflamm Bowel Dis</i> 2001 May;7(2):106-12

53973	Askling J, Baecklund E, Granath F, Geborek P, et al (2009). Anti-tumour necrosis factor therapy in rheumatoid arthritis and risk of malignant lymphomas: relative risks and time trends in the Swedish Biologics Register. <i>Ann Rheum Dis</i> , 68: 648-53.
55670	Askling J, Brandt L, Lapidus A, Karlen P, et al (2005). Risk of haematopoietic cancer in patients with inflammatory bowel disease. <i>Gut</i> , 54: 617-22.
26149	Askling J, Ekbom A. Risk of non-Hodgkin's lymphoma following tuberculosis. <i>Br J Cancer</i> 2001 Jan 5;84(1):113-5.
52208	Askling J, Klareskog L, Blomqvist P, Fored M, Feltelius N (2006). Risk for malignant lymphoma in ankylosing spondylitis: a nationwide Swedish case-control study. <i>Ann Rheum Dis</i> , 65: 1184-7.
50586	Askling J, Klareskog L, Jhalgrim H, et al (2005). Do steroids increase lymphoma risk? A case-control study of lymphoma risk in polymyalgia rheumatica/giant cell arteritis. <i>Ann Rheum Dis</i> , 64: 1765-8.
3082	Asp S, Riihimaki V, Hernberg S, Pukkala E (1994). Mortality and cancer morbidity of Finnish Chlorophenoxy herbicide applicators: An 18-year prospective follow-up. <i>Am J Ind Med</i> , 26: 243-53.
56116	Australian Institute of Health & Welfare (AIHW) (2000). Validation Study. Morbidity of Vietnam Veterans, Vol 3: 28; Table 3.3. AIH & W Pub AGPS, Canberra.
30605	Australian Institute of Health and Welfare (1999). Morbidity of Vietnam veterans: A study of the health of Australia's Vietnam veteran community: Volume 3 Validation study. Canberra: AIHW. ISBN 1 74024 018 9
30606	Australian Institute of Health and Welfare (2000). Adrenal gland cancer, leukaemia and non-Hodgkin's lymphoma. Morbidity of Vietnam Veterans, Supplementary Report No. 2. Commonwealth Department of Veterans' Affairs, Canberra.
28266	Australian Institute of Petroleum (AIP) (2001). Lympho-haematopoietic cancer and exposure to benzene in the Australian petroleum industry. Technical report and appendices. . Retrieved 21 May 2003, from http://www.aip.com.au/pef/case_study.pdf
53842	Avenia N (2009). [Comment] Primary thyroid lymphomas. <i>G Chir</i> , 30(5): 197-200.
41161	Axelson O (2004). [Comment] Is the evidence for its carcinogenicity conclusive? <i>Occup Environ Med</i> , 61(1): 1.
58010	Baan R, Grosse Y, Straif K, Secretan B, et al (2009). A review of human carcinogens-Part F: Chemical agents and related occupations. <i>Lancet Oncol</i> , 10: 1143-4.
55669	Baan R, Straif K, Grosse Y, Secretan B, et al (2007). Carcinogenicity of alcoholic beverages. <i>Lancet Oncol</i> , 8(4): 292-3.
55668	Baccarelli A, Hirt C, Pesatori AC, Consonni D, et al (2006). t(14;18) translocations in lymphocytes of health dioxin-exposed individuals from Seveso, Italy. <i>Carcinogenesis</i> , 27(10): 2001-7.
10766	Badman DG, Jaffe ER (1996). Blood and air pollution: State of knowledge and research needs. <i>Otolaryngology, Head and Neck Surgery</i> , 114: 205-8.
52270	Baecklund E, Backlin C, Iliadou A, Granath F, et al (2006). Characteristics of diffuse large B cell lymphomas in rheumatoid arthritis. <i>Arthritis & Rheumatism</i> , 54(12): 3774-81.
52752	Baecklund E, Iliadou A, Askling J, Ekbom A, et al (2006). Association of chronic inflammation, not its treatment, with increased lymphoma risk in rheumatoid arthritis. <i>Arthritis & Rheumatism</i> , 54(3): 692-701.

50320	Baehring JM, Hochberg FH (2006). Primary lymphoma of the nervous system. <i>Cancer J</i> , 12(1): 1-13.
52267	Bahl S, Cotterchio M, Kreiger N, Klar N (2004). Antidepressant medication use and non-Hodgkin's lymphoma risk: no association. <i>Am J Epidemiol</i> , 160(6): 566-75.
50291	Baker JA, Weiss JR, Czuczman MS, Menezes RJ, et al (2005). Regular use of aspirin or acetaminophen and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 16: 301-8.
8974	Ballester OF, Moscinski L, Spiers A, Balducci L (1993). Non-Hodgkin's lymphoma in the older person: a review. <i>Journal of the American Geriatrics Society</i> , 41: 1245-54.
50292	Band RP, Le ND, Fang R, Gallagher R (2004). Identification of occupational cancer risks in British Columbia: a population-based case-control study of 769 cases on non-Hodgkin's lymphoma analyzed by histopathology subtypes. <i>JOEM</i> , 46(5): 479-89.
14762	Baris D, Zahm SH, Cantor KP, Blair A (1998). Agricultural use of DDT and risk of non-Hodgkin's lymphoma: pooled analysis of three case-control studies in the United States. <i>Occupational and Environmental Medicine</i> , 55(8): 522-7.
70412	Barry KH, Zhang Y, Lan Q, et al (2011). Genetic variation in metabolic genes, occupational solvent exposure, and risk of non-Hodgkin lymphoma. <i>Am J Epidemiol</i> , 173(4): 404-13.
10803	Barthold SW (1996). Tumours of the haematopoietic system. <i>Pathology of Tumours in Laboratory Animals, Vol 3 - Tumours of the hamster 2nd Ed.</i> IARC Scientific Publications No. 126, 2nd Edition, Vol 3: 365-83. World Health Organization.
26555	Bates I, Bedu-Addo G, Jarrett RF, Schulz T, Wallace S, Armstrong A, Sheldon J, Rutherford T. B-lymphotropic viruses in a novel tropical splenic lymphoma. <i>Br J Haematol</i> 2001 Jan;112(1):161-6
26566	Bates I, Bedu-Addo G, Rutherford TR, Bevan DH. Circulating villous lymphocytes--a link between hyperreactive malarial splenomegaly and splenic lymphoma. <i>Trans R Soc Trop Med Hyg</i> 1997 Mar-Apr; 91(2):171-4
26567	Bates I, Bedu-Addo G. Chronic malaria and splenic lymphoma: clues to understanding lymphoma evolution. <i>Leukemia</i> 1997 Dec;11(12):2162-7
50293	Bates MN (2007). Registry-based case-control study of cancer in California firefighters. <i>Am J Ind Med</i> , 50(5): 339-44.
52269	Battaglioli T, Gorini G, Costantini AS, Crosignani P, et al (2006). Cigarette smoking and alcohol consumption as determinants of survival in non-Hodgkin's lymphoma: a population-based study. <i>Ann Oncol</i> , 17: 1283-9.
26134	Bauduer F, Katsahian S, Blanchard Y, Oui B, Capdupuy C, Renoux M. Descriptive epidemiology of non-Hodgkin lymphomas in a southwestern French hematology center: absence of significant relationship with hepatitis C virus infection. <i>Hematol Cell Ther</i> 1999 Nov;41(5):191-3.
10621	Bayerdörffer E, Neubauer A, Rudolph B, Thiede C, et al (1995). Regression of primary gastric lymphoma of mucosa-associated lymphoid tissue type after cure of <i>Helicobacter pylori</i> infection. <i>Lancet</i> , 345: 1591-4.

29721	Beard J, Sladden T, Morgan G, Berry G, et al (2003). Health impacts of pesticide exposure in a cohort of outdoor workers. <i>Environ Health Perspect</i> , 111(5): 724-30.
54597	Beaugerie L, Carrat F, Bouvier A-M, Brousse N, et al (2008). Excess risk of lymphoproliferative disorders (LPD) in inflammatory bowel diseases (IBD): interim results of the Cesame Cohort. <i>Gastroenterology</i> , 134(Suppl 1): A-116. [Abstract]
26350	Becker N, Berger J, Bolm-Audorff U. Asbestos exposure and malignant lymphomas--a review of the epidemiological literature. <i>Int Arch Occup Environ Health</i> 2001 Sep;74(7):459-69
53838	Becker S, Dossus L, Kaaks R (2009). Obesity and related hyperinsulinaemia and hyperglycaemia and cancer development. <i>Arch Physiol Biochem</i> , 115(2): 86-96.
54600	Behm BW, Bickston SJ (2009). Tumor necrosis factor-alpha antibody for maintenance of remission in Crohn's disease (review). <i>The Cochrane Collaboration</i> . John Wiley & Sons, Ltd.
53815	Bende RJ, Smit LA, van Noesel CJM (2007). Molecular pathways in follicular lymphoma. <i>Leukemia</i> , 21: 18-29.
12932	Bentham G (1996). Association between incidence of non-Hodgkin's lymphoma and solar ultraviolet radiation in England and Wales. <i>BMJ</i> , 312: 1128-31.
11013	Bentley M, Taylor K (1997). Low-grade non-Hodgkin's lymphoma--biology and therapeutic approaches. <i>Australian & New Zealand Journal of Medicine</i> , 27(2): 150-5.
25565	Benzene. <i>The Registry of Toxic Effects of Chemical Substances</i> . National Institute for Occupational Safety and Health. Http://www.cdc.gov/niosh/rtecs/cy155cc0.html 19/6/02
9570	Beral V, Inskip H, Fraser P, Booth M, Coleman D, Rose G (1985). Mortality of employees of the United Kingdom Atomic Energy Authority, 1946-1979. <i>BMJ</i> , 291: 440-7.
47825	Bernard A, Broeckaert F, De Poorter G, De Cock A, et al (2002). The Belgian PCB/Dioxin incident: analysis of the food chain contamination and health risk evaluation. <i>Environmental Research Section A</i> , 88: 1-18.
47826	Bernard A, Fierens S (2002). The Belgian PCB/Dioxin incident: a critical review of health risks evaluations. <i>Int J Toxicol</i> , 21: 333-40.
32450	Bernard SM, Cartwright RA, Bird CC, Richards ID, Lauder I, Roberts BE. Aetiologic factors in lymphoid malignancies: a case-control epidemiological study. <i>Leuk Res</i> . 1984;8(4):681-9.
52268	Bernatsky S, Boivin JF, Joseph L, Rajan R, Zoma A, et al (2005). An international cohort study of cancer in systemic lupus erythematosus. <i>Arthritis & Rheumatism</i> , 52(5): 1481-90.
55667	Bernatsky S, Lee JL, Rahme E (2007). Non-Hodgkin's lymphoma - meta-analyses of the effects of corticosteroids and non-steroidal anti-inflammatories. <i>Rheumatology</i> , 46: 690-4.
52209	Bernatsky S, Ramsey-Goldman R, Rajan R, Boivin J-F, et al (2005). Non-Hodgkin's lymphoma in systemic lupus erythematosus. <i>Ann Rheum Dis</i> , 64: 1507-9.
32404	Bernstein L, Ross RK. Prior medication use and health history as risk factors for non-Hodgkin's lymphoma: preliminary results from a case-control study in Los Angeles County. <i>Cancer Res</i> . 1992 Oct 1;52(19 Suppl):5510s-5515s.

25982	Bertazzi PA, Bernucci I, Brambilla G, Consonni D, & Pesatori AC (1998). The Seveso studies on early and long-term effects of dioxin exposure: a review. <i>Environmental Health Perspectives</i> , Vol 106 Suppl 2 pp 625-633.
25817	Bertazzi PA, Consonni D, Bachetti S et al (2001). Health effects of dioxin exposure: a 20-year mortality study. <i>Am J Epidemiol</i> , 153(11): 1031-44.
25816	Bertazzi PA, Consonni D, Bachetti S, Rubagotti M, Baccarelli A, Zocchetti C, Pesatori AC (2001). <i>American Journal of Epidemiology</i> , 153(11) pp 1048-1049.
3053	Bertazzi PA, Pesatori AC, Consonni D, et al (1993). Cancer incidence in a population accidentally exposed to 2,3,7,8-Tetrachlorodibenzo-para-dioxin. <i>Epidemiology</i> , 4(5): 398-406.
51907	Bertoni F, Ponzoni M (2007). The cellular origin of mantle cell lymphoma. <i>Int J Biochem Cell Biol</i> , 39: 1747-53.
50294	Besson H, Banks R, Boffetta P (2006). Cancer mortality among butchers: a 24-state death certificate study. <i>JOEM</i> , 48(3): 289-93.
50295	Besson H, Brennan P, Becker N, Neiters A, et al (2006). Tobacco smoking, alcohol drinking and non-Hodgkin's lymphoma: a European multicenter case-control study (Epilymph). <i>Int J Cancer</i> , 119: 901-8.
2744	Bethwaite PB, Pearce N, Fraser J (1990). Cancer risk in painters: study based on the New Zealand Cancer Registry. <i>Br J Ind Med</i> , 47: 742-6.
52740	Bhagavathi S, Wilson JD (2008). Primary central nervous system lymphoma. <i>Arch Pathol Lab Med</i> , 132: 1830-4.
30700	Bianco E, Marucci F, mele A, Musto P, Cotichini R, Sanpaolo MG, et al (2004). Prevalence of hepatitis C virus infection in lymphoproliferative diseases other than B-cell non-Hodgkin's lymphoma, and in myeloproliferative diseases: an Italian multi-center case-control study. <i>Haematologica</i> Vol 89(1) pp 70-76.
52266	Biggar RJ, Chaturvedi AK, Goedert JJ, Engels EA (2007). AIDS-related cancer and severity of immunosuppression in persons with AIDS. <i>J Natl Cancer Inst</i> , 99: 962-72.
3726	Biggar RJ, Curtis RE, Cote TR, et al (1994). Risk of Other Cancers following Kaposi's Sarcoma: Relation to Acquired Immunodeficiency Syndrome. <i>American Journal of Epidemiology</i> , 139(4): 362 - 368.
12933	Biggar RJ, Rosenberg PS, and Cote T (1996). Kaposi's sarcoma and non-Hodgkin's lymphoma following the diagnosis of AIDS. Multistate AIDS/Cancer Match Study Group [published erratum appears in <i>Int J Cancer</i> 1997 Mar 17;70(6):727]. <i>International Journal of Cancer</i> , 68(6): 754-8.
26136	Bjornadal L, Lofstrom B, Yin L, Lundberg IE, Ekblom A. Increased cancer incidence in a Swedish cohort of patients with systemic lupus erythematosus. <i>Scand J Rheumatol</i> 2002;31(2):66-71.
25045	Black RJ, Sharp L, Finlayson AR, & Harkness EF (1994). Cancer incidence in a population potentially exposed to radium-226 at Dalgety Bay, Scotland. <i>British Journal of Cancer</i> , Vol 69 pp 140-3.
1262	Black RJ, Sharp L, Finlayson AR, Harkness EF (1994). Cancer incidence in a population potentially exposed to radium-226 at Dalgety Bay, Scotland. <i>Br J Cancer</i> , 69(1): 140-3.
50758	Blair A (2006). [Comment] Occupational exposures and non-Hodgkin lymphoma: where do we stand? <i>Occup Environ Med</i> , 63(1): 1-2.
13144	Blair A, Cantor KP & Zahm SH (1998). Non-Hodgkin's lymphoma and agricultural use of the insecticide lindane. <i>American Journal of Industrial Medicine</i> , 33: 82-7.

3081	Blair A, Dosemeci M, Heineman EF (1993). Cancer and other causes of death among male and female farmers from twenty-three states. <i>Am. Journal of Industrial Med</i> , 23: 729-742.
14763	Blair A, Hartge P, Stewart PA, McAdams M, et al (1998). Mortality and cancer incidence of aircraft maintenance workers exposed to trichloroethylene and other organic solvents and chemicals: extended follow up. <i>Occupational & Environmental Medicine</i> , 55(3): 161-71.
14520	Blair A, Linos A, Stewart PA et al (1992). Comments on occupational and environmental factors in the origin of non-Hodgkin's lymphoma. <i>Cancer Research</i> , 52(suppl): 5501s-2s.
1563	Blair A, Linos A, Stewart PA, Burmeister LF, et al (1993). Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. <i>Am J Industrial Med</i> , 23: 301-12.
47608	Blair A, Sandler D, Thomas K, Hoppin JA, et al (2005). Disease and injury among participants in the agricultural health study. <i>J Agric Saf Health</i> , 11(2): 141-50.
47007	Blair A, Sandler DP, Tarone R, Lubin J, et al (2004). Mortality among participants in the Agricultural Health Study. <i>Ann Epidemiol</i> , 15(15): 279-85.
3085	Blair A, Zahm SH (1995). [Comment] Overinterpretation of small numbers in the Dow 2,4-D cohort study. <i>JOEM</i> , 37(2): 126-7.
26077	Blettner M, Zeeb H, Langner I, Hammer GP and Schafft T (2002). Mortality from cancer and other causes among airline cabin attendants in Germany, 1960-1997. <i>American Journal of Epidemiology</i> , 156(6) pp 556-565.
3071	Bloemen LJ, Mandel JS, Bond GG, Pollock AF, et al (1993). An update of mortality among chemical workers potentially exposed to the herbicide 2, 4-Dichlorophenoxyacetic acid and its derivatives. <i>JOM</i> , 35(12): 1208-12.
52265	Bloemen LJ, Youk A, Bradley TD, Bodner KM, Marsh G (2004). Lymphohaematopoietic cancer risk among chemical workers exposed to benzene. <i>Occup Environ Med</i> , 61: 270-4.
14678	Blomberg J, Moller T, Olsson H et al (1993). Cancer morbidity in blood recipients - results of a cohort study. <i>Eur J Cancer</i> , 29a(15): 2101-5.
49495	Boehmer TK, Flanders WD, McGeehin MA, Boyle C, Barrett DH (2004). Postservice mortality in Vietnam veterans: 30-year follow-up. <i>Arch Intern Med</i> , 164: 1908-16.
50296	Boerma EG, van Imhoff GW, Appel IM, et al (2004). Gender and age-related differences in Burkitt lymphoma - epidemiological and clinical data from the Netherlands. <i>Eur J Cancer</i> , 40: 2781-7.
61142	Boffetta P (2005). Alcohol and cancer: benefits in addition to risks? <i>Lancet Oncol</i> , 6: 443-4.
45910	Boffetta P (2006). Human cancer from environmental pollutants: The epidemiological evidence. <i>Mutat Res</i> , 608: 157-62.
3980	Boffetta P, Andersen A, Lyng E, Barlow L, Pukkala E (1994). Employment as Hairdresser and Risk of Ovarian Cancer and Non-Hodgkin's Lymphomas Among Women. <i>JOM</i> , 36(1): 61-5.
52264	Boffetta P, de Vocht F (2007). Occupation and the risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 369-72.
26737	Boffetta P, Kaldor JM (1994) Secondary Malignancies Following Cancer Chemotherapy. <i>Acta Oncologica</i> , 33(6) 591-598.
50297	Boffetta P, McLaughlin JK, La Vecchia C, et al (2008). [Comment] False-positive results in cancer epidemiology: a plea for epistemological modesty. <i>J Natl Cancer Inst</i> , 100: 988-95.

53826	Boffetta P, Rabkin CS, Gridley G (2009). A cohort study of cancer among sarcoidosis patients. <i>Int J Cancer</i> , 124: 2697-700.
51906	Boffetta P, van der Hel O, Krickler A, Nieters A, et al (2008). Exposure to ultraviolet radiation and risk of malignant lymphoma and multiple myeloma - a multicentre European case-control study. <i>Int J Epidemiol</i> , 37: 1080-94.
1249	Boice JD Jr (1992). Radiation and non-Hodgkin's lymphoma. <i>Cancer Res</i> , 52(19 Suppl): 5489s-5491s.
50298	Boice JD Jr, Bigbee WL, Mumma MT, Blot WJ (2003). Cancer incidence in municipalities near two former nuclear materials processing facilities in Pennsylvania. <i>Health Phys</i> , 85(6): 678-90.
20637	Boice JD Jr, Marano DE, Fryzek JP, Sadler CJ, McLaughlin JK (1999). Mortality among aircraft manufacturing workers. <i>Occupational and Environmental Medicine</i> , 56: 581-97.
50299	Boice JD Jr, Mumma MT, Blot WJ (2007). Cancer and noncancer mortality in populations living near uranium and vanadium mining and milling operations in Montrose County, Colorado, 1950-2000. <i>Radiation Research</i> , 167: 711-26.
51905	Boleti E, Johnson PWM (2007). Primary mediastinal B-cell lymphoma. <i>Hematological Oncology</i> , 25: 157-63.
10622	Bolin TD, Hunt RH, Korman MG, Lambert JR, et al (1995). Helicobacter pylori and gastric neoplasia: evolving concepts. <i>Medical Journal of Australia</i> , 163(5): 253-5.
54602	Bolognesi C (2003). Genotoxicity of pesticides: a review of human biomonitoring studies. <i>Mutation Research</i> , 543: 251-72.
53892	Bongartz T, Sutton AJ, Sweeting MJ, Buchan I, et al (2006). Anti-TNF antibody therapy in rheumatoid arthritis and the risk of serious infections and malignancies. <i>JAMA</i> , 295(19): 2275-85; Erratum: 295(21): 2482.
54409	Bongartz T, Warren FC, Mines D, Matteson EL, et al (2009). Etanercept therapy in rheumatoid arthritis and the risk of malignancies: a systematic review and individual patient data meta-analysis of randomised controlled trials. <i>Ann Rheum Dis</i> , 68: 1177-83.
45662	Bonner MR, Coble J, Blair A, Beane Freeman LE, et al (2007). Malathion exposure and the incidence of cancer in the agricultural health study. <i>Am J Epidemiol</i> , 166(9) pp 1023-1034.
53809	Bornkamm GW (2009). Epstein-Barr virus and the pathogenesis of Burkitt's lymphoma: more questions than answers. <i>Int J Cancer</i> , 124: 1745-55.
52263	Boscoe FP, Schymura MJ (2006). Solar ultraviolet-B exposure and cancer incidence and mortality in the United States, 1993-2002. <i>BMC Cancer</i> , 6: 264.
51904	Bosetti C, Levi F, Ferlay J, Lucchini F, et al (2008). Incidence and mortality from non-Hodgkin lymphoma in Europe: the end of an epidemic? <i>Int J Cancer</i> , 123: 1917-23.
53817	Bosetti C, McLaughlin JK, Tarone RE, Pira E, La Vecchia C (2008). Formaldehyde and cancer risk: a quantitative review of cohort studies through 2006. <i>Ann Oncol</i> , 19: 29-43.
55666	Bouvard V, Baan R, Straif K, Grosse Y, et al (2009). A review of human carcinogens - part B: biological agents. <i>Lancet Oncol</i> , 10(4): 321-2.
26099	Bouzourene H, Haefliger T, Delacretaz F, Saraga E. The role of Helicobacter pylori in primary gastric MALT lymphoma. <i>Histopathology</i> 1999 Feb;34(2):118-23.
50319	Bower M, Stebbing J (2005). AIDS-associated malignancies. <i>Cancer Chemotherapy and Biological Response Modifiers</i> , Annual 22 Chapter 30: 687-706. Elsevier, New York.

52262	Bracci PM, Dalvi TB, Holly EA (2006). Residential history, family characteristics and non-Hodgkin lymphoma, a population-based case-control study in the San Francisco bay area. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(7): 1287-94.
50316	Bracci PM, Holly EA (2005). Tobacco use and non-Hodgkin lymphoma: results from a population-based case-control study in the San Francisco bay area, California. <i>Cancer Causes and Control</i> , 16: 333-46.
51934	Brady G, MacArthur GJ, Farrell PJ (2008). Epstein-Barr virus and Burkitt lymphoma. <i>Postgrad Med J</i> , 84: 372-7.
7173	Brandt L (1992). Exposure to organic solvents and risk of haematological malignancies. <i>Leukemia Research</i> , 16(1): 67-70.
12934	Brandt L, Brandt J, Olsson H, Anderson H, et al (1996). Blood transfusion as a risk factor for non-Hodgkin lymphoma. <i>British Journal of Cancer</i> , 73(9): 1148-51.
14726	Breslin P, Kang HK, Lee Y et al (1988). Proportionate mortality study of US army and US marine corps veterans of the Vietnam war. <i>Journal of Occupational Medicine</i> , 30(5): 412-9.
14148	Breslin P, Kang HK, Lee Y, Burt V, & Shepard BM (1988). Proportionate mortality study of US army and US marine corps veterans of the Vietnam war. <i>Journal of Occupational Medicine</i> , 30(5): 412-9.
3047	Breslin P, Kang HK, Lee Y, Burt V, Shepard BM (1988). Proportionate mortality study of US army and US marine corps veterans of the Vietnam war. <i>J Occup Med</i> , 30(5): 412-9.
26072	Briggs NC, Levine RS, Bobo LD, Haliburton WP, Brann EA and Hennekens CH (2002). Wine drinking and risk of non-Hodgkin's lymphoma among men in the United States: a population-based case-control study. <i>American Journal of Epidemiology</i> , 156(5) pp 454-462.
52261	Brimo F, Michel RP, Khetani K, Auger M (2007). Primary effusion lymphoma. <i>Cancer (Cancer Cytopathol)</i> , 111: 224-33.
24910	Brinton LA, Lubin JH, Burich MC, Volton T, Brown SL, Hoover RN (2001). Cancer risk at sites other than the breast following augmentation mammoplasty. <i>Annals of Epidemiology</i> , Vol 11 pp 248-256.
52982	Brisson J, Holowaty EJ, Villeneuve PJ, Xie L, et al (2006). Cancer incidence in a cohort of Ontario and Quebec women having bilateral breast augmentation. <i>Int J Cancer</i> , 118: 2854-62.
52260	Britton JA, Khan AE, Rohrmann S, Becker N, et al (2008). Anthropometric characteristics and non-Hodgkin's lymphoma and multiple myeloma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Haematologica</i> , 93(11): 1666-77.
1264	Brody JI, Hoar Zahm S, Blair A, Cantor KP, Fraumeni JF Jr (1995). Non-insulin dependent diabetes mellitus and non-Hodgkin's lymphoma. Already reported. <i>BMJ</i> , 310(6985): 1009.
1299	Brown LM, Everett GD, Gibson R, Burmeister LF, et al (1992). Smoking and risk of non-Hodgkin's lymphoma and multiple myeloma. <i>Cancer Causes Control</i> , 3(1): 49-55.
55664	Buchbinder R, Barber M, Heuzenroeder L, Wluka AE, et al (2008). Incidence of melanoma and other malignancies among rheumatoid arthritis patients treated with methotrexate. <i>Arthritis & Rheumatism</i> , 59(6): 794-9.
8172	Buechner SA, Winkelmann RK (1983). Pre-Sezary erythroderma evolving to Sezary syndrome. <i>Arch Dermatol</i> , 119: 285-91.

3080	Bueno de Mesquita HB, Doornbos G, Van der Kuip DA, Kogevinas M, et al (1993). Occupational exposure to phenoxy herbicides and chlorophenols and cancer mortality in The Netherlands. <i>Am J Ind Med</i> , 23(2): 289-300.
43215	Buja A, Lange JH, Perissinotto E, Rausa G, Grigoletto F, Canova C, Mastrangelo G (2005). Cancer incidence among male military and civil pilots and flight attendants: an analysis on published data. <i>Toxicology and Industrial Health</i> , Vol 21 pp 273-282.
9338	Bullman TA, Kang HK, Watanabe KK (1990). Proportionate mortality among US army Vietnam veterans who served in military region 1. <i>American Journal of Epidemiology</i> , 132(4): 670-4.
55665	Burger DC, Florin THJ (2009). [Comment] Hepatosplenic t-cell lymphoma following infliximab therapy for Crohn's disease. <i>MJA</i> , 190(6): 341-2.
26079	Burnett C, Robinson C and Walker J (1999). Cancer mortality in health and science technicians. <i>American Journal of Industrial Medicine</i> , Vol 36 pp 155-158.
26080	Burns CJ, Beard KK and Cartmill JB (2001). Mortality in chemical workers potentially exposed to 2,4-dichlorophenoxyacetic acid (2,4-D) 1945-94: an update. <i>Occup Environ Med</i> , 58: 24-30.
50317	Busnach G, Piselli P, Arbustini E, Baccarani U, et al (2006). Immunosuppression and cancer: a comparison of risks in recipients of organ transplants and in HIV-positive individuals. <i>Transplantation Proceedings</i> , 38: 3533-5.
26189	Calderon-Garciduenas L, Delgado R, Calderon-Garciduenas A, Meneses A, et al (2000). Malignant neoplasms of the nasal cavity and paranasal sinuses: a series of 256 patients in Mexico City and Monterrey. Is air pollution the missing link? <i>Otolaryngol Head Neck Surg</i> , 122(4): 499-508.
10623	Cammarota G, Montalto M, Tursi A, Vecchio FM, et al (1995). Helicobacter pylori reinfection and rapid relapse of low-grade B-cell gastric. <i>Lancet</i> , 345: 192.
25084	Cano MI, Pollan M (2001). Non-Hodgkin's lymphomas and occupation in Sweden. <i>International Archives of Occupational & Environmental Health</i> , Vol 74(6) pp 443-9.
3056	Cantor KP, Blair A, Brown LM, Burmeister LF, et al (1993). [Comment] Correspondence re: K. P. Cantor et al., pesticides and other agricultural risk factors for non-Hodgkin's lymphoma among men in Iowa and Minnesota. <i>Cancer Res</i> , 53(10 Suppl): 2421. Comment on ID: 3051.
3051	Cantor KP, Blair A, Everett G, Gibson R, et al (1992). Pesticides and other agricultural risk factors for Non-Hodgkin's lymphoma among men in Iowa and Minnesota. <i>Cancer Res</i> , 52: 2447-55.
55663	Cantor KP, Strickland PT, Brock JW, Bush D, et al (2003). Risk of non-Hodgkin's lymphoma and prediagnostic serum organochlorines: b-hexachlorocyclohexane, chlordane/heptachlor-related compounds, dieldrin, and hexachlorobenzene. <i>Environ Health Perspect</i> , 111(2): 179-83.
52259	Capello D, Martini M, Gloghini A, Cerri M, et al (2008). Molecular analysis of immunoglobulin variable genes in human immunodeficiency virus-related non-Hodgkin's lymphoma reveals implications for disease pathogenesis and histogenesis. <i>Haematologica</i> , 93: 1178-85.
52739	Carbone A, Cesarman E, Spina M, Gloghini A, Schulz TF (2009). HIV-associated lymphomas and gamma-herpesviruses. <i>Blood</i> , 113: 1213-24.
52751	Carbone A, Gloghini A (2007). KSHV/HHV8-associated lymphomas. <i>Br J Haematol</i> , 140: 13-24.

53820	Carbone A, Gloghini A, Cabras A, Elia G (2009). The Germinal centre-derived lymphomas seen through their cellular microenvironment. <i>Br J Haematol</i> , 145: 468-80.
52357	Carbone A, Gloghini A, Dotti G (2008). EBV-associated lymphoproliferative disorders: classification and treatment. <i>The Oncologist</i> , 13: 577-85.
52258	Card TR, West J, Holmes GKT (2004). Risk of malignancy in diagnosed coeliac disease: a 24-year prospective, population-based, cohort study. <i>Aliment Pharmacol Ther</i> , 20: 769-75.
5770	Cardis E, Gilbert ES, Carpenter L, et al (1995). Effects of low doses and low dose rates of external ionizing radiation: Cancer mortality among nuclear industry workers in three countries. <i>Radiat Res</i> , 1142: 117-32.
56044	Cardis E, Howe G, Ron E, Bebeshko V, et al (2006). Cancer consequences of the Chernobyl accident: 20 years on. <i>J Radiol Prot</i> , 26(2): 127-40.
25081	Cardis E, Richardson D (2000). [Letter] Invited editorial: health effects of radiation exposure at uranium processing facilities. <i>J Radiol Prot</i> , 20(4) pp 95-97. [Comment on: The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot Vol 20</i> pp 111-137.]
43945	Cardis E, Vrijheid M, Blettner M, Gilbert E, Hakama M, et al (2007). The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks. <i>Radiation Research</i> , 167(4): 396-416.
52372	Carel RS (2008). [Comment] Reply to: Non-Hodgkin's lymphoma and residential proximity to toxic industrial waste in Southern Israel. <i>Haematologica</i> , 93: e64. Comment on ID: 52236.
45909	Carpenter DO (2006). Polychlorinated biphenyls (PCBs): routes of exposure and effects on human health. <i>Reviews on Environmental Health</i> , 21(1): 1-23.
16570	Carpenter L, Higgins C, Douglas A, Fraser P, Beral V & Smith P (1994). Combined analysis of mortality in three United Kingdom nuclear industry workforces, 1946-1988. <i>Rad Res</i> , Vol 138 pp 224-238.
16797	Carpenter LM, Higgins CD, Douglas AJ, Maconochie NES, et al (1998). Cancer mortality in relation to monitoring for radionuclide exposure in three UK nuclear industry workforces. <i>British Journal of Cancer</i> , 78(9) pp 1224-1232.
3036	Cartwright R, McNally R, Staines A (1994). The increasing incidence of non-Hodgkin's lymphoma (NHL): the possible role of sunlight. <i>Leuk Lymphoma</i> , 14(5-6): 387-94.
14487	Cartwright RA (1992). Changes in the descriptive epidemiology of non-Hodgkin's lymphoma in Great Britain? <i>Cancer Research</i> , 52(suppl): 5441s-2s.
3055	Cartwright RA, McKinney PA, O'Brien C, Richards DG, et al (1988). Non-Hodgkin's lymphoma: Case control epidemiological study in Yorkshire. <i>Leuk Res</i> , 12(1): 81-8.
50318	Casey R, Piazzon-Fevre K, Raverdy N, Forzy M-L, et al (2007). Case-control study of lymphoid neoplasm in three French areas: description, alcohol and tobacco consumption. <i>Eur J Cancer Prev</i> , 16: 142-50.
26225	Catassi C, Fabiani E, Corrao G, Barbato M, De Renzo A, Carella AM, Gabrielli A, Leoni P, Carroccio A, Baldassarre M, Bertolani P, Caramaschi P, Sozzi M, Guariso G, Volta U, Corazza GR; The Italian Working Group on Coeliac Disease and Non-Hodgkin's-Lymphoma. Risk of non-Hodgkin lymphoma in celiac disease. <i>JAMA</i> 2002 Mar 20;287(11):1413-9.

32850	Catassi C, Fabiani E, Corrao G, Barbato M, De Renzo A, Carella AM, Gabrielli A, Leoni P, Carroccio A, Baldassarre M, Bertolani P, Caramaschi P, Sozzi M, Guariso G, Volta U and Corazza GR (2002). Risk of non-Hodgkin lymphoma in Celiac Disease. <i>JAMA</i> , 287(11) pp 1413-1419.
54446	Center for Environmental Health Studies (2009). Breast cancer and exposure to ionizing radiation. Retrieved 5 October 2009, from http://www.clarku.edu/mtafund/prodlib/jsi/Breast_Cancer_and_Exposure_to_Ionizing_Radiation.pdf
3042	Centers for Disease Control (1988). Serum 2,3,7,8-Tetrachlorodibenzo-p-dioxin levels in US army Vietnam-era veterans - Veterans health studies. <i>JAMA</i> , 260(9): 249-54.
50748	Cerhan JR, Bernstein L, Severson RK, Davis S, et al (2005). Anthropometrics, physical activity, related medical conditions, and the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 16: 1203-14.
26333	Cerhan JR, Cantor KP, Williamson K, Lynch CF, et al (1998). Cancer mortality among Iowa farmers: recent results, time trends, and lifestyle factors (United States). <i>Cancer Causes Control</i> , 9(3) pp 311-319.
51899	Cerhan JR, Engels EA, Cozen W, Davis S, et al (2008). Blood transfusion, anesthesia, surgery and risk of non-Hodgkin lymphoma in a population-based case-control study. <i>Int J Cancer</i> , 123: 888-94.
26239	Cerhan JR, Habermann TM, Vachon CM, Putnam SD, et al (2002). Menstrual and reproductive factors and risk of non-Hodgkin lymphoma: the Iowa Women's Health Study (United States). <i>Cancer Causes & Control</i> , Vol 13 pp 131-136.
26067	Cerhan JR, Janney CA, Vachon CM, Habermann TM, et al (2002). Anthropometric characteristics, physical activity, and risk of non-Hodgkin's lymphoma subtypes and B-Cell chronic lymphocytic leukemia: a prospective study. <i>American Journal of Epidemiology</i> , 156(6) pp 527-535.
26250	Cerhan JR, Wallace RB, Dick F, Kemp J, et al (2001). Blood transfusions and risk of non-Hodgkin's lymphoma subtypes and chronic lymphocytic leukemia. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(4) pp 361-368.
3041	Cerhan JR, Wallace RB, Folsom AR, Potter JD, et al (1993). Transfusion history and cancer risk in older women. <i>Ann Intern Med</i> , 119(1): 8-15.
10770	Cerhan JR, Wallace RB, Folsom AR, Potter JD, et al (1997). Medical history risk factors for non-Hodgkin's lymphoma in older women. <i>Journal of the National Cancer Institute</i> , 89(4): 314-8.
50744	Chambers S, Isenberg D (2005). [Comment] Malignancy and rheumatic disease - a real association? <i>J Rheumatol</i> , 32(10): 1866-7.
55662	Chan C-C, Shen D, Mochizuki M, Gonzales JA, et al (2006). Detection of helicobacter pylori and chlamydia pneumoniae genes in primary orbital lymphoma. <i>Trans Am Ophthalmol Soc</i> , 104: 62-70.
52256	Chang ET, Balter KM, Torrang A, Smedby KE, et al (2006). Nutrient intake and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 164(12): 1222-32.
55676	Chang ET, Hjalgrim H, Edstrom Smedby K, Akerman M, et al (2005). Body mass index and risk of malignant lymphoma in Scandinavian men and women. <i>J Natl Cancer Inst</i> , 97: 210-8.
52255	Chang ET, Smedby KE, Hjalgrim H, et al (2005). Family history of hematopoietic malignancy and risk of lymphoma. <i>J Natl Cancer Inst</i> , 97(19): 1466-74.
52254	Chang ET, Smedby KE, Hjalgrim H, Schollkoopf C, et al (2005). Medication use and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 162(10): 965-74.

52253	Chang ET, Smedby KE, Zhang SM, et al (2005). Dietary factors and risk of non-Hodgkin lymphoma in men and women. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(2): 512-20.
52257	Chang ET, Zheng T, Weir EG, Borowitz M, et al (2004). Aspirin and the risk of Hodgkin's lymphoma in a population-based case-control study. <i>J Natl Cancer Inst</i> , 96(4): 305-15.
30641	Chang YM, Tai CF, Yang SC, Chen CJ, et al (2003). A cohort mortality study of workers exposed to chlorinated organic solvents in Taiwan. <i>Ann Epidemiol</i> , 13(9): 652-60.
53217	Chang YM, Tai CF, Yang SC, Lin RS, et al (2005). Cancer incidence among workers potentially exposed to chlorinated solvents in an electronics factory. <i>J Occup Health</i> , 47: 171-80.
52252	Chao C, Page JH (2008). Type 2 diabetes mellitus and risk of non-Hodgkin lymphoma: a systematic review and meta-analysis. <i>Am J Epidemiol</i> , 168: 471-80.
29479	Charpentier P, Ostfeld AM, Hadjimichael OC, Hester R (1993) The mortality of US nuclear submariners, 1969-1982. <i>JOM Vol 35(5)</i> pp 501-9
51900	Chaturvedi AK, Mbulaiteye SM, Engels EA (2008). Underestimation of relative risks by standardized incidence ratios for AIDS-related cancers. <i>Ann Epidemiol</i> , 18: 230-4.
20354	Checkoway H, Mathew RM, Shy CM, et al (1985). Radiation, work experience, and cause specific mortality among workers at an energy research laboratory. <i>Br J Ind Med</i> , 42(8): 525-33.
51928	Chen M-H, Hsiao L-T, Chiou T-J, Liu J-H, et al (2008). High prevalence of occult hepatitis B virus infection in patients with B cell non-Hodgkins lymphoma. <i>Ann Hematol</i> , 87: 475-80.
52251	Cheung MC, Pantanowitz L, Dezube BJ (2005). AIDS-related malignancies: emerging challenges in the era of highly active antiretroviral therapy. <i>The Oncologist</i> , 10: 412-6.
26100	Chiu BC, Weisenburger DD, Cantor KP, Zahm SH, Holmes F, Burmeister LF, Blair A. Alcohol consumption, family history of hematolymphoproliferative cancer, and the risk of non-Hodgkin's lymphoma in men. <i>Ann Epidemiol</i> 2002 Jul;12(5):309-15.
45663	Chiu BCH, Dave BJ, Blair A, Gapstur SM, et al (2006). Agricultural pesticide use and risk of t(14;18)-defined subtypes of non-Hodgkin lymphoma. <i>Blood</i> , 108(4): 1363-9.
52250	Chiu BC-H, Dave BJ, Blair A, Gapstur SM, et al (2007). Cigarette smoking, familial hematopoietic cancer, hair dye use, and risk of t(14;18)-defined subtypes of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 165: 652-9.
50747	Chiu BC-H, Soni L, Gapstur SM, Fought AJ, et al (2007). Obesity and risk of non-Hodgkin lymphoma (United States). <i>Cancer Causes Control</i> , 18: 677-85.
50707	Chiu BC-H, Weisenburger DD (2003). An update of the epidemiology of non-Hodgkin's lymphoma. <i>Clinical Lymphoma</i> , 4(3): 161-8.
52249	Chiu BC-H, Weisenburger DD, Zahm SH, Cantor KP, et al (2004). Agricultural pesticide use, familial cancer, and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(4): 525-31.
52532	Chiu WA, Caldwell JC, Keshava N, Scott CS (2006). Key scientific issues in the health risk assessment of trichloroethylene. <i>Environ Health Perspect</i> , 114(9): 1445--9.

26073	Chow EJ and Holly EA (2002). Blood transfusions as a risk factor for non-Hodgkin's lymphoma in the San Francisco Bay area: a population-based study. <i>American Journal of Epidemiology</i> , 155(8) pp 725-731.
26253	Chow EJ, Holly EA (2002). Blood transfusions as a risk factor for non-Hodgkin's lymphoma in the San Francisco Bay Area: a population-based study. <i>Am J Epidemiol</i> , 155(8) pp 725-31
3241	Christie D, Robinson K, Gordon I, Bisby J (1991). A prospective study in the Australian petroleum industry. II. Incidence of cancer. <i>Br J Ind Med</i> , 48: 511-4.
54603	Ci W, Polo JM, Melnick A (2008). B-cell lymphoma 6 and the molecular pathogenesis of diffuse large B-cell lymphoma. <i>Curr Opin Hematol</i> , 15: 381-90.
26274	Cibere J, Sibley J, Haga M (2001). Systemic lupus erythematosus and the risk of malignancy. <i>Lupus</i> , 10(6) pp 394-400.
14681	Clapp RW, Cupples LA, Colton T et al (1991). Cancer surveillance of veterans in Massachusetts, USA, 1982-1988. <i>International Journal of Epidemiology</i> , 20: 7-12.
1260	Clapp RW, Cupples LA, Colton T, Ozonoff DM (1991). Cancer surveillance of veterans in Massachusetts, USA, 1982-1988. <i>Inter J Epidemiology</i> , 20(1): 7-12.
50730	Clapp RW, Jacobs MM, Loechler EL (2008). Environmental and occupational causes of cancer: new evidence 2005-2007. <i>Reviews on Environmental Health</i> , 23(1): 1-37.
26268	Clarke CA, Glaser SL (2001). Epidemiologic trends in HIV-associated lymphomas. <i>Curr Opin Oncol</i> , 13(5) pp 354-9
52248	Clarke CA, Glaser SL, Dorfman RF, Bracci PM, et al (2004). Expert review of non-Hodgkin's lymphomas in a population-based cancer registry: reliability of diagnosis and subtype classifications. <i>Cancer Epidemiol Biomarkers Prev</i> , 13: 138-43.
26164	Clarke CA, Glaser SL. Changing incidence of non-Hodgkin lymphomas in the United States. <i>Cancer</i> 2002 Apr 1;94(7):2015-23.
52247	Clarke CA, Undurraga DM, Harasty PJ, Glaser SL, et al (2006). Changes in cancer registry coding for lymphoma subtypes: reliability over time and relevance for surveillance and study. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(4): 630-8.
34561	Clifford GM, Polesel J, Rickenbach M, Dal Maso L, Keiser O, et al (2005). Cancer risk in the Swiss HIV cohort study: associations with immunodeficiency, smoking, and highly active antiretroviral therapy. <i>J National Cancer Institute</i> , 97(6): 425-32.
50755	Cocco P, Brennan P, Ibba A, de Sanjose Llongueras S, et al (2008). Plasma polychlorobiphenyl and organochlorine pesticide level and risk of major lymphoma subtypes. <i>Occup Environ Med</i> , 65: 132-40.
44867	Cocco P, Fadda D, Billai B, D'Atri M, Melis M, Blair A (2005). Cancer mortality among men occupationally exposed to dichlorodiphenyltrichloroethane. <i>Cancer Res</i> , 65(20): 9588-94.
51925	Cocco P, Piras G, Monne M, Uras A, et al (2008). Risk of malignant lymphoma following viral hepatitis infection. <i>Int J Hematol</i> , 87: 474-83.
62555	Cocco P, t'Mannetje A, Fadda D, Melis M, et al (2010). Occupational exposure to solvents and risk of lymphoma subtypes: results from the Epilymph case-control study. <i>Occup Environ Med</i> , 67: 341-7.
38773	Coggon D, Harris EC, Poole J, Palmer KT (2004). Mortality of workers exposed to ethylene oxide: extended follow up of a British cohort. <i>Occup Environ Med</i> , 61: 358-62.

14766	Coggon D, Pannett B, Winter P (1991). Mortality and incidence of cancer at four factories making phenoxy herbicides. <i>British Journal of Industrial Medicine</i> , 48(3): 173-178.
3084	Colditz GA (1994). Hair dye and cancer: Reassuring evidence of no association. <i>J Nat Can Institute</i> , 86(3): 164-5.
29796	Cole P, Trichopoulos D, Pastides H, Starr T, et al (2003). Dioxin and cancer: a critical review. <i>Regul Toxicol Pharmacol</i> , 38(3): 378-88.
14761	Collin P, Pukkala E, Reunala T (1996). Malignancy and survival in dermatitis herpetiformis: a comparison with coeliac disease. <i>Gut</i> , 38(4) pp 528-530.
50746	Colt JS, Hartge P, Davis S, Cerhan JR, et al (2007). Hobbies with solvent exposure and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18: 385-90.
52246	Colt JS, Severson RK, Lubin J, Rothman N, et al (2005). Organochlorines in carpet dust and non-Hodgkin lymphoma. <i>Epidemiology</i> , 16(4): 516-25.
55819	Committee on Contaminated Water at Camp Lejeune (2009). Review of epidemiological studies. <i>Contaminated Water Supplies at Camp Lejeune: Assessing potential health effects: 151-2</i> . National Academy Press - Washington, DC.
13052	Commonwealth Department of Veteran's Affairs (1998). Male Vietnam veterans - survey and community comparison outcomes. <i>Morbidity of Vietnam Veterans: A study of the health of Australia's Vietnam veteran community, Vol.1</i> . .
27917	CONCAWE'S petroleum products & Health Management Groups (1995) <i>Kerosines/jet fuels</i> .
55675	Consonni D, Pesatori AC, Zocchetti C, Sindaco R, et al (2008). Mortality in a population exposed to dioxin after the Seveso, Italy accident in 1976: 25 years of follow-up. <i>Am J Epidemiol</i> , 167(7): 847-58.
52244	Coogan PF, Rosenberg L, Strom BL (2007). Statin use and the risk of 10 cancers. <i>Epidemiology</i> , 18(2): 213-9.
52243	Cooper GS, Jones S (2008). Pentachlorophenol and cancer risk: focusing the lens on specific chlorophenols and contaminants. <i>Environ Health Perspectives</i> , 116(8): 1001-8.
26076	Corrao G, Corazza GR, Bagnardi V, Brusco G, Ciacci C, et al (2001). Mortality in patients with coeliac disease and their relatives: a cohort study. <i>Lancet</i> , Vol 358 pp 356-361.
26138	Correa A, Jackson L, Mohan A, Perry H, Helzlsouer K. Use of hair dyes, hematopoietic neoplasms, and lymphomas: a literature review. II. Lymphomas and multiple myeloma <i>Cancer Invest</i> 2000;18(5):467-79.
52245	Cost JS, Davis S, Severson RK, Lynch CF, et al (2006). Residential insecticide use and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(2): 251-7.
26167	Costantini AS, Miligi L, Kriebel D, Ramazzotti V, Rodella S, Scarpi E, Stagnaro E, Tumino R, Fontana A, Masala G, Vigano C, Vindigni C, Crosignani P, Benvenuti A, Vineis P. A multicenter case-control study in Italy on hematology lymphopoietic neoplasms and occupation. <i>Epidemiology</i> 2001 Jan;12(1):78-87.
54976	Costenbader KH, et al; Okada SK, et al; Callegari PE, et al; et al (2006). [Comments] Risk of serious infections and malignancies with anti-TNF antibody therapy in rheumatoid arthritis. <i>JAMA</i> , 296(18): 2201-5.
1259	Cote TR, Biggar RJ (1995). Does zidovudine cause non-Hodgkin's lymphoma? <i>AIDS</i> , 9(4): 404.

32403	Cotelingam JD, Witebsky FG, Hsu SM, Blaese RM, Jaffe ES. Malignant lymphoma in patients with the Wiskott-Aldrich syndrome. <i>Cancer Invest.</i> 1985;3(6):515-22.
26143	Cottone M, Termini A, Oliva L, Magliocco A, Marrone C, Orlando A, Pinzone F, Di Mitri R, Rosselli M, Rizzo A, Pagliaro L. Mortality and causes of death in celiac disease in a Mediterranean area. <i>Dig Dis Sci</i> 1999 Dec;44(12):2538-41.
50745	Cozen W, Cerhan JR, Martinex-Maza O, Ward MH, et al (2007). The effect of atopy, childhood crowding, and other immune-related factors on non-Hodgkin lymphoma risk. <i>Cancer Causes Control</i> , 18: 821-31.
6813	Cragle DL, McLain RW, Qualters J, Hickey JLS, et al (1988). Mortality among workers at a nuclear fuels production facility. <i>Am J Ind Med</i> , 14: 379-401.
12255	Crane PJ, Barnard DI, Horsley KD et al (1997). Mortality of national service Vietnam veterans. A report of the 1996 retrospective cohort study of Australian Vietnam veterans, . Commonwealth Department of Veterans' Affairs.
14832	Creosote chemical backgrounder. http://safety.webfirst.com/ehc/ew/chems/creosote.htm
55674	Criscione VD, Weinstock MA (2007). Incidence of cutaneous t-cell lymphoma in the United States, 1973-2002. <i>Arch Dermatol</i> , 143(7): 854-9.
8353	Cronkite EP, Bond VP, Conard RA (1995). Medical effects of exposure of human beings to fallout radiation from a thermonuclear explosion. <i>Stem Cells</i> , 13(S 1): 49-57.
3077	Croignani P, Berrino F (1994). [Comment] Re: "Role of the herbicide atrazine in the development of non-Hodgkin's lymphoma" . <i>Scand J Work Environ Health</i> , 20(3): 223-6. Comment on ID: 3078.
50754	Cross AJ, Lim U (2006). The role of dietary factors in the epidemiology of non-Hodgkin's lymphoma. <i>Leukemia and Lymphoma</i> , 47(12): 2477-87.
52242	Cross AJ, Ward MH, Schenk MJ, Kulldorff M, et al (2006). Meat and meat-mutagen intake and risk of non-Hodgkin lymphoma: results from a NCI-SEER case-control study. <i>Carcinogenesis</i> , 27(2): 293-7.
54598	Cucchiara S, Escher JC, Hildebrand H, et al (2009). Pediatric inflammatory bowel diseases and the risk of lymphoma: should we revise our treatment strategies? <i>J Pediatr Gastroenterol Nutr</i> , 48: 257-67.
50743	Cuttner J, Spiera H, Troy K, Wallenstein S (2005). Autoimmune disease is a risk factor for the development of non-Hodgkin's lymphoma. <i>J Rheumatol</i> , 32: 1884-7.
26267	Cuttner J, Werther JL, McGlynn P, Chen A, et al (2001). Seroprevalence of <i>Helicobacter pylori</i> infection in patients with lymphoma. <i>Leuk Lymphoma</i> , 40(5-6) pp 591-7
53808	Cypel Y, Kang H (2008). Mortality patterns among women Vietnam-era veterans: results from a retrospective cohort study. <i>Ann Epidemiol</i> , 18: 244-52.
52241	Czene K, Adami H-O, Change ET (2007). Sex- and kindred-specific familial risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(11): 2496-9.
50589	Czucsman M, Zinzani PL (2003). The first international workshop on non-Hodgkin's lymphoma: taking a close look at current issues and future developments. <i>Leukemia & Lymphoma</i> , 44(Suppl 3): S1-4.
52240	Dal Maso L, Franceschi S (2006). Hepatitis C virus and risk of lymphoma and other lymphoid neoplasms: a meta-analysis of epidemiologic studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(11): 2078-85.

15214	Dalager NA, Kang HK (1997). Mortality among army chemical corps Vietnam Veterans. <i>American Journal of Industrial Medicine</i> , 31: 719-26.
14523	Dalager NA, Kang HK, Burt VL et al (1991). Non-Hodgkin's lymphoma among Vietnam veterans. <i>Journal of Occupational Medicine</i> , 33(7): 774-9.
1564	Dalager NA, Kang HK, Burt VL, Weatherbee L (1991). Non-Hodgkin's lymphoma among Vietnam Veterans. <i>J Occup Med</i> , 33(7): 774-9.
9317	Dalager NA, Kang HK, Burt VL, Weatherbee L (1991). Non-Hodgkin's lymphoma among Vietnam veterans. <i>Journal of Occupational Medicine</i> , 33(7): 774-9.
26166	Dalton SO, Johansen C, Mellemkjaer L, Sorensen HT, McLaughlin JK, Olsen J, Olsen JH. Antidepressant medications and risk for cancer. <i>Epidemiology</i> 2000 Mar;11(2):171-6.
51885	Dalton SO, Poulsen AH, Norgaard M, McLaughlin JK, et al (2008). Tricyclic antidepressants and non-Hodgkin lymphoma. <i>Epidemiology</i> , 19(4): 546-9.
7436	Damber L, et al (1995). A cohort study with regard to the risk of haematological malignancies in patients treated with x-rays for benign lesions in the locomotor system. <i>Acta Oncologica</i> , 34(6): 713-19.
26537	Darby S, Kendall G, Fell T, et al (1993). Further follow up of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapons tests and experimental programmes. <i>BMJ</i> , 307: 1530-1535.
11769	Darby SC, Kendall GM, Fell TP, Doll R, et al (1993). Further follow up of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapon tests and experimental programs. <i>BMJ</i> , 307(6918): 1530-5.
6753	Darby SC, Kendall GM, Fell TP, O'Hagan JA, et al (1988). A summary of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapon tests and experimental programmes. <i>BMJ</i> , 296: 332-8.
26137	Davidson BK, Kelly CA, Griffiths ID (1999). Primary Sjogren's syndrome in the North East of England: a long-term follow-up study. <i>Rheumatology</i> , 38(3) pp 245-253.
52045	de Jong D, Englad G (2008). Inflammatory cells and immune microenvironment in malignant lymphoma. <i>J Intern Med</i> , 264: 528-36.
52043	de Jong D, Vasmel WLE, de Boer JP, Verhave G, et al (2008). Anaplastic large-cell lymphoma in women with breast implants. <i>JAMA</i> , 300(17): 2030-5.
50649	de Re V, Caggiari L, Simula MP, de Vita S, et al (2007). [Comment] B-cell lymphomas associated with HCV infection. <i>Gastroenterology</i> , 132(3): 1205-7.
50736	de Re V, de Vita S, Sansonno D, Toffoli G (2008). [Comment] Mixed cryoglobulinemia syndrome as an additional autoimmune disorder associated with risk for lymphoma development. <i>Blood</i> , 111(12): 5760.
55673	De Roos AJ, Blair A, Rusiecki JA, Hoppin JA, et al (2005). Cancer incidence among glyphosate-exposed pesticide applicators in the Agricultural Health Study. <i>Environ Health Perspect</i> , 113(1): 49-54.
70414	De Roos AJ, Davis S, Colt JS, et al (2010). Residential proximity to industrial facilities and risk of non-Hodgkin lymphoma. <i>Environ Res</i> , 110(1): 70-8.
52239	De Roos AJ, Gold LS, Wang S, Hartge P, et al (2006). Metabolic gene variants and risk of non-Hodgkin's lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(9): 1647-53.

47609	De Roos AJ, Hartge P, Lubin JH, Colt JS, et al (2005). Persistent organochlorine chemicals in plasma and risk of non-Hodgkin's lymphoma. <i>Cancer Res</i> , 65(23): 11214-26.
55672	De Roos AJ, Zahm SH, Cantor KP, Weisenburger DD, et al (2003). Integrative assessment of multiple pesticides as risk factors for non-Hodgkin's lymphoma among men. <i>Occup Environ Med</i> , 60: e11.
52237	de Sanjose S, Benavente Y, Nieters A, Foretove L, et al (2006). Association between personal use of hair dyes and lymphoid neoplasms in Europe. <i>Am J Epidemiol</i> , 164(1): 47-55.
50727	de Sanjose S, Benavente Y, Vajdic CM, Engels EA, et al (2008). Hepatitis C and non-Hodgkin lymphoma among 4784 cases and 6269 controls from the International Lymphoma Epidemiology Consortium. <i>Clin Gastroenterol Hepatol</i> , 6: 451-8.
52238	de Sanjose S, Dickie A, Alvaro T, Romagosa V, et al (2004). Helicobacter pylori and malignant lymphoma in Spain. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(6): 944-8.
26224	De Stefani E, Fierro L, Barrios E, Ronco A. Tobacco, alcohol, diet and risk of non-Hodgkin's lymphoma: a case-control study in Uruguay. <i>Leuk Res</i> 1998 May;22(5):445-52.
52981	Deapen DM, Hirsch EM, Brody GS (2007). Cancer risk among Los Angeles women with cosmetic breast implants. <i>Plastic and Reconstructive Surgery</i> , 119: 1987-92.
53819	Delancey JO, Alavanja MC, Coble J, Blair A, et al (2009). Occupational exposure to metribuzin and the incidence of cancer in the agricultural health study. <i>Ann Epidemiol</i> , 19: 388-95.
26120	Delchier JC, Lamarque D, Levy M, Tkoub EM, Copie-Bergman C, Deforges L, Chaumette MT, Haioun C. Helicobacter pylori and gastric lymphoma: high seroprevalence of CagA in diffuse large B-cell lymphoma but not in low-grade lymphoma of mucosa-associated lymphoid tissue type. <i>Am J Gastroenterol</i> 2001 Aug;96(8):2324-8.
50732	Delzell E, Sathiakumar N, Graff J, Macaluso, et al (2006). An updated study of mortality among north American synthetic rubber industry workers. <i>Res Rep Health Eff Inst</i> , 132: 1-63.
50742	Demers PA, Davies HW, Friesen MC, Hertzman C, et al (2006). Cancer and occupational exposure to pentachlorophenol and tetrachlorophenol (Canada). <i>Cancer Causes Control</i> , 17: 749-58.
8275	Denton K, Wilson CL, Venning VA (1992). Primary cutaneous anaplastic erythrodermic prodrome. <i>British Journal of Dermatology</i> , 126: 297-300.
35415	Department of Defence (2003). Study of Health Outcomes in Aircraft Maintenance Personnel. Volume 1. Literature Review. Final Report July 2003. Commonwealth of Australia.
37770	Department of Defence (2003). Study of Health Outcomes in Aircraft Maintenance Personnel. Volume 2. Mortality and Cancer Incidence Study. Interim Report July 2003. Commonwealth of Australia.
39977	Department of Defence (2003). Study of Health Outcomes in Aircraft Maintenance Personnel. Volume 3. Qualitative Interviews. Final Report July 2003, Commonwealth of Australia.
32791	Department of Defence (2004). Study of Health Outcomes in Aircraft Maintenance Personnel. Volume 5. Report on the General Health and Medical Study. September 2004. Commonwealth of Australia.

37769	Department of Defence (2004). Study of health outcomes in aircraft maintenance personnel. Mortality and Cancer Incidence Study, 2nd Report, Vol 4. Commonwealth of Australia.
8343	DeSwarte RD (1986). Drug allergy: an overview. <i>Clin Rev Allergy</i> , 4: 143-69.
51930	Detry O (2008). [Comment] Transmission of lymphoma via organ transplantation. <i>Am J Transplant</i> , 8(6): 1350. Comment on ID: 51929.
14488	Devesa SS, Fears T (1992). Non-Hodgkin's Lymphoma time trends: United States and International data. <i>Cancer Research</i> , 52(suppl): 5432s-40s.
52235	Diamond C, Taylor TH, Aboumrad T, Anton-Culver H (2005). Changes in acquired immunodeficiency syndrome-related non-Hodgkin lymphoma in the era of highly active antiretroviral therapy. <i>Cancer</i> , 106(1): 128-35.
13223	Dich J, Zahm SH, Hanberg A, Adami H-O (1997). Pesticides and cancer. <i>Cancer Causes Control</i> , 8(3): 420-43.
26530	Dickinson HO, Parker L. Leukaemia and non-Hodgkin's lymphoma in children of male Sellafield radiation workers. <i>Int J Cancer</i> 2002 May 20;99(3):437-44
68358	Dighiero G, Hamblin TJ (2008). Chronic lymphocytic leukemia. <i>Lancet</i> , 371(9617): 1017-29.
30770	Dimitrov B. Malignant melanoma of the skin and non-Hodgkin's lymphoma in USA: a comparative epidemiological study. <i>Folia Med (Plovdiv)</i> . 1999;41(1):121-5.
8274	D'Incan M, Souteyrand P, Bignon YJ, Fonck Y, Roger H (1992). Hydantoin-induced cutaneous pseudolymphoma with clinical, pathologic, and immunologic aspects of Sezary syndrome. <i>Arch Dermatol</i> , 128: 1371-4.
26176	Divine BJ, Hartman CM. A cohort mortality study among workers at a 1,3 butadiene facility. <i>Chem Biol Interact</i> 2001 Jun 1;135-136:535-53.
53841	Dobbeling U (2008). The molecular pathogenesis of mycosis fungoides and Sezary syndrome. <i>G Ital Dermatol Venereol</i> , 143(6): 385-94.
13009	Dockrell DH, Strickler JG, & Paya CV (1998). Epstein-Barr Virus-induced T cell lymphoma in solid organ transplant recipients. <i>Clinical Infectious Diseases</i> , 26: 180-2.
10902	Doody MM, Linet MS, Glass AG, Curtis RE, et al (1996). Risks of non Hodgkin's lymphoma, multiple myeloma, and leukemia associated with common medications. <i>Epidemiology</i> , 7(2): 131-9.
4613	Doody MM, Linet MS, Glass AG, et al (1992). Leukemia, lymphoma and multiple myeloma following selected medical conditions. <i>Cancer Causes Control</i> , 3: 449-456.
54447	Dorey E (2005). PCBs persist in cancer victims. <i>Chemistry & Industry</i> , December 19: 8.
15937	Douglas AJ, Omar RZ & Smith pp (1994). Cancer mortality and morbidity among workers at the sellafield plant of British nuclear fuels. <i>Br J Cancer</i> , 70: 1232-43.
26568	Drabick JJ. The association of selected cancers with service in the US military in Vietnam. III. Hodgkin's disease, nasal cancer, nasopharyngeal cancer, and primary liver cancer. The Selected Cancers Cooperative Study Group. <i>Arch Intern Med</i> 1990 Dec;150(12):2495-505
13021	Draper GJ, Little MP, Sorahan T, Kinlen LJ, et al (1997). Cancer in the offspring of radiation workers: a record linkage study. <i>BMJ</i> , 315(7117): 1181-88.
50741	Dreiherr J, Kordysh E (2006). Non-Hodgkin lymphoma and pesticide exposure: 25 years of research. <i>Acta Haematol</i> , 116: 153-64.

52236	Dreiher J, Novack V, Barachana M, et al (2005). [Comment] Non-Hodgkin's lymphoma and residential proximity to toxic industrial waste in southern Israel. <i>Haematologica</i> , 90(12): 1709-10.
52234	Drini M, Prichard PJ, Brown GJE, Macrae FA (2008). Hepatosplenic t-cell lymphoma following infliximab therapy for Crohn's disease. <i>MJA</i> , 189(8): 464-5.
52945	Duberg AS, Nordstrom M, Torner A, Reichard O, et al (2005). Non-Hodgkin's lymphoma and other nonhepatic malignancies in Swedish patients with hepatitis C virus infection. <i>Hepatology</i> , 41(3): 652-9.
26133	Ducieux M, Boutron MC, Piard F, Carli PM, Faivre J. A 15-year series of gastrointestinal non-Hodgkin's lymphomas: a population-based study. <i>Br J Cancer</i> 1998;77(3):511-4.
21888	Dupree-Ellis E, Watkins J, Ingle JN, & Phillips J (2000). External radiation exposure and mortality in a cohort of uranium processing workers. <i>American Journal of Epidemiology</i> Vol 152 pp 91-95.
50706	Dybkaer K, Iqbal J, Zhou G, Chang WC (2004). Molecular diagnosis and outcome prediction in diffuse large B-cell lymphoma and other subtypes of lymphoma. <i>Clinical Lymphoma</i> , 5(1): 19-28.
8173	Edelson RL (1980). Cutaneous T cell lymphoma: Mycosis fungoides, Sezary syndrome, and other variants. <i>Journal of the American Academy of Dermatology</i> , 2: 89-106.
50740	Edgren G, Reilly M, Hjalgrim H, Tran TN, et al (2008). Donation frequency, iron loss, and risk of cancer among blood donors. <i>J Natl Cancer Inst</i> , 100: 572-9.
52233	Edwards TM, Myers JP (2007). Environmental exposures and gene regulation in disease etiology. <i>Environ Health Perspectives</i> , 115(9): 1264-70.
1255	Egan J, Stewart J, Yonan N, Arrand J, Woodcock A (1994). Non-Hodgkin lymphoma in heart/lung transplant recipients. <i>Lancet</i> , 343(8895): 481.
50719	Egan KM, Sosman JA, Blot WJ (2005). [Comment] Sunlight and reduced risk of cancer: is the real story vitamin D? <i>J Natl Cancer Inst</i> , 97(3): 161-3.
25028	Eheman CR, Tolbert PE, Coates RJ, et al (2000). Case-control assessment of the association between non-Hodgkin's lymphoma and occupational radiation with doses assessed using a job exposure matrix. <i>American Journal of Industrial Medicine</i> , 38: 19-27.
50751	Ekstrom-Smedby KE (2006). Epidemiology and etiology of non-Hodgkin lymphoma - a review. <i>Acta Oncologica</i> , 45(3): 258-71.
53872	El Ghissassi F, Baan R, Straif K, Grosse Y, et al (2009). A review of human carcinogens - Part D: radiation. <i>Lancet Oncol</i> , 10(8): 751-2.
26135	Eltom MA, Jemal A, Mbulaiteye SM, Devesa SS, Biggar RJ. Trends in Kaposi's sarcoma and non-Hodgkin's lymphoma incidence in the United States from 1973 through 1998. <i>J Natl Cancer Inst</i> 2002 Aug 21;94(16):1204-10.
52232	Engel LS, Laden F, Andersen A, Strickland PT, et al (2007). Polychlorinated biphenyl levels in peripheral blood and non-Hodgkin's lymphoma: a report from three cohorts. <i>Cancer Res</i> , 67(11): 5545-52.
52231	Engel LS, Lan Q, Rothman N (2007). Polychlorinated biphenyls and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 373-6.
52230	Engels EA (2007). Infectious agents as causes on non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 401-4.
50739	Engels EA, Biggar RJ, Hall HI, Cross H, et al (2008). Cancer risk in people infected with human immunodeficiency virus in the United States. <i>Int J Cancer</i> , 123: 187-94.

52227	Engels EA, Cerhan JR, Linet MS, Cozen W, et al (2005). Immune-related conditions and immune-modulating medications as risk factors for non-Hodgkin's lymphoma: a case-control study. <i>Am J Epidemiol</i> , 162(12): 1153-61.
52229	Engels EA, Goedert JJ (2005). Human immunodeficiency virus / acquired immunodeficiency syndrome and cancer: past, present, and future. <i>J Natl Cancer Inst</i> , 97(6): 407-9.
52228	Engels EA, Viscidi RP, Galloway DA, Carter JJ, et al (2004). Case-control study of simian virus 40 and non-Hodgkin lymphoma in the United States. <i>J Natl Cancer Inst</i> , 96(18): 1368-74.
50725	Engles EA (2005). Cancer risk associated with receipt of vaccines contaminated with simian virus 40: epidemiologic research. <i>Expert Rev Vaccines</i> , 4(2): 197-206.
50753	Engles EA (2005). Does simian virus 40 cause non-Hodgkin lymphoma? A review of the laboratory and epidemiological evidence. <i>Cancer Investigation</i> , 23(6): 529-36.
26768	Enrici RM, Anselmo AP, Iacari V, Osti MF, Santoro M, Tombolini V, Mandelli F, Biagini C. The risk of non-Hodgkin's lymphoma after Hodgkin's disease, with special reference to splenic treatment. <i>Haematologica</i> 1998 Jul;83(7):636-44
51901	Eriksson M, Hardell L, Carlberg M, Akerman M (2008). Pesticide exposure as risk factor for non-Hodgkin lymphoma including histopathological subgroup analysis. <i>Int J Cancer</i> , 123: 1657-63.
50708	Eriksson NE, Mikoczy Z, Hagmar L (2005). Cancer incidence in 13811 patients skin tested for allergy. <i>J Invest Allergol Clin Immunol</i> , 15(3): 161-6.
51927	Evens AM, Chiu BC-H (2008). The challenges of epidemiologic research in non-Hodgkin lymphoma. <i>JAMA</i> , 300(17): 2059-61.
25102	Fabbro-Peray P, Daures JP, Rossi JF (2001). Environmental risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Languedoc-Roussillon, France. <i>Cancer Causes & Control</i> , Vol 12(3) pp 201-12.
26194	Fabbro-Peray P, Daures JP, Rossi JF. Environmental risk factors for non-Hodgkin's lymphoma: a population-based case-control study in Languedoc-Roussillon, France. <i>Cancer Causes Control</i> 2001 Apr;12(3):201-12.
55671	Fan H-B, Zhu Y-F, Chen A-S, Zhou M-X, et al (2009). B-cell clonality in the liver of hepatitis C virus-infected patients. <i>World J Gastroenterol</i> , 15(13): 1636-40.
26121	Farrell RJ, Ang Y, Kileen P, O'Briain DS, et al Increased incidence of non-Hodgkin's lymphoma in inflammatory bowel disease patients on immunosuppressive therapy but overall risk is low. <i>Gut</i> 2000 Oct;47(4):514-9.
10907	Farris GM, Everitt JI, Irons RD, Popp JA (1993). Carcinogenicity of inhaled benzene in CBA mice. <i>Fundamental and Applied Toxicology</i> , 20: 503-7.
50738	Fernberg P, Odenbro A, Bellocco R, Boffetta P, et al (2006). Tobacco use, body mass index and the risk of malignant lymphomas - a nationwide cohort study in Sweden. <i>Int J Cancer</i> , 118: 2298-302.
52749	Ferreri AJ, Ernberg I, Copie-Bergman C (2009). Infectious agents and lymphoma development: molecular and clinical aspects. <i>J Int Med</i> , 265: 421-38.
55683	Ferreri AJM, Dognini GP, Ponzoni M, Pecciarini L, et al (2008). Chlamydia psittaci-eradicating antibiotic therapy in patients with advanced-stage ocular adnexal MALT lymphoma. <i>Ann Oncol</i> , 19(1): 194-5.

52940	Ferreri AJM, Dolcetti R, Du MQ, Doglioni C, et al (2008). Ocular adnexal MALT lymphoma: an intriguing model for antigen-driven lymphomagenesis and microbial-targeted therapy. <i>Annals of Oncology</i> , 19: 835-46.
55681	Ferreri AJM, Dolcetti R, Magnino S, Doglioni C, et al (2007). A woman and her canary: a tale of chlamydiae and lymphomas. <i>JNCI</i> , 99(18): 1418-9.
55682	Ferreri AJM, Guidoboni M, Ponzoni M, De Conciliis C, et al (2004). Evidence for an association between chlamydia psittaci and ocular adnexal lymphomas. <i>J Natl Cancer Inst</i> , 96(8): 586-94.
55684	Ferreri AJM, Ponzoni M, Guidoboni M, Resti AG, et al (2006). Bacteria-eradicating therapy with doxycycline in ocular adnexal MALT lymphoma: a multicenter prospective trial. <i>J Natl Cancer Inst</i> , 98(19): 1375-82.
52750	Ferreri AM, Dolcetti R, Du MQ, Doglioni C, et al (2008). Ocular adnexal MALT lymphoma: an intriguing model for antigen-driven lymphomagenesis and microbial-targeted therapy. <i>Ann Oncol</i> , 19: 835-46.
13012	Ferri C, La Civita L, Zignego AL & Pasero G (1997). Viruses and cancers: possible role of hepatitis C virus. <i>European Journal of Clinical Investigation</i> , 27: 711-8.
1265	Ferri C, La Civita L, Zignego AL (1994). Non-Hodgkin's lymphoma: possible role of hepatitis C virus. <i>JAMA</i> , 272(5): 355-6.
18608	Fett MJ, Adena MA, Cobbin DM, & Dunn M (1987). Mortality among Australian conscripts of the Vietnam conflict era. 1. Death from all causes. <i>American Journal of Epidemiology</i> , Vol 125(5) pp 869-877.
18609	Fett MJ, Mairn JR, Cobbin DM, & Adena MA (1987). Mortality among Australian conscripts of the Vietnam conflict era 11. Causes of death. <i>American Journal of Epidemiology</i> , Vol 125(5) pp 878-84.
5197	Feychting M, Ahlbom A (1995). Electromagnetic fields and childhood cancer: meta-analysis. <i>Cancer Causes Control</i> , 6: 275-9.
24953	Feychting M, Schulgen G, Olsen JH, & Ahlbom A (1995). Magnetic fields and childhood cancer- a pooled analysis of two Scandinavian studies. <i>European Journal of Cancer</i> , Vol 31A (12) pp 2035-9.
14959	Figgs LW, Dosemeci M and Blair A (1995). United States non-hodgkin's lymphoma surveillance by occupation 1984-1989: a twenty-four state death certificate study. <i>American Journal of Industrial Medicine</i> , Vol 27 pp 817-835.
14765	Fingerhut MA, Halperin WE, Marlow DA, Piacitelli LA, et al (1991). Cancer mortality in workers exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>NEJM</i> , 324(4): 212-18.
26101	Finkelstein MM; Divine BJ, Hartman CM and Wendt J (2000)[LETTERS]. Update of the Texaco mortality study 1947-93: part II. <i>Occup Environ Med</i> . 2000 Feb;57(2):143-4.
50737	Fisher SG, Fisher RI (2004). The epidemiology of non-Hodgkin's lymphoma. <i>Oncogene</i> , 23: 6524-34.
26182	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Cancer incidence in a cohort of licensed pesticide applicators in Florida. <i>J Occup Environ Med</i> , 41(4) pp 279-288.
26269	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Cancer incidence in a cohort of licensed pesticide applicators in Florida. <i>J Occup Environ Med</i> , 41(4) pp 279-288.
20069	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Mortality in a cohort of licenced pesticide applicators in Florida. <i>Occupational Environmental Medicine</i> , Vol 56 pp 14-21.

26115	Fleming LE, Bean JA, Rudolph M, Hamilton K (1999). Mortality in a cohort of licensed pesticide applicators in Florida. <i>Occup Environ Med</i> , 56(1) pp 14-21.
14818	Flesch-Janys D (1997/98). Analyses of exposure to polychlorinated dibenzo-p-dioxins, furans, and hexachlorocyclohexane and different health outcomes in a cohort of former herbicide-producing workers in Hamburg, Germany. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , Vol 17 (4-5) pp 257-264.
15155	Flesch-Janys D, Becher H, Gurn P, Jung D, Konietzko J, Manz A, Papke O (1996). Elimination of polychlorinated dibenzo-p-dioxins and dibenzofurans in occupationally exposed persons. <i>Journal of Toxicology, Environmental Health</i> , Vol 47 (4) pp 363-78.
14857	Flesch-Janys D, Steindorf K, Gurn P, & Becher H (1998). Estimation of the cumulated exposure to polychlorinated dibenzo-p-dioxins/furans and standardized mortality ratio analysis of cancer mortality by dose in an occupationally exposed cohort. <i>Environmental Health Perspective</i> , Vol 106 Suppl 2 pp 655-62.
14827	Flesch-Janys D, Berger J, Gurn P, Manz A, Nagel S, Waltsgott H, & Dwyer JH (1995). Exposure to polychlorinated dioxins and furans (PCDD/F) and mortality in a cohort of workers from a herbicide-producing plant in Hamburg, Federal Republic of Germany. <i>American Journal of Epidemiology</i> , Vol 142 (11) pp 1165-1175. ERRATUM Vol 144 (7) p716.
32845	Fletcher CL, Orchard GE, Hubbard V, Whittaker SJ, Edelson RL and Russell-Jones R (2004). CD30+ cutaneous lymphoma in association with atopic eczema. <i>Archives of Dermatology</i> , 140(4) pp 449-454.
55680	Flick ED, Chan KA, Bracci PM, Holly EA (2006). Use of nonsteroidal antiinflammatory drugs and non-Hodgkin lymphoma: a population-based case-control study. <i>Am J Epidemiol</i> , 164(5): 497-504.
50686	Floret N, Lucot E, Badot P-M, Mauny F, Viel J-F (2007). A municipal solid waste incinerator as the single dominant point source of PCDD/Fs in an area of increased non-Hodgkin's lymphoma incidence. <i>Chemosphere</i> , 68: 1419-26.
52226	Focosi D, Galimberti S, Petrini M (2007). Acute myeloid leukemia and follicular lymphoma after very low dose radioiodine therapy for thyroid diseases. <i>Haematologica</i> , 92(9): e96-7.
55679	Focosi D, Galimberti S, Petrini M (2007). Acute myeloid leukemia and follicular lymphoma after very low dose radioiodine therapy for thyroid diseases. <i>Haematologica</i> , 92(9): e96-7.
10905	Folsom AR, Zhang S, Sellers TA, Zheng W, et al (1996). Cancer incidence among women living on farms: findings from the Iowa women's health study. <i>J Occupational & Environmental Medicine</i> , 38(11): 1171-6.
52225	Fortuny J, de Sanjose S, Becker N, Maynadie M, et al (2006). Statin use and risk of lymphoid neoplasms: results from the European case-control study EPILYMPH. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(5): 921-5.
26123	Franceschi S, Dal Maso L, La Vecchia C. Advances in the epidemiology of HIV-associated non-Hodgkin's lymphoma and other lymphoid neoplasms. <i>Int J Cancer</i> 1999 Nov 12;83(4):481-5.
50709	Franceschi S, Polesel J, Rickenbach M, Dal Maso L, et al (2006). Hepatitis C virus and non-Hodgkin's lymphoma: findings from the Swiss HIV cohort study. <i>Br J Cancer</i> , 95: 1598-602.
1303	Franceschi S, Serraino D, Bidoli E, Talamini R, et al (1989). The epidemiology of non-Hodgkin's lymphoma in the north-east of Italy: a hospital-based case-control study. <i>Leukemia Research</i> , 13(6): 465-72.
50723	Frankenfeld CL, Cerhan JR, Cozen W, Davis S, et al (2008). Dietary flavonoid intake and non-Hodgkin lymphoma risk. <i>Am J Clin Nutr</i> , 87: 1439-45.

55678	Franklin J, Lunt M, Bunn D, Symmons D, Silman A (2006). Incidence of lymphoma in a large primary care derived cohort of cases of inflammatory polyarthritis. <i>Ann Rheum Dis</i> , 65: 617-22.
56117	Franklin JP, Symmons DPM, Silman AJ (2005). Risk of lymphoma in patients with RA treated with anti-TNF α agents. <i>Ann Rheum Dis</i> , 64(5): 657-8.
5214	Fraser P, Carpenter L, Maconochie N, Higgins C, et al (1993). Cancer mortality and morbidity in employees of the United Kingdom Atomic Energy Authority, 1946-86. <i>Br J Cancer</i> , 67: 615-24.
64674	Freedman A, Friedberg JW, Aster JC (2012). Classification of the hematopoietic neoplasms. . Retrieved 1 August 2012, from http://www.uptodate.com/contents/classification-of-the-hematopoietic-neoplasms#H15
26127	Freedman DM, Cantor KP, Ward MH, Helzlsouer KJ (2000). A case-control study of nitrate in drinking water and non-Hodgkin's lymphoma in Minnesota. <i>Arch Environ Health</i> , 55(5) pp 326-329.
12662	Freedman DM, Zahm SH, Dosemeci M (1997). Residential and occupational exposure to sunlight and mortality from non-Hodgkin's lymphoma: composite (threefold) case-control study. <i>British Medical Journal</i> , 314(7092): 1451-55.
26070	Freedman DS, Tolbert PE, Coates R, Brann EA and Kjeldsberg CR (1998). Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men. <i>American Journal of Epidemiology</i> , 148(9) pp 833-841.
26081	Freedman M; Burns CJ (2001) [Comment]. Amyotrophic lateral sclerosis and occupational exposure to 2,4-dichlorophenoxyacetic acid. <i>Occup Environ Med</i> , 58: 609-610.
55677	Freeman HJ (2009). Malignancy in adult celiac disease. <i>World J Gastroenterol</i> , 15(13): 1581-3.
53816	Freeman LEB, Blair A, Lubin JH, Stewart PA, et al (2009). Mortality from lymphohematopoietic malignancies among workers in formaldehyde industries: the National Cancer Institute Cohort. <i>JNCI</i> , 101: 751-61.
53801	Frey NV, Tsai DE (2007). The management of posttransplant lymphoproliferative disorder. <i>Med Oncol</i> , 24(2): 125-36.
52224	Friesen MC, Davies HW, Teschke K, Ostry AS, et al (2007). Impact of the specificity of the exposure metric on exposure-response relationships. <i>Epidemiology</i> , 18: 88-94.
38247	Friis S, Holmich LR, McLaughlin JK, Kjoller K, Fryzek JP, Henriksen TF, Olsen JH (2006). Cancer risk among Danish women with cosmetic breast implants. <i>Int J Cancer</i> , Vol 118 pp 998-1003.
50685	Frisch M, Pedersen BV, Wohlfahrt J, et al (2006). Reproductive patterns and non-Hodgkins lymphoma risk in Danish women and men. <i>Eur J Epidemiol</i> , 21: 673-9.
41148	Fritschi L, Ambrosini GL, Kliewer EV, Johnson KC, et al (2004). Dietary fish intake and risk of leukaemia, multiple myeloma, and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(4) pp 532-537.
52223	Fritschi L, Benke G, Hughes AM, Kricker A, et al (2005). Occupational exposure to pesticides and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 162(9): 849-57.
50684	Fritschi L, Benke G, Hughes AM, Kricker A, et al (2005). Risk of non-Hodgkin lymphoma associated with occupational exposure to solvents, metals, organic dusts and PCBs (Australia). <i>Cancer Causes and Control</i> , 16: 599-607.

16856	Frome EL, Cragle DL, Watkins JP, Wing S, Shy CM, Tankersley WG, & West CM (1997). A mortality study of employees of the nuclear industry in Oak Ridge, Tennessee. <i>Radiation Research</i> , Vol 148 pp 64-80.
26124	Fryzek JP, Mellekjaer L, McLaughlin JK, Blot WJ, Olsen JH. Cancer risk among patients with finger and hand joint and temporo-mandibular joint prostheses in Denmark. <i>Int J Cancer</i> 1999 May 31;81(5):723-5.
8928	Fu H, Demers PA, Costantini AS, Winter P, et al (1996). Cancer mortality among shoe manufacturing workers: an analysis of two cohorts. <i>Occupational and Environmental Medicine</i> , 53: 394-8.
60693	Galbraith D, Gross SA, Paustenbach D (2010). Benzene and human health: a historical review and appraisal of associations with various diseases. <i>Crit Rev Toxicol</i> , 40(S2): 1-46.
15211	Gambini GF, Mantovani C, Pira E, Piolatto PG, Negri E (1997). Cancer mortality among rice growers in Novara Province, Northern Italy. <i>American Journal of Industrial Medicine</i> , 31: 435-41.
50588	Gandhi MK (2006). Epstein-Barr virus-associated lymphomas. <i>Expert Rev Anti Infect Ther</i> , 4(1): 77-89.
52048	Gao Y, Kristinsson SY, Goldin LR, Bjorkholm M, et al (2009). Increased risk for non-Hodgkin lymphoma in individuals with celiac disease and a potential familial association. <i>Gastroenterology</i> , 136: 91-8.
26181	Garabedian MJ, Hoppin JA, Tolbert PE, Herrick RF, Brann EA. Occupational chlorophenol exposure and non-Hodgkin's lymphoma. <i>J Occup Environ Med</i> 1999 Apr;41(4):267-72.
26090	Garber K (2001). Lymphoma rate rise continues to baffle researchers. <i>J Natl Cancer Inst</i> , 93(7) pp 494-6.
52212	Garber K (2004). Aspirin for cancer chemoprevention: still a headache? <i>J Natl Cancer Inst</i> , 96(4): 252-3.
14492	Garland FC, Gorham ED, Garland CF et al (1988). Non-Hodgkin's lymphomas in US navy personnel. <i>Archives of Environmental Health</i> , 43(6): 425-9.
10903	Garry VF, Tarone RE, Long L, Griffith J, et al (1996). Pesticide applicators with mixed pesticide exposure: G-banded analysis and possible relationship to non-Hodgkin's lymphoma. <i>Cancer Epidemiology, Biomarkers and Prevention</i> , 5(1): 11-6.
13011	Gavaghan H (1997). Largest-ever study contests radiation role in childhood cancers. <i>Nature</i> , 390(6656): 107.
55686	Geborek P, Bladstrom A, Turesson C, Gulfe A, et al (2005). Tumour necrosis factor blockers do not increase overall tumour risk in patients with rheumatoid arthritis, but may be associated with an increased risk of lymphomas. <i>Ann Rheum Dis</i> , 64: 699-703.
55867	Geborek P, Bladstrom A, Turesson C, Gulfe A, et al (2005). Tumour necrosis factor blockers do not increase overall tumour risk in patients with rheumatoid arthritis, but may be associated with and increased risk of lymphomas. <i>Ann Rheum Dis</i> , 64: 699-703.
55685	Gelfand JM, Shin DB, Neimann AL, Wang X, et al (2006). The risk of lymphoma in patients with psoriasis. <i>J Invest Dermatol</i> , 126: 2194-201.
55868	Gelfand JM, Shin DB, Neimann AL, Wang X, et al (2006). The risk of lymphoma in patients with psoriasis. <i>J Invest Dermatol</i> , 126: 2194-201.
13081	Georgescu L, Quinn GC, Schwartzman S, & Paget SA (1997). Lymphoma in patients with rheumatoid arthritis: association with the disease state or methotrexate treatment. <i>Seminars in Arthritis & Rheumatism</i> , 26(6): 794-804.

50705	Gibbs GW, Sevigny M (2007). Mortality and cancer experience of Quebec aluminum reduction plant workers. Part 3: monitoring the mortality of workers first employed after January 1, 1950. <i>JOEM</i> , 49(11): 1269-87.
26170	Gilbert ES (2001). Invited commentary: studies of workers exposed to low doses of radiation. <i>American Journal of Epidemiology</i> , 153(4) pp 319-321.
7183	Gilbert ES, Cragle DL, Wiggs LD (1993). Updated analyses of combined mortality data for workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Weapons Plant. <i>Radiation Research</i> , 136: 408-421.
7188	Gilbert ES, Fry SA, Wiggs LD, Voelz GL, et al (1989). Analyses of combined mortality data on workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Nuclear Weapons Plant. <i>Radiation Research</i> , 120: 19-35.
14543	Gilbert ES, Marks S (1979). An analysis of the mortality of workers in a nuclear facility. <i>Radiation Research</i> , 79: 122-48.
16572	Gilbert ES, Omohundro E, Buchanan JA, & Holter NA (1993). Mortality of workers at the Hanford Site: 1945-1986. <i>Health Phys</i> , Vol 64(6) pp 577-590.
29477	Gilbert ES, Petersen GR & Buchanan JA (1989). Mortality of workers at the Hanford Site: 1945-1981. <i>Health Physics</i> , 56(1): 11-25.
52359	Giordano TP, Henderson L, Landgren O, Chiao EY, et al (2007). Risk of non-Hodgkin lymphoma and lymphoproliferative precursor diseases in US veterans with hepatitis C virus. <i>JAMA</i> , 297(18): 2010-7.
50703	Gisbert JP, Garcia-Buey L, Pajares JM, et al (2003). Prevalence of hepatitis C virus infection in B-cell non-Hodgkin's lymphoma: systematic review and meta-analysis. <i>Gastroenterology</i> , 125: 1723-32.
53803	Gisbert JP, Garcia-Buey L, Pajares JM, Moreno-Otero R (2005). Systematic review: regression of lymphoproliferative disorders after treatment for hepatitis C infection. <i>Aliment Pharmacol Ther</i> , 21: 653-62.
26864	Glass DC, Adams GG, Manuell RW, Bisby JA (2000). Retrospective exposure assessment for benzene in the Australian petroleum industry. <i>Ann Occup Hyg</i> , 44(4): 301-20.
30508	Glass DC, Gray CN, Jolley DJ, Gibbons C, et al (2003). Leukemia risk associated with low-level benzene exposure. <i>Epidemiology</i> , 14(5): 569-77.
38762	Glass DC, Gray CN, Jolley DJ, Gibbons C, et al (2005). Health watch exposure estimates: Do they underestimate benzene exposure? <i>Chemico-Biological Interactions</i> , 153-4: 23-32.
50702	Glass DC, Gray CN, Jolley DJ, Gibbons C, Sim MR (2006). The health watch case-control study of leukemia and benzene. The story so far. <i>Ann NY Acad Sci</i> , 1076: 80-9.
26093	Goggins WB, Finkelstein DM, Tsao H. Evidence for an association between cutaneous melanoma and non-Hodgkin lymphoma. <i>Cancer</i> 2001 Feb 15;91(4):874-80.
10769	Golberg LH (1997). Basal cell carcinoma as predictor for other cancers. <i>Lancet</i> , 349: 664-5.
16863	Gold B & Kathren RL (1998). Causes of death in a cohort of 260 plutonium workers. <i>Health Physics</i> , Vol 75(3) pp 236-240.
50701	Goldacre MJ, Wotton CJ, Yeates D, et al (2008). Cancer in patients with ulcerative colitis, Crohn's disease and coeliac disease: record linkage study. <i>Eur J Gastroenterol Hepatol</i> , 20: 297-304.
13019	Goldberg LH (1997). Basal-cell carcinoma as predictor for other cancers. <i>The Lancet</i> , 349(9053): 664-65.
50700	Goldin LR, Caporaso NE (2007). Family studies in chronic lymphocytic leukaemia and other lymphoproliferative tumours. <i>Br J Haematol</i> , 139: 774-9.

52222	Goldin LR, Landgren O, McMaster ML, Gridley G, et al (2005). Familial aggregation and heterogeneity of non-Hodgkin lymphoma in population-based samples. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(10): 2402-6.
26191	Goldstein BD, Shalat S Non-Hodgkin's lymphoma and exposure to benzene in petroleum workers. <i>J Occup Environ Med</i> 2000 Dec;42(12):1133-6.
26558	Goldstein LS, Kheifets L, van Deventer E, et al (2002). [Comments] Long-term exposure of Emicro-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. <i>Radiat Res</i> , 159(2): 275-8.
26150	Goodlad JR, Davidson MM, Hollowood K, Ling C, MacKenzie C, Christie I, Batstone PJ, Ho-Yen DO. Primary cutaneous B-cell lymphoma and <i>Borrelia burgdorferi</i> infection in patients from the Highlands of Scotland. <i>Am J Surg Pathol</i> 2000 Sep;24(9):1279-85.
26583	Gopinath DV & Nambi KSV (1995). Letters to the Editor. Effects of low doses and low dose rates of external ionizing radiation. <i>Radiation Research</i> , Vol 144(3) pp 346-8.
52221	Gorini G, Stagnaro E, Fontana V, Milligi L, et al (2007). Alcohol consumption and risk of Hodgkin's lymphoma and multiple myeloma: a multicentre case-control study. <i>Annals of Oncology</i> , 18: 143-8.
56046	Graff JJ, Sathiakumar N, Macaluso M, Maldonado G, et al (2005). Chemical exposures in the synthetic rubber industry and lymphohematopoietic cancer mortality. <i>J Occup Environ Med</i> , 47: 916-32.
52220	Grandin L, Orsi L, Troussard X, Monnereau A, et al (2008). UV radiation exposure, skin type and lymphoid malignancies: results of a French case-control study. <i>Cancer Causes and Control</i> , 19(3): 305-15.
27902	Grant GM, Shaffer KM, Kao WY, Stenger DA, Pancrazio JJ (2000). Investigation of in vitro toxicity of jet fuels JP-8 and Jet A. <i>Drug & Chemical Toxicology</i> , 23(1) pp 279-91.
30803	Grant WB (2003). Ecologic studies of solar UV-B radiation and cancer mortality rates. <i>Recent Results Cancer Res</i> , 164: 371-7.
50699	Grant WB (2006). Epidemiology of disease risks in relation to vitamin D insufficiency. <i>Progress in Biophysics and Molecular Biology</i> , 92: 65-79.
50731	Grant WB (2008). An ecological study of cancer mortality rates including indices for dietary iron and zinc. <i>Anticancer Research</i> , 28: 1955-64.
14491	Gray GC, Coate BD, Anderson CM et al (1996). The postwar hospitalization experience of US veterans of the Persian Gulf War. <i>NEJM</i> , 335(20): 1505-13.
16747	Green LM (1991). A cohort mortality study of forestry workers exposed to phenoxy acid herbicides. <i>British Journal of Industrial Medicine</i> , Vol 48 pp 234-238.
30763	Green MH, Petit-Frere C, Clingen PH, Bentham G, Cole J, Arlett CF. Possible effects of sunlight on human lymphocytes. <i>J Epidemiol</i> . 1999 Dec;9(6 Suppl):S48-57.
52210	Green PHR, Cellier C (2007). Celiac disease. <i>NEJM</i> , 357: 1731-43.
14525	Greenland S, Salvan A, Wegman DH et al (1994). A case-control study of cancer mortality at a transformer-assembly facility. <i>International Archives of Occupational and Environmental Health</i> , 66(1): 49-54.
1562	Greiner TC, Medeiros LJ, Jaffe ES (1995). Non-Hodgkin's lymphoma. <i>Cancer</i> , 75(1 Suppl): 370-80.
29478	Gribbin MA, Weeks JL, & Howe GR (1993) Cancer mortality (1956-1985) among male employees of atomic energy of Canada limited with respect to occupational exposure to external low-linear-energy-transfer ionizing radiation. <i>Radiation Research</i> Vol 133 pp 375-80

3250	Gridley G, McLaughlin JK, Ekobom A, Klareskog L, et al (1993). Incidence of cancer among patients with rheumatoid arthritis. <i>J Natl Cancer Inst</i> , 85(4): 307-11.
8931	Grodstein F, Hennekens CH, Colditz GA, Hunter DJ, et al (1994). A prospective study of permanent hair dye use and hematopoietic cancer. <i>J Natl Cancer Inst</i> , 86(19): 1466-70.
52517	Grosse Y, Baan R, Straif K, Secretan B, et al (2007). Carcinogenicity of 1,3-butadiene, ethylene oxide, vinyl chloride, vinyl fluoride, and vinyl bromide. <i>Lancet Oncol</i> , 8(8): 679-80.
55015	Grosse Y, Baan R, Straif K, Secretan B, et al (2009). A review of human carcinogens - part A: pharmaceuticals. <i>Lancet Oncol</i> , 10: 13-4.
26148	Groves FD, Linet MS, Travis LB, Devesa SS. Cancer surveillance series: non-Hodgkin's lymphoma incidence by histologic subtype in the United States from 1978 through 1995. <i>J Natl Cancer Inst</i> 2000 Aug 2;92(15):1240-51.
18977	Groves FD, Linet MS, Travis LB, et al (2000). Cancer surveillance series: non-Hodgkin's Lymphoma incidence by histologic subtype in the United States from 1978 through 1995. <i>Journal of the National Cancer Institute</i> , 92(15): 1240-51.
44403	Grulich AE, Leeuwen MT, Falster MO, Vajdic CM (2007). Incidence of cancers in people with HIV/AIDS compared with immunosuppressed transplant recipients: a meta-analysis. <i>Lancet</i> , 307: 59-67.
50698	Grulich AE, Vajdic CM (2005). The epidemiology of non-Hodgkin lymphoma. <i>Pathology</i> , 37(6): 409-19.
52217	Grulich AE, Vajdic CM, Cozen W (2007). Altered immunity as a risk factor for non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 405-8.
52219	Grulich AE, Vajdic CM, Kaldor JM, Hughes AM, et al (2005). Birth order, atopy, and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 97(8): 587-94.
50760	Grulich AE, Vajdic CM, Riminton S, Hughes A, et al (2007). [Comment] Re: atopy and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 99(18): 1417.
52755	Guidoboni M, Ferreri AJ, Ponzoni M, Doglioni C, Dolcetti R (2006). Infectious agents in mucosa-associated lymphoid tissue-type lymphomas: Pathogenic role and therapeutic perspectives. <i>Clinical Lymphoma & Myeloma</i> , 6(4): 289-300.
50710	Guidotti TL (2007). Evaluating causality for occupational cancers: the example of firefighters. <i>Occupational Medicine</i> , 57: 466-71.
26128	Gulis G, Czompolyova M, Cerhan JR. An ecologic study of nitrate in municipal drinking water and cancer incidence in Trnava District, Slovakia. <i>Environ Res</i> 2002 Mar;88(3):182-7.
26146	Gurney KA, Cartwright RA, Gilman EA. Descriptive epidemiology of gastrointestinal non-Hodgkin's lymphoma in a population-based registry. <i>Br J Cancer</i> 1999 Apr;79(11-12):1929-34.
45754	Guzelian P, Quattrochi L, Karch N, Aylward L, Kaley R (2006). Does dioxin exert toxic effects in humans at or near current background body levels?: an evidence-based conclusion. <i>Human & Experimental Toxicology</i> , Vol 25 pp 99-105.
46931	Guzelian P, Victoroff MS, Halmes NC, James RC, Guzelian CP (2005). Evidence-based toxicology: a comprehensive framework for causation. <i>Hum Experimental Toxicol</i> , 24: 161-201.
47828	Hagmar L, Wallin E, Vessby B, Jonsson BAG, Bergman A, Rylander L (2006). Intra-individual variations and time trends 1991-2001 in human serum levels of PCB, DDE and hexachlorobenzene. <i>Chemosphere</i> , 64: 1507-13.

53974	Hagner PR, Mazan-Mamczarz K, Dai B, Cori S, et al (2009). Alcohol consumption and decreased risk of non-Hodgkin lymphoma: role of mTOR dysfunction. <i>Blood</i> , 113(22): 5526-35.
26035	Hakansson N, Floderus B, Gustavsson P, Feychting M, Hallin N (2001). Occupational sunlight exposure and cancer incidence among Swedish construction workers. <i>Epidemiology</i> , 12(5) pp 552-557.
52216	Haldorsen IS, Krakenes J, Goplen AK, Dunlop O, et al (2008). AIDS-related primary central nervous system lymphoma: a Norwegian national survey 1989-2003. <i>BMC Cancer</i> , 8: 225.
3032	Hall P, Rosendahl I, Mattsson A, Einhorn S (1995). Non-Hodgkin's lymphoma and skin malignancies - shared etiology? <i>Int J Cancer</i> , 62: 519 &521.
68364	Hamblin TJ (2008). [Comment] Have we been wrong about ionizing radiation and chronic lymphocytic leukemia? <i>Leukemia Research</i> , 32: 523-5.
53818	Hammer GP, Seidenbusch MC, Schneider K, Regulla DF, et al (2009). A cohort study of childhood cancer incidence after postnatal diagnostic x-ray exposure. <i>Radiat Res</i> , 171: 504-12.
26598	Hancock SL, Hoppe RT. Long-Term Complications of Treatment and Causes of Mortality After Hodgkin's Disease. <i>Semin Radiat Oncol</i> 1996 Jul;6(3):225-242
26129	Hannuksela-Svahn A, Pukkala E, Laara E et al (2000). Psoriasis, its treatment, and cancer in a cohort of Finnish patients. <i>J Invest Dermatol</i> , 114(3): 587-90.
4549	Hansen ES (1993). A follow-up study on the mortality of truck drivers. <i>Am J Ind Med</i> , 23: 811-21.
29603	Hansen ES, Hasle H, Lander F (1992). A cohort study on cancer incidence among Danish gardeners. <i>Am J Ind Med</i> , 21(5): 651-660.
53807	Hansen ES, Lander F, Lauritsen JM (2007). Time trends in cancer risk and pesticide exposure, a long-term follow-up of Danish gardeners. <i>Scand J Work Environ Health</i> , 33(6): 465-9.
14524	Hansen HL, Pedersen G (1996). Influence of occupational accidents and deaths related to lifestyle on mortality among merchant seafarers. <i>International Journal of Epidemiology</i> , 25(6): 1237-43.
1263	Hansen J, Olsen JH (1994). Cancer morbidity among Danish female pharmacy technicians. <i>Scand J Work Environ Health</i> , 20(1): 22-6.
26184	Hansen J, Raaschou-Nielsen O, Christensen JM, Johansen I, et al (2001). Cancer incidence among Danish workers exposed to trichloroethylene. <i>J Occup Environ Med</i> , 43(2): 133-39.
26270	Hansen J, Raaschou-Nielsen O, Christensen JM, Johansen I, et al (2001). Cancer incidence among Danish workers exposed to trichloroethylene. <i>J Occup Environ Med</i> , 43(2) pp 133-9
26251	Hansen PB, Vogt KC, Skov RL, Pedersen-Bjergaard U, Jacobsen M, Ralfkiaer E. Primary gastrointestinal non-Hodgkin's lymphoma in adults: a population-based clinical and histopathologic study. <i>J Intern Med</i> 1998 Jul;244(1):71-8
51929	Harbell JW, Dunn TB, Fauda M, John DG, et al (2008). Transmission of anaplastic large cell lymphoma via organ donation after cardiac death. <i>Am J Transplant</i> , 8(1): 238-44.
54335	Hardell K, Carlberg M, Hardell L, Bjornfoth H, et al (2009). Concentrations of organohalogen compounds and titres of antibodies to Epstein-Barr virus antigens and the risk for non-Hodgkin lymphoma. <i>Oncology Reports</i> , 21: 1567-76.

15154	Hardell L & Axelson O (1998). Environmental and occupational aspects on the etiology of non-Hodgkin's lymphoma. <i>Oncology Research</i> , Vol 10 (1) pp 1-5.
52215	Hardell L (2008). Pesticides, soft-tissue sarcoma and non-Hodgkin lymphoma - historical aspects on the precautionary principle in cancer prevention. <i>Acta Oncologica</i> , 47: 347-54.
42675	Hardell L, Eriksson M (2003). Is the decline of the increasing incidence of Non-Hodgkins Lymphoma in Sweden and other countries a result of cancer preventative measures? <i>Environmental Health Perspectives</i> , 111(14) pp 1704-1706.
50697	Hardell L, Eriksson M, Carlberg M, et al (2005). Use of cellular or cordless telephones and the risk for non-Hodgkin's lymphoma. <i>Int Arch Occup Environ Health</i> , 78: 625-32.
3086	Hardell L, Eriksson M, Degerman A (1994). Exposure to Phenoxyacetic acids, Chlorophenols or organic solvents in relation to Histopathology, Stage and Anatomical localization of non-Hodgkin's lymphoma. <i>Cancer Res</i> , 54: 2386-9.
10344	Hardell L, Eriksson M, Degerman A (1994). Exposure to phenoxyacetic acids, chlorophenols or organic solvents in relation to histopathology, stage and anatomical localization of non-Hodgkin's lymphoma. <i>Cancer Research</i> , 54: 2386-9.
54334	Hardell L, Eriksson M, Lindstrom G, Van Bavel B, et al (2001). Case-control study on concentrations of organohalogen compounds and titers of antibodies to Epstein-Barr virus antigens in the etiology of non-Hodgkin lymphoma. <i>Leukemia & Lymphoma</i> , 42(4): 619-29.
26091	Hardell L, Eriksson M. A case-control study of non-Hodgkin lymphoma and exposure to pesticides. <i>Cancer</i> 1999 Mar 15;85(6):1353-60.
13004	Hardell L, Liljegren G, Lindstrom G, van Bavel B (1997). Polychlorinated biphenyls, chlordanes, and the etiology of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(6): 689.
26130	Hardell L, Lindstrom G, van Bavel B, Hardell K, Linde A, Carlberg M, Liljegren G. Adipose tissue concentrations of dioxins and dibenzofurans, titers of antibodies to Epstein-Barr virus early antigen and the risk for non-Hodgkin lymphoma. <i>Environ Res</i> 2001 Oct;87(2):99-107.
52214	Hardell L, Mild KH, Carlberg M, Soderqvist F (2006). Tumour risk associated with use of cellular telephones or cordless desktop telephones. <i>World J Surg Oncol</i> , 4: 74.
7175	Harrington JM, Rose FG, Koh D (1994). Paint - Health and environmental risk management. <i>Asia-Pacific Journal of Public Health</i> , 7(2): 115-8.
27899	Harris DT, Sakiestewa D, Robledo RF, Young RS, Witten M (2000). Effects of short-term JP-8 jet fuel exposure on cell-mediated immunity. <i>Toxicology & Industrial Health</i> , 16(2) pp 78-84.
27898	Harris DT, Sakiestewa D, Titone D, Robledo RF, et al (2001). Jet fuel-induced immunotoxicity. <i>Toxicology & Industrial Health</i> , 16(7-8) pp 261-5.
28538	Harris NL, Jaffe ES, Diebold J, Flandrin G, Muller-Hermelink HK, Vardiman J, Lister TA and Bloomfield CD (2000). The World Health Organization classification of neoplasms of the hematopoietic and lymphoid tissues: report of the clinical advisory committee meeting - Airlie House, Virginia, November, 1997. <i>The Hematology Journal</i> , Vol 1 pp 53-66.
52279	Hartge P, Colt JS, Severson RK, Cerhan JR, et al (2005). Residential herbicide use and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(4): 934-7.

14518	Hartge P, Devesa SS (1992). Quantification of the impact of known risk factors on time trends in non-Hodgkin's lymphoma incidence. <i>Cancer Research</i> , 52(suppl): 5566s-9s.
1267	Hartge P, Devesa SS, Fraumeni JF Jr (1994). Hodgkin's and non-Hodgkin's lymphomas. <i>Cancer Surveys</i> , 19(20): 423-53.
30769	Hartge P, Devesa SS, Grauman D, Fears TR, Fraumeni JF Jr Non-Hodgkin's lymphoma and sunlight. <i>J Natl Cancer Inst.</i> 1996 Mar 6;88(5):298-300.
50696	Hartge P, Lim U, Freedman M, Colt JS, et al (2006). Ultraviolet radiation, dietary vitamin D, and risk of non-Hodgkin lymphoma (United States). <i>Cancer Causes Control</i> , 17: 1045-52.
52278	Hartge P, Smith MT (2007). Environmental and behavioral factors and the risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 367-8.
26139	Hartge P. Hair dyes, cancer, and epidemiology. <i>Cancer Invest</i> 2000;18(4):408.
51898	Hartmann EM, Ott G, Rosenwald A (2008). Molecular biology and genetics of lymphomas. <i>Hematol Oncol Clin North Am</i> , 22: 807-23.
27900	Hauschild VD (2000). Chemical exposure guidelines for deployed military personnel. <i>Drug & Chemical Toxicology</i> , 23(1) pp 139-53.
14490	Hayes RB, Linet M, Dosemeci M et al (1998). [Comment] Re: benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 90(6): 469-71.
26177	Hayes RB, Yin S, Rothman N, Dosemeci M, Li G, Travis LT, Smith MT, Linet MS. Benzene and lymphohematopoietic malignancies in China. <i>J Toxicol Environ Health A</i> 2000 Nov;61(5-6):419-432.
14485	Hayes RB, Yin S-N, Dosemeci M et al (1997). Benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 89(14): 1065-71.
26199	Hayes RB, Yin SN, Dosemeci M, et al (1997). Benzene and dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 89(14): 1065-71.
53794	Hellgren K, Iliadou A, Rosenquist R, Feltelius N, et al (2009). Rheumatoid arthritis, treatment with corticosteroids, and risk of malignant lymphomas - results from a case-control study. <i>Ann Rheum Dis</i> , : [Epub ahead of print].
51902	Hemminki K, Li X, Sundquist J, Sundquist K (2008). Cancer risks in ulcerative colitis patients. <i>Int J Cancer</i> , 123: 1417-21.
50695	Hemminki K, Li X, Sundquist K, Sundquist J (2008). Cancer risk in hospitalized rheumatoid arthritis patients. <i>Rheumatology</i> , 47: 698-701.
50693	Hennessy BT, Hanrahan EO, Daly PA (2004). Non-Hodgkin lymphoma: an update. <i>Lancet Oncol</i> , 5: 341-53.
48456	Herrick RF, Meeker JD, Hauser R, Altshul L, Weymouth GA (2007). Serum PCB levels and congener profiles among US construction workers. <i>Environ Health</i> , 6: 25.
13003	Herrinton LJ & Friedman GD (1998). Cigarette smoking and risk of non-Hodgkin's lymphoma subtypes. <i>Cancer Epidemiology, Biomarkers & Prevention</i> , 7(1): 25-8.
26266	Herrinton LJ, Friedman GD (1988). Cigarette smoking and risk of non-Hodgkin's lymphoma subtypes. <i>Cancer Epidemiol Biomarkers Prev</i> , 7(1) pp 25-8
47945	Hertz-Picciotto I, Park H-Y, Dostal M, Kocan A, et al (2008). Prenatal exposures to persistent and non-persistent organic compounds and effects on immune system development. <i>Basic Clin Pharmacol Toxicol</i> . 102(2):146-54.

26132	Hibberd AD, Trevillian PR, Wlodarczyk JH, Gillies AH, Stein AM, Sheil AG, Disney AP. Predialysis immunosuppression is an independent risk factor for some cancers in renal transplantation. <i>Transplant Proc</i> 2001 Feb-Mar;33(1-2):1846-7.
50692	Hjalgrim H, Edgren G, Rostgaard K, Reilly M, et al (2007). Cancer incidence in blood transfusion recipients. <i>J Natl Cancer Inst</i> , 99: 1864-74.
50712	Hjalgrim H, Ekstrom-Smedby K, Rostgaard K, et al (2007). Cigarette smoking and risk of Hodgkin lymphoma: a population-based case-control study. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(8): 1561-6.
51893	Hjalgrim H, Engels EA (2008). Infectious aetiology of Hodgkin and non-Hodgkin lymphomas: a review of the epidemiological evidence. <i>J Intern Med</i> , 264: 537-48.
3460	Hoar SK, Blair A, Holmes FF, Boysen CD, et al (1986). Agricultural herbicide use and risk of lymphoma and soft-tissue sarcoma. <i>JAMA</i> , 256(9): 1141-7.
1247	Hoar Zahm S, Blair A (1992). Pesticides and non-Hodgkin's lymphoma. <i>Cancer Res</i> , 52(19 Suppl): 5485s-8s.
1261	Hoar Zahm S, Weisenburger DD, Saal RC, Vaught JB, et al (1993). The role of agriculture pesticide use in the development of non-Hodgkin's lymphoma in women. <i>Arch Environ Health</i> , 48(5): 353-8.
52050	Hochberg J, Waxman IM, Kelly KM, Morris E, Cairo MS (2008). Adolescent non-Hodgkin lymphoma and Hodgkin lymphoma: state of the science. <i>Br J Haematol</i> , 144: 24-40.
50691	Hoefl B, Becker N, Deeg E, Beckmann L, Nieters A (2008). Joint effect between regular use of non-steroidal anti-inflammatory drugs, variants in inflammatory genes and risk of lymphoma. <i>Cancer Causes Control</i> , 19: 163-73.
55869	Hoentjen F, van Bodegraven AA (2009). Safety of anti-tumor necrosis factor therapy in inflammatory bowel disease. <i>World J Gastroenterol</i> , 15(17): 2067-73.
68366	Hoffbrand AV, Hamblin TJ (2007). Is "leukemia" an appropriate label for all patients who meet the diagnostic criteria of chronic lymphocytic leukemia? <i>Leukemia Research</i> , 31: 273-5.
11470	Hoffmann W (1996). Organochlorine compounds: risk of non-Hodgkin's lymphoma and breast cancer? <i>Archives of Environmental Health</i> , 51(3): 189-92.
50690	Hoffmann W, Terschueren C, Heimpel H, et al (2008). Population-based research on occupational and environmental factors for leukemia and non-Hodgkin's lymphoma: the northern Germany Leukemia and Lymphoma Study (NLL). <i>Am J Ind Med</i> , 51: 246-57.
32846	Holly EA and Bracci PM (2003). Population-based study of non-Hodgkin lymphoma, histology, and medical history among human immunodeficiency virus-negative participants in San Francisco. <i>American Journal of Epidemiology</i> , 158(4) pp 316-327.
14819	Holly EA, Lele C, & Bracci P (1997). Non-Hodgkin's lymphoma in homosexual men in the San Francisco Bay area. Occupational, chemical, and environmental exposures. <i>Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology</i> , Vol 15 pp 223-231.
26071	Holly EA, Lele C, Bracci PM and McGrath MS (1999). Case-control study of non-Hodgkin's lymphoma among women and heterosexual men in the San Francisco Bay area, California. <i>American Journal of Epidemiology</i> , 150(4) pp 375-389.

26147	Holly EA, Lele C, Bracci PM. Hair-color products and risk for non-Hodgkin's lymphoma: a population-based study in the San Francisco bay area. <i>Am J Public Health</i> 1998 Dec;88(12):1767-73.
26075	Hooiveld M, Heederik DJJ, Kogevinas M, Boffetta P, et al (1998). Second follow-up of a Dutch cohort occupationally exposed to phenoxy herbicides, chlorophenols, and contaminants. <i>American Journal of Epidemiology</i> , 147(9): 891-901.
26096	Hooper WC, Holman RC, Clarke MJ, Chorba TL. Trends in non-Hodgkin lymphoma (NHL) and HIV-associated NHL deaths in the United States. <i>Am J Hematol</i> 2001 Mar;66(3):159-66.
26599	Hoppe RT. Hodgkin's disease: complications of therapy and excess mortality. <i>Ann Oncol</i> 1997;8 Suppl 1:115-8
14833	HSIA (1996). Trichloroethylene - White Paper. Halogenated Solvents Industry Alliance Inc (HSIA), Washington, DC.
69634	Hsu WL, Preston DL, Soda M, et al (2013). The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors: 1950-2001. <i>Radiat Res</i> , 179(3): 361-82.
50689	Hu S, Fererman DG, Ma F, Kirsner RS (2005). Skin cancer and non-Hodgkin's lymphoma: examining the link. <i>Dermatol Surg</i> , 31: 76-82.
30735	Hu S, Ma F, Collado-Mesa F, Kirsner RS (2004). Ultraviolet radiation and incidence of non-Hodgkin's lymphoma among Hispanics in the United States. <i>Cancer Epidemiol Biomarkers Prev</i> , Jan;13(1):59-64.
56047	Huang TQ, Lee MS, Oh E, Zhang BT, et al (2008). Molecular responses of Jurkat T-cells to 1763 MHz radiofrequency radiation. <i>Int J Radiat Biol</i> , 84(9): 734-41.
50688	Huebner WW, Wojcik NC, Rosamilia K, et al (2004). Mortality updates (1970-1997) of two refinery/petrochemical plant cohorts at Baton Rouge, Louisiana, and Baytown, Texas. <i>JOEM</i> , 46(12): 1229-45.
50687	Hughes AM, Armstrong BK, Vajdic CM, Turner J, et al (2004). Sun exposure may protect against non-Hodgkin lymphoma: a case-control study. <i>Int J Cancer</i> , 112: 865-71.
3437	Hummel M, Anagnostopoulos I, Korbjuhn P, Stein H (1995). Epstein-Barr virus in B-cell non-Hodgkin's lymphomas: unexpected infection patterns and different infection incidence in low- and high-grade types. <i>J Pathol</i> , 175(3): 263-71.
51924	Hunt KE, Reichard KK (2008). Diffuse large B-cell lymphoma. <i>Arch Pathol Lab Med</i> , 132: 118-24.
12665	Hunting KL, Longbottom H, Kalavar SS, Stern F, et al (1995). Haematopoietic cancer mortality among vehicle mechanics. <i>Occupational and Environmental Medicine</i> , 52: 673-78.
14829	IARC (1985). Coal-tars and derived products. Vol 35 p 83.
8930	IARC (1993). The evaluation of carcinogenic risks to humans: Occupational exposures of hairdressers and barbers and personal use of hair colorants; some hair dyes, cosmetic colourants, industrial dyestuffs and aromatic amines. IARC Monographs, 57: 43-118. WHO Geneva.
33056	IARC (2002). IARC Handbooks of Cancer Prevention Vol 6. - Weight Control & Physical Activity. IARC Press, Lyon, France.
32051	IARC (2004). Tobacco smoke and involuntary smoking. IARC monographs on the evaluation of carcinogenic risks to humans, Vol 83. .
55017	IARC (2009). A review of human carcinogens - part F: chemical agents and related occupations. Summary of evaluations. . Retrieved 21 December 2009, from http://monographs.iarc.fr/pdfnews/WG-100F.pdf

18407	IARC Study Group on Cancer Risk among Nuclear Industry Workers (1994). Direct estimates of cancer mortality due to low doses of ionising radiation: an international study. <i>The Lancet</i> , Vol 344 pp 1039-1043.
28312	IARC Working Group (1991). IARC Monographs on the evaluation of carcinogenic risks to humans: occupational exposures in insecticide application, and some pesticides. IARC Monographs, 53. IARC Press, Lyon.
29517	IARC Working Group (1991). Occupational exposures in insecticide application, and some pesticides. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 53. World Health Organization International Agency for Research on Cancer. Lyon France.
13267	IARC Working Group (1995). Dry cleaning, some chlorinated solvents and other industrial chemicals. IARC Monogr Carcinog risks Humans, Vol 63: 3, 12-27, 75-221. IARC Press, Lyon.
21776	IARC Working Group (2000). IARC Monographs on the evaluation of carcinogenic risks to humans: Ionizing Radiation Part 1: X - and Gamma - radiation, and neutrons. IARC Monographs, Vol 75. World Health Organization, International Agency for Research on Cancer, Lyon France.
64766	IARC Working group (2012). Chemical agents and related occupations: Benzene. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, 100F: 249-94. World Health Organization International Agency for Research on Cancer. Lyon France.
65039	IARC Working Group (2012). x- and y-radiation. IARC Monographs - A Review of Human Carcinogens, 100 Part D, Radiation: 131-2. IARC Press, Lyon.
47839	Illinois Department of Public Health and the University of Chicago: Final Report. The La Salle electrical utilities company morbidity II study. Obtained from: http://hdl.handle.net/123456789/5549
54599	Inagaki H (2007). Mucosa-associated lymphoid tissue lymphoma: molecular pathogenesis and clinicopathological significance. <i>Pathol Int</i> , 57: 474-84.
26273	Infante-Rivard C, Olson E, Jacques L, Ayotte P (2001). Drinking water contaminants and childhood leukemia. <i>Epidemiology</i> , Vol 12 pp 13-9.
50305	Infante-Rivard C, Weichenthal S (2007). Pesticides and childhood cancer: an update of Zahm and Ward's 1998 review. <i>Journal of Toxicology and Environmental Health, Part B</i> , 10: 81-99.
53825	Inokuchi M, Ito T, Uchikoshi M, Shimozuma Y, et al (2009). Infections of B cells with hepatitis C virus for the development of lymphoproliferative disorders in patients with chronic hepatitis C. <i>J Med Virol</i> , 81: 619-27.
3087	Inskip PD, Kleinerman RA, Stovall M, Cookfair DL, et al (1993). Leukemia, lymphoma and multiple myeloma after pelvic radiotherapy for benign disease. <i>Radiation Res</i> , 135: 108-24.
3734	Institute of Medicine (1994). Cancer: Malignant lymphomas. Veterans and Agent Orange: Health Effects of Herbicides Used in Vietnam, 8: 525 -49. Washington, D.C. : National Academy Press.
56115	Institute of Medicine (1994). Health effects of herbicides used in Vietnam. Veterans and Agent Orange: 404. National Academy Press - Washington, DC.
18294	Institute of Medicine (1994). Veterans and Agent Orange: Health Effects of Herbicides Used in Vietnam. Committee to review the health effects in Vietnam Veterans of exposure to herbicides. , . The National Academic Press, Washington DC 1.
26033	Institute of Medicine (2000). Veterans and agent orange. Update 2000. Leukemia. Abstract taken pp 376-389

55907	Institute of Medicine (2003). Non-Hodgkin's lymphoma. Gulf War and Health. Insecticides and Solvents, Vol 2: 123-31. National Academy Press - Washington, DC.
55812	Institute of Medicine (2003). Selected epidemiological studies - chronic lymphocytic leukemia. Veterans and Agent Orange. Update 2002: 374. National Academy Press - Washington, DC.
55811	Institute of Medicine (2007). Average annual incidence (per 100,000) of Non-Hodgkin's lymphoma in the United States. Veterans and Agent Orange. Update 2006: 444. National Academy Press - Washington, DC.
55913	Institute of Medicine (2007). Cancer. Veterans and Agent Orange Update 2006, 6th Biennial Update: 370-81, 443-58. National Academy Press - Washington, DC.
55914	Institute of Medicine (2009). Non-Hodgkin's lymphoma. Veterans and Agent Orange Update 2008, 6th Biennial Update: 317-31. National Academy Press - Washington, DC.
24206	International Commission on non-ionizing radiation protection (1998). Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). Health Physics, 74(4): 494-522.
10624	Isaacson PP (1992). Extranodal lymphomas. Oxford Textbook of Pathology, 1 24.6: 1787-9. Oxford University Press.
10625	Isaacson PP (1996). Recent developments in our understanding of gastric lymphomas. Am J Surg Path, 20(Suppl 1): S1-7.
13015	Iscovich J, Paltiel O, Azizi E, Kuten A, et al (1998). Cutaneous lymphoma in Israel, 1985-1993: a population-based incidence study. British Journal of Cancer, 77(1): 170-3.
29550	Jablon S, Boice JD Jr (1993). Mortality among workers at a nuclear power plant in the United States. Cancer Causes & Control, Vol 4 pp 427-430.
27802	Jackman SM, Grant GM, Kolanko CJ, Stenger DA, Nath J (2002). DNA damage assessment by comet assay of human lymphocytes exposed to jet propulsion fuels. Environmental & Molecular Mutagenesis, Vol 40 pp 18-23.
28648	Jacobs P, Wood L (2002). Chronic lymphocytic leukaemia--the haematologic basis for diagnosis and treatment. Hematology, 7(1): 33-42.
26088	Jaffe ES, Diebold J, Harris NL, Muller-Hermelink HK, Flandrin G and Vardiman JW (1999). Burkitt's lymphoma: a single disease with multiple variants. Blood, 93(3) p 1124.
30809	Jaffe ES, Harris NL, Stein H, Vardiman JW (Eds) (2001). Pathology and genetics of tumours of haematopoietic and lymphoid tissues. World Health Organization Classification of Tumours, . IARC Press: Lyon.
51911	Jain A, Patil VP, Fung J (2008). Incidence of de novo cancer and lymphoproliferative disorders after liver transplantation in relation to age and duration of follow-up. Liver Transpl, 14: 1406-11.
10626	Jass JR (1992). Tumours of the stomach. Oxford Textbook of Pathology, 2 16.3: 1165-73. Oxford University Press.
11053	Jelfs P, Giles G, Shugg D, Taylor R, et al (1994). Cancer in Australia 1986-1988. Cancer Series no. 2, : 183. AIHW: Canberra.
1268	Jenks S (1994). Studies suggest transfusions may increase cancer risk. J Nat Can Institute, 86(4): 260.
52051	Jensen AO, Thomsen HF, Engebjerg MC, Olesen AB, et al (2009). Use of oral glucocorticoids and risk of skin cancer and non-Hodgkin's lymphoma: a population-based case-control study. Br J Cancer, 100: 200-5.

52748	Ji J, Shu X, Li X, Sundquist K, et al (2009). Cancer risk in hospitalised asthma patients. <i>Br J Cancer</i> , 100: 829-33.
53827	Ji J, Shu X, Li X, Sundquist K, Sundquist J, Hemminki K (2009). Cancer risk in hospitalized sarcoidosis patients: a follow-up study in Sweden. <i>Ann Oncol</i> , 20: 1121-6.
52980	Ji J, Shu X, Sundquist K, Sundquist J, Hemminki K (2009). Cancer risk in hospitalised psoriasis patients: a follow-up study in Sweden. <i>Br J Cancer</i> , 100: 1499-502.
11770	Johnson JC, Thaul S, Page WF, Crawford H (1997). Mortality of veteran participants in the crossroads nuclear test. <i>Health Physics</i> , 73(1): 187-9.
55866	Jones JL, Loftus EV Jr (2007). Lymphoma risk in inflammatory bowel disease: is it the disease or its treatment? <i>Inflamm Bowel Dis</i> , 13(10): 1299-307.
50587	Jurewicz J, Hanke W (2006). Exposure to pesticides and childhood cancer risk: has there been any progress in epidemiological studies? <i>Int J Occup Med Environ Health</i> , 19(3): 152-69.
27793	Kabbur MB, Rogers JV, Gunasekar pp Garrett CM, et al (2001). Effect of JP-8 jet fuel on molecular and histological parameters related to acute skin irritation. <i>Toxicology & Applied Pharmacology</i> , Vol 175 pp 83-88.
14495	Kagan E, Jacobson RJ (1983). Lymphoid and plasma cell malignancies: asbestos-related disorders of long latency. <i>AJCP</i> , 80(1): 14-20.
53813	Kaiser R (2008). Incidence of lymphoma in patients with rheumatoid arthritis: a systematic review of the literature. <i>Clinical Lymphoma & Myeloma</i> , 8(2): 87-93.
50718	Kalish RS; Dellavalle RD, et al; Autier P, et al; Berwick M, et al; Smedby KE, et al, Egan KM, et al (2005). [Comments] Re: sun exposure and mortality from melanoma. <i>J Natl Cancer Inst</i> , 97(15): 1158-62.
25080	Kalman CJ; Richardson D and Cardis E (2000)[LETTERS]. Springfields study. <i>J Radiol Prot</i> , 20(4) pp 453-4. [Comment on: The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> Vol 20 pp 111-137.]
26144	Kamel OW, Holly EA, van de Rijn M, Lele C, Sah A. A population based, case control study of non-Hodgkin's lymphoma in patients with rheumatoid arthritis. <i>J Rheumatol</i> 1999 Aug;26(8):1676-80.
53793	Kandiel A, Fraser AG, Korelitz BI, Brensinger C, Lewis JD (2005). Increased risk of lymphoma among inflammatory bowel disease patients treated with azathioprine and 6-mercaptopurine. <i>Gut</i> , 54: 1121-5.
70203	Kane EV, Newton R (2010). Benzene and the risk of non-Hodgkin lymphoma: A review and meta-analysis of the literature. <i>Cancer Epidemiol</i> , 34: 7-12.
50306	Kang D, Davis LK, Hunt P, Driebel D (2008). Cancer incidence among male Massachusetts firefighters, 1987-2003. <i>Am J Ind Med</i> , 51(5): 329-35.
45172	Kang HK, Dalager Na, Needham LL et al (2006). Health status of Army Chemical Corps Vietnam veterans who sprayed defoliant in Vietnam. <i>Am J Ind Med</i> , 49(11): 875-84.
27800	Kanikkannan N, Patel R, Jackson T, Shaik MS, Singh M (2001). Percutaneous absorption and skin irritation of JP-8 (jet fuel). <i>Toxicology</i> , Vol 161 pp 1-11.
50301	Kapoor S (2008). [Comment] Obesity and the risk for non-Hodgkin lymphoma. <i>Int J Cancer</i> , 123: 490.
50931	Kapoor S; Willett EV (2008). [Comments] Obesity and the risk for non-Hodgkin lymphoma. <i>Int J Cancer</i> , 123: 490-2.
50761	Karipidis K, Benke G, Sim M, Fritschi L, et al (2007). Occupational exposure to power frequency magnetic fields and risk of non-Hodgkin lymphoma. <i>Occup Environ Med</i> , 64: 25-9.

52954	Karipidis KK, Benke G, Sim MR, Kauppinen T, et al (2007). Occupational exposure to ionizing and non-ionizing radiation and risk of non-Hodgkin lymphoma. <i>Int Arch Occup Environ Health</i> , 80: 663-70.
52274	Karunanayake CP, McDuffie HH, Dosman JA, Spinelli JJ, Pahway P (2008). Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study. <i>Environmental Health</i> , 7: 44.
50307	Kasike BL, Snyder JJ, Gilbertson DT, Wang C (2004). Cancer after kidney transplantation in the United States. <i>Am J Transplantation</i> , 4: 905-13.
3052	Kassan SS, Thomas TL, Moutsopoulos HM, Hoover R, et al (1978). Increased risk of lymphoma in Sicca Syndrome. <i>Ann Intern Med</i> , 89(6): 888-92.
50315	Katanoda K, Yaho-Suketomo H (2008). Comparison of time trends in Hodgkin and non-Hodgkin lymphoma incidence (1973-97) in East Asia, Europe and USA, from cancer incidence in five continents Vol. IV-VIII. <i>Jpn J Clin Oncol</i> , 38(5): 391-3.
51923	Katebi M, Sharifi N, Tarhini M, Otrrock ZK, et al (2008). [Comment] Frequency of Epstein-Barr virus expression in various histological subtypes of Hodgkin's lymphoma. <i>Histopathology</i> , 52: 767-9.
52747	Kato I, Koenig KL, Watanabe-Meserve H, Baptiste MS, et al (2005). Personal and occupational exposure to organic solvents and risk of non-Hodgkin's lymphoma (NHL) in women (United States). <i>Cancer Causes and Control</i> , 16: 1215-24.
52277	Kato I, Watanabe-Meserve H, Koenig KL, Baptiste MS (2004). Pesticide product use and risk of non-Hodgkin lymphoma in women. <i>Environ Health Perspectives</i> , 112(13): 1275-81.
1566	Kauppinen T, Kogevinas M, Johnson E, Becher H, et al (1993). Chemical exposure in manufacture of phenoxy herbicides and chlorophenols and in spraying of phenoxy herbicides. <i>Am J Ind Med</i> , 23: 903-20.
52362	Kelemen LE, Cerhan JR, Lim U, Davis S, et al (2006). Vegetables, fruit, and antioxidant-related nutrients and risk of non-Hodgkin lymphoma: a National Cancer Institute-Surveillance, Epidemiology, and end results population-based case-control study. <i>Am J Clin Nutr</i> , 83: 1401-10.
13046	Keller-Byrne JE, Khuder SA, Schaub EA & McAfee O (1997). A meta-analysis of non-Hodgkin's lymphoma among farmers in the Central United States. <i>American Journal of Industrial Medicine</i> , 31(4): 442-4.
12935	Keller-Byrne JE, Khuder SA, Schaub EA and McAfee O (1997). A meta-analysis of non-Hodgkin's lymphoma among farmers in the central United States. <i>American Journal of Industrial Medicine</i> , 31(4): 442-4.
54601	Kelly GL, Rickinson AB (2007). Burkitt lymphoma: revisiting the pathogenesis of a virus-associated malignancy. <i>Hematology Am Soc Hematol Educ Program</i> , : 277-84.
52218	Kemp A, et al; Grulich AE, et al (2005). [Comments] Re: birth order, atopy, and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 97(19): 1475-6. Comments on ID: 52219.
14621	Kendall GM, Muirhead CR, MacGibbon BH et al (1992). Mortality and occupational exposure to radiation: first analysis of the national registry for radiation workers. <i>British Medical Journal</i> , 304: 220-4.
52044	Kesminiene A, Evrard A-S, Ivanov VK, Malakhova IV, et al (2008). Risk of hematological malignancies among Chernobyl liquidators. <i>Radiation Research</i> , 170: 721-35.
40676	Ketchum NS, Michalek JE (2005). Postservice mortality of Air Force veterans occupationally exposed to herbicides during the Vietnam war: 20-year follow-up results. <i>Mil Med</i> , 170(5): 406-13.

24359	Ketchum NS, Michalek JE, & Burton JE (1999). Serum dioxin and cancer in veterans of Operation Ranch Hand. <i>American Journal of Epidemiology</i> , 149(7): 630-9.
52276	Khan AE, Gallo V, Linsiesen J, Kaaks R, et al (2008). Diabetes and the risk of non-Hodgkin's lymphoma and multiple myeloma in the European prospective investigation into cancer and nutrition. <i>Haematologica</i> , 93(6): 842-50.
3434	Khan G, Norton AJ, Slavin G (1993). Epstein-Barr Virus in Reed-Sternberg-like cells in non-Hodgkin's lymphomas. <i>J Pathology</i> , 169: 9-14.
26145	Khuder SA, Schaub EA, Keller-Byrne JE. Meta-analyses of non-Hodgkin's lymphoma and farming. <i>Scand J Work Environ Health</i> 1998 Aug;24(4):255-61.
69996	Kim CJ, Freedman DM, Curtis RE, et al (2013). Risk of non-Hodgkin lymphoma after radiotherapy for solid cancers. <i>Leuk Lymphoma</i> , 54(8): 1691-7.
26421	Kim JS, et al (1999). Eradication of helicobacter pylori did not lead to cure of duodenal mucosa - associated lymphoid tissue lymphoma. <i>Scandinavia Journal of Gastroenterology</i> , Vol 34 pp 215-218.
45746	Kimbrough RD (2007). [Comment] Letters to the Editor. <i>Environmental Research</i> , 103: 145-6.
38757	Kimbrough RD, Doemland ML, Mandel JS (2003). A mortality update of male and female capacitor workers exposed to polychlorinated biphenyls. <i>JOEM</i> , 45(3) pp 271-282.
47943	Kimbrough RD, Krouskas CA (2003). Human exposure to polychlorinated biphenyls and health effects. <i>Toxicol Rev</i> , 22(4): 217-33.
3069	Kingsmore SF, Hall BD, Allen NB, Rice JR, Caldwell DS (1992). Association of Methotrexate, rheumatoid arthritis and lymphoma: Report of 2 cases and literature review. <i>J Rheumatol</i> , 19(9): 1462-5.
1248	Kinlen L (1992). Immunosuppressive therapy and acquired immunological disorders. <i>Cancer Res</i> , 52(19 Suppl): 5474s-5476s.
3252	Kinlen L (1992). Immunosuppressive therapy and acquired immunological disorders ;52(19 Suppl):5474s–5476s. <i>Cancer Res</i> , 52(19 Suppl): 5474s - 5476s.
26122	Kinlen LJ (2000). Non-Hodgkin's lymphoma after immunosuppressive therapy. <i>Gut</i> , 47(4) pp 462-3.
3057	Kinlen LJ, Sheil AGR, Peto J, Doll R (1979). Collaborative United Kingdom-Australasian study of cancer in patients treated with immunosuppressive drugs. <i>BMJ</i> , 2: 1461-66.
32843	Kirby B, Owen CM, Blewitt RW and Yates VM (2002). Cutaneous T-cell lymphoma developing in a patient on cyclosporin therapy. <i>J Am Acad Dermatol</i> , 47(2) pp S165-S167.
53799	Kleinschmidt-DeMasters BK, Damek DM, Lillehei KO, et al (2008). Epstein Barr virus-associated primary CNS lymphomas in elderly patients on immunosuppressive medications. <i>J Neuropathol Exp Neurol</i> , 67(11): 1103-11.
49864	Knerr S, Schrenk D (2006). Carcinogenicity of "non-dioxinlike" polychlorinated biphenyls. <i>Crit Rev Toxicol</i> , 36(9): 663-94.
12936	Koblin BA, Hessel NA, Zauber AG, Taylor PE, et al (1996). Increased incidence of cancer among homosexual men, New York City and San Francisco, 1978-1990. <i>American Journal of Epidemiology</i> , 144(10): 916-23.
1251	Kogevinas M, Kauppinen T, Winkelmann R, Becher H, et al (1995). Soft tissue sarcoma and non-Hodgkin's lymphoma in workers exposed to phenoxy herbicides, chlorophenols, and dioxins: two nested case-control studies. <i>Epidemiology</i> , 6(4): 396-402.

52275	Kogevinas M, Zock J-P, Alvaro T, Garcia-Villanueva M, et al (2004). Occupational exposure to immunologically active agents and risk for lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(11): 1814-8.
3054	Kolstad HA, Lynge E, Olsen J (1993). Cancer incidence in the Danish reinforced plastics industry. <i>IARC Sci Publ</i> , (127): 301-8.
52052	Koshiol J, Gridley G, Engels EA, McMaster ML, Landgren O (2008). Chronic immune stimulation and subsequent Waldenstrom macroglobulinemia. <i>Arch Intern Med</i> , 168(17): 1903-9.
52742	Koshiol J, Gridley G, Engels EA, McMaster ML, Landgren O (2008). Chronic immune stimulation and subsequent Waldenstrom macroglobulinemia. <i>Arch Intern Med</i> , 168(17): 1903-9.
52280	Koutros S, Zhang Y, Zhu Y, Maybe ST, et al (2008). Nutrients contributing to one-carbon metabolism and risk of non-Hodgkin lymphoma subtypes. <i>Am J Epidemiol</i> , 167: 287-94.
13954	Kramarova E, Kogevinas M, Anh CT, Cay HD, et al (1998). Exposure to agent and occurrence of soft-tissue sarcomas or non-Hodgkin lymphomas: an ongoing study in Vietnam. <i>Environmental Health Perspective</i> , 106(Suppl 2): 671-8.
50314	Krause J (2005). AIDS-related non-Hodgkin's lymphomas. <i>Microscopy Research and Technique</i> , 68: 168-75.
50313	Kricker A, Armstrong BK, Hughes AM, Goumas C, et al (2008). Personal sun exposure and risk of non Hodgkin lymphoma: a pooled analysis from the Interlymph Consortium. <i>Int J Cancer</i> , 122: 144-54.
26142	Krishnan A, Bhatia S, Slovak ML, Arber DA, et al (2000). Predictors of therapy-related leukemia and myelodysplasia following autologous transplantation for lymphoma: an assessment of risk factors. <i>Blood</i> , 95(5) pp 1588-1593.
52281	Krishnan B, Morgan GJ (2007). Non-Hodgkin lymphoma secondary to cancer chemotherapy. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 377-80.
27022	Krissenko N (1997). Overview of 1993 research activities in Belarus related to the Chernobyl accident. <i>Stem Cells</i> , 15 (suppl 2): 207-210
50308	Kristensen P, Hilt B, Svendsen K, Grimsrud TK (2008). Incidence of lymphohaematopoietic cancer at a university laboratory: a cluster investigation. <i>Eur J Epidemiol</i> , 23: 11-5.
50762	Kromhout H, Vermeulen R (2007). [Comment] Non-Hodgkin lymphoma and occupations exposures: multiple exposures - multiple papers. <i>Occup Environ Med</i> , 64(1): 4-5.
26557	Kundi M (2003). [Comment] Long term of e-mu-Pim1 transgenic mice to 898.4 MHz does not increase lymphoma incidence. <i>Radiation Research</i> , 159: 274. Comment on ID: 26556.
49013	Kuratsune M, Yoshimura T, Matsuzaka J, Yamaguchi A (1971). Yusho, a poisoning caused by rice oil contaminated with polychlorinated biphenyls. <i>HSMHA Health Reports</i> , 86(12): 1083-91.
10772	Kutting B, Bonsmann G, Metz D, Luger TA, Cerroni L (1997). <i>Borrelia burgdorferi</i> - associated primary cutaneous B cell lymphoma: complete clearing of skin lesions after antibiotic pulse therapy or intralesional injection of interferon alfa-2a. <i>Journal of the American Academy of Dermatology</i> , 36(2): 311-4.
47830	Kuusisto S, Lindroos O, Rantio T, Priha E, Tuhkanen T (2007). PCB contaminated dust on indoor surfaces - health risks and acceptable surface concentrations in residential and occupational settings. <i>Chemosphere</i> , 67: 1194-201.

50750	Kyasa MJ, Hazlett L, Parrish RS, Schichman SA, Zent CS (2004). Veterans with chronic lymphocytic leukemia/small lymphocytic lymphoma (CLL/SLL) have a markedly increased rate of second malignancy, which is the most common cause of death. <i>Leukemia and Lymphoma</i> , 45(3): 507-13.
49011	La Rocca C, Mantovani A (2006). From environment to food: the case of PCB. <i>Ann 1st Super Sanita</i> , 42(4): 410-6.
51903	Lahti TA, Partonen T, Kyyronen P, et al (2008). Night-time work predisposes to non-Hodgkin lymphoma. <i>Int J Cancer</i> , 123: 2148-51.
26180	Lamba AB, Ward MH, Weeks JL, Dosemeci M. Cancer mortality patterns among hairdressers and barbers in 24 US states, 1984 to 1995. <i>J Occup Environ Med</i> 2001 Mar;43(3):250-8.
50749	Lamm SH, Engel A, Byrd DM (2005). Non-Hodgkin lymphoma and benzene exposure: a systematic literature review. <i>Chemico-Biological Interactions</i> , 153-4: 231-7.
51926	Lampi P, Tuomisto J, Hakulinen T, Pukkala E (2008). Follow-up study of cancer incidence after chlorophenol exposure in a community in southern Finland. <i>Scand J Work Environ Health</i> , 34(3): 230-3.
50303	Landau D-A, Saadoun D, Calabrese LH, Cacoub P (2007). The pathophysiology of HCV induced B-cell clonal disorders. <i>Autoimmunity Reviews</i> , 6: 581-7.
52283	Landgren O, Andren H, Nilsson B, Ekbom A, Bjorkholm M (2005). [Comment] Risk profile and outcome in Hodgkin's lymphoma: is obesity beneficial? <i>Ann Oncol</i> , 16(5): 838-40.
52282	Landgren O, Engels EA, Pfeiffer RM, Gridley G, et al (2006). Autoimmunity and susceptibility to Hodgkin lymphoma: a population-based case-control study in Scandinavia. <i>J Natl Cancer Inst</i> , 98: 1321-30.
51895	Landgren O, Tilly H (2008). Epidemiology, pathology and treatment of non-follicular indolent lymphomas. <i>Leukemia & Lymphoma</i> , 49(S1): 35-42.
52355	Landgren O, Turesson I, Gridley G, Caporaso NE (2007). Risk of malignant disease among 1525 adults male US veterans with Gaucher disease. <i>Arch Intern Med</i> , 167: 1189-94.
26254	Langford IH, Bentham G, McDonald AL (1998). Mortality from non-Hodgkin lymphoma and UV exposure in the European Community. <i>Health Place</i> , 4(4):355-64.
50304	Larsson SC, Wolk A (2007). Obesity and risk of non-Hodgkin's lymphoma: a meta-analysis. <i>Int J Cancer</i> , 121: 1564-70.
26131	Law G, Parslow R, McKinney P, Cartwright R. Non-Hodgkin's lymphoma and nitrate in drinking water: a study in Yorkshire, United Kingdom. <i>J Epidemiol Community Health</i> 1999 Jun;53(6):383-4.
12253	Lawrence CE, Reilly AA, Quickenton P, Greenwald P, et al (1985). Mortality patterns of New York State Vietnam veterans. <i>American Journal of Public Health</i> , 75: 277-79.
55875	Lecuit M, Abachin E, Martin A, Poyart C, et al (2004). Immunoproliferative small intestinal disease associated with campylobacter jejuni. <i>NEJM</i> , 350: 239-48.
55865	Lee C-C, Chen W-M, Yen C-C, Wu H-D, Chen T-H (2009). Malignant lymphoma in an atomic-bomb survivor. <i>J Chin Med Assoc</i> , 72(7): 388-93.
52285	Lee JS, Bracci PM, Holly EA (2008). Non-Hodgkin lymphoma in women: reproductive factors and exogenous hormone use. <i>Am J Epidemiol</i> , 168(3): 278-88.

50642	Lee K-M, Lan Q, Kricker A, Purdue MP, et al (2007). One-carbon metabolism gene polymorphisms and risk of non-Hodgkin lymphoma in Australia. <i>Hum Genet</i> , 122: 525-33.
50627	Lee WJ, Cantor KP, Berzofsky JA, et al (2004). Non-Hodgkin's lymphoma among asthmatics exposed to pesticides. <i>Int J Cancer</i> , 111: 298-302.
52284	Lee WJ, Purdue MP, Stewart P, Schenk M, et al (2006). Asthma history, occupational exposure to pesticides and the risk of non-Hodgkin's lymphoma. <i>Int J Cancer</i> , 118(12): 3174-6.
50628	LeMasters GK, Genaidy AM, Succop P, Deddens J, et al (2006). Cancer risk among firefighters: a review and meta-analysis of 32 studies. <i>JOEM</i> , 48(11): 1189-202.
44013	Lens MB, Newton-Bishop JA (2005). An association between cutaneous melanoma and non-Hodgkins's lymphoma: pooled analysis of published data with a review. <i>Annals of Oncology</i> , Vol 16 pp 460-465.
53972	Leombruno JP, Einarson TR, Keystone EC (2009). The safety of anti-tumour necrosis factor treatments in rheumatoid arthritis: meta and exposure-adjusted pooled analyses of serious adverse events. <i>Ann Rheum Dis</i> , 68: 1136-45.
1559	Leonard JN, Tucker WF, Fry JS, Coulter CAE, et al (1983). Increased incidence of malignancy in dermatitis herpetiformis. <i>BMJ</i> , 286: 16-8.
26370	Lepicard A, Lamatque D, Levy M, Copie-Bergman C, Chaumette MT, Haioun C, Anglade MC and Delchier JC (2000). Duodenal mucosa-associated lymphoid tissue lymphoma: treatment with oral cyclophosphamide. <i>The American Journal of Gastroenterology</i> , 95(2) pp 536-539.
13013	Levi F, Randimbison L, La Vecchia C, Erler G, et al (1997). Incidence of invasive cancers following squamous cell skin cancer. <i>American Journal of Epidemiology</i> , 146(9): 734-9.
13892	Levi F, Randimbison L, la Vecchia C, Erler G, Te VC (1997). Incidence of invasive cancers following squamous cell skin cancer. <i>American Journal of Epidemiology</i> , 146(9): 734-9.
26467	Levine AM, Scadden DT, Zaia JA, Krishnan A (2001). Hematologic Aspects of HIV/AIDS. <i>Hematology (Am Soc Hematol Educ Program)</i> pp 463-478.
3049	Levine PH, Peterson D, McNamee FL, O'Brien K, et al (1992). Does chronic fatigue syndrome predispose to non-Hodgkin's lymphoma? <i>Cancer Res</i> , 52(19 S): 5516s-18s.
30461	Lewis JD, Bilker WB, Brensinger C, Deren JJ, Vaughn DJ, Strom BL. Inflammatory bowel disease is not associated with an increased risk of lymphoma. <i>Gastroenterology</i> . 2001 Nov;121(5):1080-7.
3433	Li D, Oda K, Mikata A, Yumoto N (1995). Epstein-Barr virus genomes in Hodgkin's disease and non-Hodgkin's lymphomas. <i>Pathol Int</i> , 45: 735-41.
53797	Lichtenstein GR, Feagan BG, Cohen RD, Salzberg BA, et al (2006). Serious infections and mortality in association with therapies for Crohn's disease: TREAT registry. <i>Clin Gastroenterol Hepatol</i> , 4: 621-30.
50629	Lim S-T, Fei G, Quek R, Lim L-C, et al (2007). The relationship of hepatitis B virus infection and non-Hodgkin's lymphoma and its impact on clinical characteristics and prognosis. <i>Eur J Haematol</i> , 79: 132-7.
52286	Lim U, Gayles T, Katki HA, Stolzengerg-Solomon R, et al (2007). Serum high-density lipoprotein cholesterol and risk of non-Hodgkin lymphoma. <i>Cancer Res</i> , 67(11): 5569-74.
52287	Lim U, Morton LM, Subar AF, Baris D, et al (2007). Alcohol, smoking, and body size in relation to incident Hodgkin's and non-Hodgkin's lymphoma risk. <i>Am J Epidemiol</i> , 166(6): 697-708.

52365	Lim U, Wang SS, Hartge P, Cozen W, et al (2007). Gene-nutrient interactions among determinants of folate and one-carbon metabolism on the risk of non-Hodgkin lymphoma: NCI-SEER case-control study. <i>Blood</i> , 109: 3050-9.
51891	Lin C, Loberiza FR Jr (2007). [Comment] Low-dose radiation and secondary malignancy: is there a causal relationship? <i>Clinical Lymphoma & Myeloma</i> , 7(7): 450.
51922	Lin S-Y, Hsieh M-S, Chen L-S, Chiu Y-H, et al (2007). Diabetes mellitus associated with the occurrence and prognosis of non-Hodgkin's lymphoma. <i>Eur J Cancer Prev</i> , 16: 471-8.
52369	Linet MS, Freedman DM, Mohan AK, Doody MM, et al (2005). Incidence of haematopoietic malignancies in US radiologic technologists. <i>Occup Environ Med</i> , 62: 861-7.
68371	Linet MS, Schubauer-Berigan MK, Weisenburger DD et al (2007). Chronic lymphocytic leukaemia: an overview of aetiology in light of recent developments in classification and pathogenesis. <i>Br J Haematol</i> , 139(5): 672-86.
50630	Linet MS, Taggart T, Severson RK, Cerhan JR, et al (2006). Cellular telephones and non-Hodgkin lymphoma. <i>Int J Cancer</i> , 119: 2382-8.
52946	Lipworth L, Tarone RE, & McLaughlin JK (2009). Breast implants and lymphoma risk: a review of the epidemiologic evidence through 2008. <i>The American Society of Plastic Surgeons</i> , 123(3): 790-3. Retrieved 26 May 2009, from www.PRSJournal.com
52979	Lipworth L, Tarone RE, Friis S, Ye W, et al (2009). Cancer among Scandinavian women with cosmetic breast implants: A pooled long-term follow-up study. <i>Int J Cancer</i> , 124: 490-3.
26066	Little RF, Gutierrez M, Jaffe ES, Pau A, Horne McD and Wilson W (2001). HIV-associated Non-Hodgkin Lymphoma: incidence, presentation, and prognosis. <i>JAMA</i> , 285(14) pp 1880-1885.
32849	Little RF, Gutierrez M, Jaffe ES, Pau A, Horne McD and Wilson W (2001). HIV-associated non-Hodgkin lymphoma: incidence, presentation, and prognosis. <i>JAMA</i> , Vol 285 pp 1880-1885.
26559	Litvak E, Foster KR, Repacholi MH. Health and safety implications of exposure to electromagnetic fields in the frequency range 300 Hz to 10 MHz. <i>Bioelectromagnetics</i> 2002 Jan;23(1):68-82
51935	Lofstrom B, Backlin C, Sundstrom C, Ekbom A, Lundberg IE (2007). A closer look at non-Hodgkin's lymphoma cases in a national Swedish systemic lupus erythematosus cohort: a nested case-control study. <i>Ann Rheum Dis</i> , 66: 1627-32.
1250	Loft SH, Willumsen L (1983). Tropical anamnesis disguising malignant lymphoma. <i>Scand J Haematol</i> , 31: 168-72.
26154	Loftus EV Jr, Tremaine WJ, Habermann TM, Harmsen WS, Zinsmeister AR, Sandborn WJ. Risk of lymphoma in inflammatory bowel disease. <i>Am J Gastroenterol</i> 2000 Sep;95(9):2308-12.
70202	Longo DL (2012). General aspects of lymphoid malignancies. <i>Access Medicine</i> , 18th edition, Section 2, Chapter 110. McGraw Hill.
71212	Longo DL (2014). Malignancies of lymphoid cells. (Eds) AS Fauci, E Braunwald, DL Kasper, SL Hauser et a. Chapter 105. <i>Harrison's Principles of Internal Medicine</i> . 17th Edition. . Retrieved 2 April 2014, from http://proxy14.use.hcn.com.au/content.aspx?aID=2890045
53884	Longo DL, Fauci AS (2008). The human retroviruses - Human T cell lymphotropic virus. <i>Harrison's Principles of Internal Medicine</i> , 17th Edition, Chapter 181: 1134-7. McGraw Hill, New York.

65038	Longo DL, Fauci AS , Kasper DL, Hauser SL et al (2012). Malignancies of Lymphoid Cells: Introduction. Part 7 - Oncology & Hematology. Section 2 - Hematopoietic Disorders. Chapter 110. Retrieved 24 September 2012, from http://www.accessmedicine.com/content.aspx?aID=9118598
11771	Loomis DP, Wolf SH (1996). Mortality of workers at a nuclear materials production plant at Oak Ridge, Tennessee, 1947-1990. <i>American Journal of Industrial Medicine</i> , 29(2): 131-41.
52320	Love T, Solomon DH (2008). [Comment] The relationship between cancer and rheumatoid arthritis: still a large research agenda. <i>Arthritis Res Ther</i> , 10: 109. Comment on ID: 52319.
52746	Lu Y, Sullivan-Halley J, Cozen W, Chang ET, et al (2009). Family history of haematopoietic malignancies and non-Hodgkin's lymphoma risk in the California Teachers Study. <i>Brit J Cancer</i> , 100: 524-6.
52288	Lubon JH, Colt JS, Camann D, Davis S, et al (2004). Epidemiologic evaluation of measurement data in the presence of detection limits. <i>Environ Health Perspectives</i> , 112(17): 1691-6.
7007	Lundberg I (1986). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. <i>Scandinavian Journal of Work, Environment and Health</i> , 12: 108-13.
14817	Lundberg I, Milatou-Smith R (1998). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. <i>Scand J Environ Health</i> , 24(4): 270-5.
26083	Lundberg I, Milatou-Smith R (1998). Mortality and cancer incidence among Swedish paint industry workers with long-term exposure to organic solvents. <i>Scand J Work Environ Health</i> , 24(4): 270-275. Retrieved 6 January 2003, from 270-275
32405	Luqmani RA, Palmer RG, Bacon PA. Azathioprine, cyclophosphamide and chlorambucil. <i>Baillieres Clin Rheumatol</i> . 1990 Dec;4(3):595-619.
52289	Lynch SM, Rusiecki JA, Blair A, Dosemeci M, et al (2006). Cancer incidence among pesticide applicators exposed to cyanazine in the Agricultural Health Study. <i>Environ Health Perspectives</i> , 114(8): 1248-52.
17285	Lynge E (1998). Cancer incidence in Danish phenoxy herbicide workers, 1947-1993. <i>Environmental Health Perspectives</i> , Vol 106(Suppl 2) pp 683-688.
10920	Lynge E, Andersen A, Nilsson R, Barlow L, et al (1997). Risk of cancer and exposure to gasoline vapors. <i>American Journal of Epidemiology</i> , 145(5): 449-58.
42462	Lynge E, Andersen A, Rylander L, Tinnerberg H, Lindbohm ML, et al (2006). Cancer in persons working in dry cleaning in the Nordic countries. <i>Environ Health Perspect</i> , 114(2): 213-9.
13222	Lynge E, Anttila A, Hemminki K (1997). Organic solvents and cancer. <i>Cancer Causes & Control</i> , 8(3): 406-19.
26334	Lynge E. Cancer incidence in Danish phenoxy herbicide workers, 1947-1993. <i>Environ Health Perspect</i> 1998 Apr;106 Suppl 2:683-8
15525	Lyter D, Bryant J, Thackeray R, Zhao P, et al (1994). Incidence of Kaposi's sarcoma (KS) Non-Hodgkin's Lymphoma (NHL), and other malignancies in a cohort of gay men with Human Immunodeficiency Virus (HIV) Infection. <i>Proceedings of ASCO</i> 13 p 50.
50631	Ma F, Fleming LE, Lee DJ, Trapido E, Gerace TA (2006). Cancer incidence in Florida professional firefighters, 1981 to 1999. <i>JOEM</i> , 48(9): 883-8.

38173	Ma F, Fleming LE, Lee DJ, Trapido E, Gerace TA, Lai H, Lai S (2005). Mortality in Florida professional firefighters, 1972 to 1999. <i>Am J Industrial Medicine</i> , Vol 47 pp 509-517.
53822	Mackey AC, Green L, Leptak C, Avigan M (2009). [Comment] Hepatosplenic T cell lymphoma associated with infliximab use in young patients treated for inflammatory bowel disease: update. <i>J Pediatr Gastroenterol Nutr</i> , 48: 386-8.
29501	MacLennan PA, Delzell E, Sathiakumar N, Myers SL, Cheng H, Grizzle W, Chen VW, Wu XC. (2002) Cancer incidence among triazine herbicide manufacturing workers. <i>JOEM Vol 44(11) pp 1048-58</i>
29565	MacLennan PA, Delzell E, Sathiakumar N, Myers SL. (2003) Mortality among triazine herbicide manufacturing workers. <i>J Toxicol Environ Health A</i> . Vol 66(6) pp 501-17
3236	MacLennan R, Smith P (1994). Veterans and agent orange: Health effects of herbicides used in Vietnam. Report prepared for Department of Veteran Affairs commenting on the NAS report.
13079	Magrath IT (1997). Non-Hodgkin's lymphomas: epidemiology and treatment. <i>Annals of the NY Academy of Sciences</i> , 824: 91-106.
26074	Maguire-Boston EK, Suman V, Jacobsen SJ, Moore SB, Habermann TM, Cerhan JR and Folsom AR (1999). Blood transfusion and risk of non-Hodgkin's lymphoma. <i>American Journal of Epidemiology</i> , 149(12) pp 1113-1118.
45752	Mahajan R, Blair A, Coble J, Lynch CF, et al (2007). Carbaryl exposure and incident cancer in the Agricultural Health Study. <i>Int J Cancer</i> , 121: 1799-1805.
47833	Mallin K, McCann K, D'Aloisio A, Freels S, et al (2004). Cohort mortality study of capacitor manufacturing workers, 1944-2000. <i>JOEM</i> , 46(6): 565-76.
52054	Mandel JH, Kelsh M, Mink PJ, Alexander DD (2008). [Comment] Trichloroethylene exposure and non-Hodgkin's lymphoma: supportive evidence. <i>Occup Environ Med</i> , 65(2): 147-8.
52360	Mandel JH, Kelsh MA, Mink PJ, Alexander DD, et al (2006). Occupational trichloroethylene exposure and non-Hodgkin's lymphoma: a meta-analysis and review. <i>Occup Environ Med</i> , 63: 597-607.
3364	Manns A, Cleghorn FR, Falk RT, Hartge P, et al (1993). Role of HTLV-1 in development of non-Hodgkin lymphoma in Jamaica and Trinidad and Tobago. <i>Lancet</i> , 342(8885): 1447-50.
26500	Mao Y, Hu J, Ugnat A-M, & White K. (2000). Non-Hodgkin's lymphoma and occupational exposure to chemicals in Canada. <i>Annals of Oncology</i> , Vol 11 Suppl 1 pp S69-73.
26304	Mao Y, Hu J, Ugnat AM, White K. Non-Hodgkin's lymphoma and occupational exposure to chemicals in Canada. <i>Canadian Cancer Registries Epidemiology Research Group. Ann Oncol 2000;11 Suppl 1:69-73.</i>
30260	Mariette X, Cazals-Hatem D, Warszawski J, Liote F, Balandraud N, Sibilia J (2002) Investigators of the Club Rhumatismes et Inflammation. Lymphomas in rheumatoid arthritis patients treated with methotrexate: a 3-year prospective study in France. <i>Blood</i> , 99(11) pp 3909-3915.
50632	Marsh GM, Youk AO, Esmen NA, Buchanich JM (2005). Mortality patterns among workers in a US pharmaceutical production plant. <i>Ann Epidemiol</i> , 15: 112-22.
50633	Martin-Gomez MA, Pena M, Cabello M, Burgos D, et al (2006). Posttransplant lymphoproliferative disease: a series of 23 cases. <i>Transplantation Proceedings</i> , 38: 2448-50.
25564	Mason MF. Report / Discussion Paper: AVTUR + FSII in the RAAF work environment.

13143	Massoudi BL, Talbott EO, Day RD, et al (1997). A case-control study of hematopoietic and lymphoid neoplasms: The role of work in the chemical industry. <i>American Journal of Industrial Medicine</i> , 31: 21-7.
8388	Matanoski GM, Seltser R, Sartwell PE, Diamond EL, Elliott EA (1975). The current mortality rates of radiologists and other physician specialists: specific causes of death. <i>Am J Epidemiol</i> , 101: 199-210.
51886	Matasar MJ, Zelenetz AD (2008). Overview of lymphoma diagnosis and management. <i>Radiol Clin N Am</i> , 46: 175-98.
50634	Matsuo K, Kusano A, Sugumar A, Nakamura S, et al (2004). Effect of hepatitis C virus infection on the risk of non-Hodgkin's lymphoma: a meta-analysis of epidemiological studies. <i>Cancer Sci</i> , 95(9): 745-52.
56045	Matteson EL (2006). Investigation, explanation, and apology for incomplete and erroneous disclosures. <i>JAMA</i> , 296(18): 2205.
27901	Mattie DR, Marit GB, Flemming CD, Cooper JR (1995). The effects of JP-8 jet fuel on male Sprague-Dawley rats after a 90-day exposure by oral gavage. <i>Toxicology & Industrial Health</i> , 11(4) pp 423-35.
52754	Mbulaiteye SM, Hisada M, El-Omar EM (2009). Helicobacter pylori associated global gastric cancer burden. <i>Frontiers in Bioscience</i> , 14: 1490-504.
27798	McDougal JN, Pollard DL, Weisman W, Garrett CM, Miller TE (2000). Assessment of skin absorption and penetration of JP-8 jet fuel and its components. <i>Toxicological Sciences</i> , Vol 55 pp 247-55.
27795	McDougal JN, Robinson PJ (2002). Assessment of dermal absorption and penetration of components of a fuel mixture (JP-8). <i>The Science of the Total Environment</i> , Vol 288 pp 23-30.
26095	McDuffie HH, Pahwa P, McLaughlin JR, Spinelli JJ, Fincham S, Dosman JA, Robson D, Skinnider LF, Choi NW (2001). Non-Hodgkin's lymphoma and specific pesticide exposures in men: cross-Canada study of pesticides and health. <i>Cancer Epidemiol Biomarkers Prev</i> , 10(11) pp 1155-63.
50635	McDuffie HH, Pahwa P, Robson D, Dosman JA, et al (2005). Insect repellents, phenoxyherbicide exposure, and non-Hodgkin's lymphoma. <i>J Occup Environ Med</i> , 47: 806-16.
26155	McDuffie HH, Pahwa P, Spinelli JJ, McLaughlin JR, Fincham S, Robson D, Dosman JA, Hu J (2002). Canadian male farm residents, pesticide safety handling practices, exposure to animals and non-Hodgkin's lymphoma (NHL). <i>Am J Ind Med</i> 2002 Aug;Suppl 2:54-61.
21774	McGeoghegan D & Binks K. (2000). The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> Vol 20 pp 111-137.
26596	McGeoghegan D and Binks K (2000). The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> , 20(2) pp 111-37.
55864	McGovern DPB, Jewell DP (2005). [Comment] Risks and benefits of azathioprine therapy. <i>Gut</i> , 54: 1055-9.
45749	McHale CM, Zhang L, Hubbard AE, Zhao X, et al (2007). Microarray analysis of gene expression in peripheral blood mononuclear cells from dioxin-exposed human subjects. <i>Toxicology</i> , Vol 229 pp 101-113.
70415	McHale CM, Zhang L, Smith MT (2012). Current understanding of the mechanism of benzene-induced leukemia in humans: implications for risk assessment. <i>Carcinogenesis</i> , 33(2): 240-52.

28417	McKenna DB, Stockton D, Brewster DH, Doherty VR. Evidence for an association between cutaneous malignant melanoma and lymphoid malignancy: a population-based retrospective cohort study in Scotland. <i>Br J Cancer</i> . 2003 Jan 13;88(1):74-8.
52290	McLaughlin JK, Lipworth L, Fryzek JP, Ye W, et al (2006). Long-term cancer risk among Swedish women with cosmetic breast implants: an update of a nationwide study. <i>J Natl Cancer Inst</i> , 98(8): 557-60.
47611	McLean D, Pearce N, Langseth H, Jappinen P, et al (2006). Cancer mortality in workers exposed to organochlorine compounds in the pulp and paper industry: an international collaborative study. <i>Environ Health Perspect</i> , 114(7): 1007-12.
10768	McNally RJQ, Alexander FE, Staines A, Cartwright RA (1997). A comparison of three methods of analysis for age-period-cohort models with application to incidence data on non-Hodgkin's lymphoma. <i>International Journal of Epidemiology</i> , 26(1): 32-46.
53800	Meerbach A, Wutzler P, Hafer R, Zintl F, Gruhn B (2008). Monitoring of Epstein-Barr virus load after hematopoietic stem cell transplantation for early intervention of post-transplant lymphoproliferative disease. <i>J Med Virol</i> , 80: 441-54.
52745	Mehlman MA (2006). Causal relationship between non-Hodgkin's lymphoma and exposure to benzene and benzene-containing solvents. <i>Ann N Y Acad Sci</i> , 1076: 120-8.
50759	Melbye M, Smedby KE, Lehtinen T, Rostgaard K, et al (2007). Atopy and risk of non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 99: 158-66.
52291	Melin A, Sparen P, Persson I, Bergqvist A (2006). Endometriosis and the risk of cancer with special emphasis on ovarian cancer. <i>Human Reproduction</i> , 21(5): 1237-42.
14679	Memon A, Doll R (1994). A search for unknown blood-borne oncogenic viruses. <i>Int J Cancer</i> , 58: 366-8.
52292	Mensah FK, Willett EV, Simpson J, Smith AG, Roman E (2007). Birth order and sibship size: evaluation of the role of selection bias in a case-control study of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 166(6): 717-23.
50636	Merhi M, Raynal H, Cahuzac E, Vinson F, et al (2007). Occupational exposure to pesticides and risk of hematopoietic cancers: meta-analysis of case-control studies. <i>Cancer Causes Control</i> , 18: 1209-26.
50724	Merrill RM, Isakson RT, Beck RE (2007). The association between allergies and cancer: what is currently known? <i>Annals of Allergy, Asthma & Immunology</i> , 99: 102-16.
50694	Mertsching H, Walles T, Bakker G, et al (2004). Expression of epidermal growth-factor receptor in lymphangiomatosis: a new therapeutic target? <i>Lancet Oncol</i> , 5: 353.
47612	Mester B, Nieters A, Deeg E, Elsner G, Becker N, Seidler A (2006). Occupational and malignant lymphoma: a population based case control study in Germany. <i>Occup Environ Med</i> , 63(1): 17-26.
24358	Michalek JE, Ketchum NS, Akhtar FZ (1998). Postservice mortality of US Air Force veterans occupationally exposed to herbicides in Vietnam: 15-year follow-up. <i>American Journal of Epidemiology</i> , 148(8): 786-92.
54755	Michalek JE, Pavuk M (2008). Diabetes and cancer in veterans of Operation Ranch Hand after adjustment for calendar period, days of spraying, and time spent in Southeast Asia. <i>J Occup Environ Med</i> , 50: 330-40.
3040	Michalek JE, Wolfe WH, Miner JC (1990). Health status of air force veterans occupationally exposed to herbicides in Vietnam. <i>JAMA</i> , 264(14): 1832-6.

52293	Miligi L, Costantini AS, Benvenuti A, Kriebel D, et al (2006). Occupational exposure to solvents and the risk of lymphomas. <i>Epidemiology</i> , 17(5): 552-61.
50638	Miligi L, Costantini AS, Benvenuti A, Veraldi A, et al (2005). Personal use of hair dyes and hematolymphopoietic malignancies. <i>Arch Environ Occup Health</i> , 60(5): 249-56.
39606	Miligi L, Costantini AS, Bolejack V, Veraldi A, Benvenuti A, Nanni O, Ramazzotti V, Tumino R, Stagnaro E, Rodella S, Fontana A, Vindigni C, Vineis P (2003). Non-Hodgkin's lymphoma, leukemia, and exposures in agriculture: results from the Italian multicenter case-control study. <i>American Journal of Industrial Medicine</i> , Vol 44 pp 627-636.
50637	Miligi L, Costantini AS, Veraldi A, et al (2006). Cancer and pesticides. An overview and some results of the Italian Multicenter Case-Control Study on Hematolymphopoietic Malignancies. <i>Ann NY Acad Sci</i> , 1076: 366-77.
26156	Miligi L, Seniori Costantini A, Crosignani P, Fontana A, Masala G, Nanni O, Ramazzotti V, Rodella S, Stagnaro E, Tumino R, Vigano C, Vindigni C, Vineis P (1999). Occupational, environmental, and life-style factors associated with the risk of hematolymphopoietic malignancies in women. <i>Am J Ind Med</i> , 36(1) pp 60-69.
1301	Mills PK, Newell GR, Beeson WL, Fraser GE, Phillips RL (1990). History of cigarette smoking and risk of leukemia and myeloma: results from the Adventist health study. <i>J Natl Cancer Inst</i> , 82(23): 1832-6.
38743	Mills PK, Yang R, Riordan D (2005). Lymphohematopoietic cancers in the United Farm Workers of America (UFW), 1988-2001. <i>Cancer Causes & Control</i> , 16: 823-30.
40685	Mills PK, Yang R, Riordan D (2005). Lymphohematopoietic cancers in the United Farm Workers of America (UFW) 1998-2001. <i>Cancer Causes control</i> , 16(7): 823-30.
52363	Mitterlechner T, Fiegel M, Muhlbock H, et al (2006). Epidemiology of non-Hodgkin lymphomas in Tyrol/Austria from 1991 to 2000. <i>J Clin Pathol</i> , 59: 48-55.
3072	Moder KG, Tefferi A, Cohen MD, Menke DM, Luthra HS (1995). Hematologic malignancies and the use of Methotrexate in rheumatoid arthritis: A retrospective study. <i>Am J Med</i> , 99: 276-81.
50585	Mohile NA, Abrey LE (2007). Primary central nervous system lymphoma. <i>Neurol Clin</i> , 25: 1193-207.
56121	Mohner M (2007). [Comment] Risk of lymphohematopoietic malignancies in uranium miners. <i>Environ Health Perspect</i> , 115(4): A184; Author reply A184-5. Comment on ID: 52306.
51897	Monari P, Farisoglio C, Calzavara Pinton PG (2007). <i>Borrelia burgdorferi</i> -associated primary cutaneous marginal-zone-B-cell lymphoma: a case report. <i>Dermatology</i> , 215(3): 229-32.
27796	Monteiro-Riviere N, Inman A, Riviere J (2001). Effects of short-term high-dose and low-dose dermal exposure to Jet A, JP-8 and JP-8+100 jet fuels. <i>Journal of Applied Toxicology</i> , Vol 21 pp 485-494.
52367	Monti G, Pioltelli P, Saccardo F, Campanini M, et al (2005). Incidence and characteristics of non-Hodgkin lymphomas in a multicenter case file of patients with hepatitis C virus-related symptomatic mixed cryoglobulinemias. <i>Arch Intern Med</i> , 165: 101-5.
50643	Moore T, Brennan P, Becker N, de Sanjose S, et al (2007). Occupational exposure to meat and risk of lymphoma: a multicenter case-control study from Europe. <i>Int J Cancer</i> , 121: 2761-6.

52299	Moorman PG, Hamilton RJ (2007). Statins and cancer risk. What do we know and where do we go from here? <i>Epidemiology</i> , 18(2): 194-6.
52944	Morales-Suarez-Varela MM, Olsen J, Johansen P, Kaerlev L, et al (2004). Occupational risk factors for mycosis fungoides: A European multicenter case-control study. <i>JOEM</i> , 46(3): 205-11.
53811	Moran G, Dillon J, Green J (2009). [Comment] Crohn's disease, hepatosplenic T-cell lymphoma and no biological therapy: are we barking up the wrong tree? <i>Inflamm Bowel Dis</i> , : [Epub ahead of print].
53975	Moran G, Dillon J, Green J (2009). [Comment] Crohn's disease, hepatosplenic t-cell lymphoma and no biological therapy: are we barking up the wrong tree? <i>Inflamm Bowel Dis</i> , 15(9): 1281-2.
20643	Morgan RW, Kelsh MA, Zhao K, & Heringer S. (1998). Mortality of aerospace workers exposed to trichloroethylene. <i>Epidemiology</i> , Vol 9(4) pp 424-31.
14768	Morgan RW, Kelsh MA, Zhao K, Heringer S (1998). Mortality of aerospace workers exposed to trichloroethylene. <i>Epidemiology</i> , 9(4): 424-31 ERRATUM: (2000) <i>Epidemiology</i> , 11(3): 360.
3078	Morrison HI. Semenciw RM, Wilkins K, Mao Y, Wigle DT (1994). Non-Hodgkin's lymphoma and agricultural practices in the prairie provinces of Canada. <i>Scand J Work Environ Health</i> , 20: 42-7.
52294	Morton LM, Bernstein L, Wang SS, Hein DW, et al (2007). Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 28(8): 1759-64.
55863	Morton LM, Engels EA, Holford TR, Leaderer B, et al (2004). Hepatitis C virus and risk of non-Hodgkin lymphoma: a population-based case-control study among Connecticut women. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(3): 425-30.
41046	Morton LM, Hartge P, Holford TR, Holly EA, et al (2005). Cigarette smoking and risk of Non-Hodgkin lymphoma: a pooled analysis from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Cancer Epidemiol Biomarkers Prev</i> , 14(4): 925-33.
50713	Morton LM, Holford TR, Leaderer B, Boyle P, et al (2003). Cigarette smoking and risk of non-Hodgkin lymphoma subtypes among women. <i>Br J Cancer</i> , 89: 2087-92.
50645	Morton LM, Holford TR, Lederer B, Zhang Y, et al (2003). Alcohol use and risk of non-Hodgkin's lymphoma among Connecticut women (United States). <i>Cancer Causes and Control</i> , 14: 687-94.
52361	Morton LM, Turner JJ, Cerhan JR, Linet MS, et al (2007). Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). <i>Blood</i> , 110(2): 695-708.
51888	Morton LM, Wang SS, Cozen W, Linet MS, et al (2008). Etiologic heterogeneity among non-Hodgkin lymphoma subtypes. <i>Blood</i> , 112(13): 5150-60.
53823	Morton LM, Wang SS, Richesson DA, Schatzkin A, et al (2009). Reproductive factors, exogenous hormone use and risk of lymphoid neoplasms among women in the National Institutes of Health - AARA diet and health study cohort. <i>Int J Cancer</i> , 124: 2737-43.
50644	Morton LM, Zheng T, Holford TR, Holly EA, et al (2005). Alcohol consumption and risk of non-Hodgkin lymphoma: a pooled analysis. <i>Lancet Oncol</i> , 6: 469-76.
52295	Moslehi R, Devesa SS, Schairer C, Fraumeni JF Jr (2006). Rapidly increasing incidence of ocular non-Hodgkin lymphoma. <i>J Natl Cancer Inst</i> , 98(13): 936-9.

3048	Mueller NE, Mohar A, Evans A (1992). Viruses other than HIV and Non-Hodgkin's lymphoma. <i>Cancer Res</i> , 52(19 Suppl): 5479s-5481s.
17201	Muirhead CR, Goodill AA, Haylock RGE, Vokes J, Little MP, Jackson DA, O'Hagan JA, Thomas JM, Kendall GM, Silk TJ, Bingham D, & Berridge GLC. (1999). Occupational radiation exposure and mortality: second analysis of the National Registry for radiation workers. <i>J Radiol Prot</i> , Vol 19(1) pp 3-26
50646	Muller AMS, Ihorst G, Mertelsmann R, Engelhardt M (2005). Epidemiology of non-Hodgkin's lymphoma (NHL): trends, geographic distribution, and etiology. <i>Ann Hematol</i> , 84: 1-12.
53814	Munemasa M, Yoshino T, Kobayashi K, Miyake T, et al (2009). Expression of thyroglobulin on follicular dendritic cells of thyroid mucosa-associated lymphoid tissue (MALT) lymphoma. <i>Acta Med Okayama</i> , 63(2): 71-8.
26579	Munker R, Grutzner S, Hiller E, Aydemir U, et al Second malignancies after Hodgkin's disease: the Munich experience. <i>Ann Hematol</i> 1999 Dec;78(12):544-554.
26178	Munksgaard L, Frisch M, Melbye M and Hjalgrim H (2000). Incidence patterns of Lyme disease and cutaneous B-Cell Non-Hodgkin's Lymphoma in the United States. <i>Dermatology</i> , 201(4) pp 351-2.
26381	Nagashima R, Takeda H, Maeda K, Ohno S and Takahashi T (1996). Regression of duodenal mucosa-associated lymphoid tissue lymphoma after eradication of helicobacter pylori. <i>Gastroenterology</i> , 111(6) pp 1674-1678.
51921	Nakashima C, Tanioka M, Takahashi K, Miyachi Y (2008). Diffuse large B-cell lymphoma in a patient with rheumatoid arthritis treated with infliximab and methotrexate. <i>Clin Dermatol</i> , 33: 437-9.
26179	Naldi L, Minelli C. Exploring the causes of cutaneous B-cell lymphoma: we should learn from the Lyme disease experience. <i>Dermatology</i> 2000;201(4):353-5.
1302	Namboodiri KK, Harris RE (1991). Hematopoietic and lymphoproliferative cancer among male veterans using the Veterans Administration Medical System. <i>Cancer</i> , 68(5): 1123-30.
10024	Natazuka T, Manabe Y, Kono M, Murayama T, et al (1994). Association between non-insulin dependent diabetes mellitus and non-Hodgkin's lymphoma. <i>British Medical Journal</i> , 309: 1269.
55816	National Academy of Sciences (2003). Cancer and exposure to insecticides. <i>Gulf War and Health. Insecticides and Solvents</i> , Vol 2: 111-2, 123-31, 136-41, 177, 283-96, 318, 323, 326-. National Academy Press - Washington, DC.
55815	National Academy of Sciences (2005). Non-Hodgkin's lymphoma. <i>Gulf War and Health. Fuels, combustion products, and propellants</i> , Vol 3: 127-33, 212-6. National Academy Press - Washington, DC.
14830	National Coalition against the misuse of pesticides.(NCAMP). Creosote. Http://www.ncamp.org/poisonpoles/creosote.html
55813	National Occupational Health and Safety Commission (1995). Exposure standards. Trichloroethylene. Retrieved 8 March 2010, from http://www.nohsc.gov.au/OHSInformation/Databases/ExposureStandards/az/Trichloroethylene
26499	National Radiological Protection Board (NRPB) (1995). Risk of radiation-induced cancer at low doses and low dose rates for radiation protection purposes. <i>Documents of the NRPB</i> , 6(1) pp 71-75.
50651	Negri E, Little DA, Boiocchi M, et al (2004). B-cell non-Hodgkin's lymphoma and hepatitis C virus infection: a systematic review. <i>Int J Cancer</i> , 111: 1-8.

52296	Nelson NJ (2005). Studies examine whether persistent organic agents may be responsible for rise in lymphoma rates. <i>J Natl Cancer Inst</i> , 97(20): 1490-1.
26089	Nelson RA, Levine AM, Bernstein L. Reproductive factors and risk of intermediate- or high-grade B-Cell non-Hodgkin's lymphoma in women. <i>J Clin Oncol</i> 2001 Mar 1;19(5):1381-7.
13014	Nelson RA, Levine AM, Marks G & Bernstein L (1997). Alcohol, tobacco and recreational drug use and the risk of non-Hodgkin's lymphoma. <i>British Journal of Cancer</i> , 76(11): 1532-7.
26564	Neriishi K, Ezaki H, Arihiro K, Okamoto H. Thyroid lymphoma of mucosa-associated lymphoid tissue with monoclonal gammopathy occurring in an atomic bomb survivor: report of a case. <i>Surg Today</i> 2000;30(2):202-6
26597	Neriishi K, Ezaki H, Arihiro K, Okamoto H. Thyroid lymphoma of mucosa-associated lymphoid tissue with monoclonal gammopathy occurring in an atomic bomb survivor: report of a case. <i>Surg Today</i> 2000;30(2):202-6
13018	Newton R (1997). Solar ultraviolet radiation is not a major cause of primary cutaneous non-Hodgkin's lymphoma. <i>BMJ</i> , 314(7092): 1451.
52744	Ng SB, Khoury JD (2009). Epstein-Barr virus in lymphoproliferative processes. An update for the diagnostic pathologist. <i>Adv Anat Pathol</i> , 16(1): 40-55.
47831	Nichols BR, Hentz KL, Aylward L, Hays SM, Lamb JC (2007). Age-specific reference ranges for polychlorinated biphenyls (PCB) based on the NHANES 2001-2002 survey. <i>J Toxicol Environ Health Part A</i> , 70: 1873-7.
3436	Niedobitek G (1995). Patterns of Epstein-Barr virus infection in non-Hodgkin's lymphomas. <i>J Pathol</i> , 175(3): 259- 261.
50648	Nieters A, Deeg E, Becker N (2006). Tobacco and alcohol consumption and risk of lymphoma: results of a population-based case-control study in Germany. <i>Int J Cancer</i> , 118: 422-30.
50650	Nieters A, Kallinowski B, Brennan P, Ott M, et al (2006). Hepatitis C and risk of lymphoma: results of the European multicenter case-control study EPILYMPH. <i>Gastroenterology</i> , 131: 1879-86.
52297	Nieters A, Rohrmann S, Becker N, Linseisen J, et al (2008). Smoking and lymphoma risk in the European prospective investigation into cancer and nutrition. <i>Am J Epidemiol</i> , 167(9): 1081-9.
54444	Nishiyanma H, Anderson RE, Ishimaru T, Ishida K, et al (1973). The incidence of malignant lymphoma and multiple myeloma in Hiroshima and Nagasaki atomic bomb survivors, 1945-1965. <i>Cancer</i> , 32: 1301-9.
42674	Non-Hodgkin's Lymphoma (2006). Obtained from http://www.medicinenet.com/script/main/art.asp?articlekey=408&pf=3&page=1
50664	Nordstrom M, Granath F, Bjorkholm M, Ekblom A (2005). Sick leave due to depressive disease: not a risk factor for the development of malignant lymphoma. <i>Eur J Epidemiol</i> , 20: 769-73.
50714	Norgaard M, Poulsen AH, Pedersen L, Gregersen H, et al (2006). Use of postmenopausal hormone replacement therapy and risk of non-Hodgkin's lymphoma: a Danish population-based cohort study. <i>Br J Cancer</i> , 94: 1339-41.
53805	Nourse J, Jones KM, Gandhi MK (2008). [Comment] The role of Epstein-Barr virus in Richter syndrome. <i>Br J Haematol</i> , 144: 613. Comment on ID: 53804.
28736	NRCET (National Research Centre for Environmental Toxicology (ENTOX) (2002). Examination of the potential exposure of Royal Australian Navy (RAN) personnel to polychlorinated dibenzodioxins and polychlorinated dibenzofurans via drinking water. A report to the Dept Of Veteran Affairs, Australia, . .
14680	O'Brien TR, Decoufle P, Boyle CA (1991). Non-Hodgkin's lymphoma in a cohort of Vietnam veterans. <i>American Journal of Public Health</i> , 81(6): 758-60.

24954	O'Carroll MJ. (1997). High voltage power lines and risk of cancer. <i>BMJ</i> , Vol 314 (7076) pp 305-6.
10627	O'Connor F, Buckley M, O'Morian C (1996). <i>Helicobacter pylori</i> : the cancer link. <i>J Royal Soc Med</i> , 89(12): 674-8.
3074	Olsen JH, Schulgen G, Boice JD Jr, Whysner J, et al (1995). Antiepileptic treatment and risk for hepatobiliary cancer and malignant lymphoma. <i>Cancer Res</i> , 55: 294-7.
26094	Olson JE, Janney CA, Rao RD, Cerhan JR, Kurtin PJ, Schiff D, Kaplan RS, O'Neill BP. The continuing increase in the incidence of primary central nervous system non-Hodgkin lymphoma: a surveillance, epidemiology, and end results analysis. <i>Cancer</i> 2002 Oct 1;95(7):1504-10.
1560	Olsson H, Brandt L (1988). Risk of non-Hodgkin's lymphoma among men occupationally exposed to organic solvents. <i>Scand J Work Environ Health</i> , 14: 246-51.
15938	Omar RZ, Barber JA, Smith PP (1999). Cancer mortality and morbidity among plutonium workers at the Sellafield plant of British nuclear fuels. <i>British Journal of Cancer</i> , 79(7/8): 1288-301.
53806	Omoti CE, Omoti AE (2008). [Comment] The role of Epstein-Barr virus in Richter syndrome. <i>Br J Haematol</i> , 144: 614-5. Comment on ID: 53805.
53804	Omoti CE, Omoti AE (2008). Richter syndrome: a review of clinical, ocular, neurological and other manifestations. <i>Br J Haematol</i> , 142: 709-16.
50663	Opelz G, Dohler B (2003). Lymphomas after solid organ transplantation: a collaborative transplant study report. <i>Am J Transplant</i> , 4: 222-30.
1254	Opelz G, Henderson R (1993). Incidence of non-Hodgkin's lymphoma in kidney and heart transplant recipients. <i>Lancet</i> , 342(8886-8887): 1514-16.
3083	Opelz G, Henderson R (1993). Incidence of non-Hodgkin's lymphoma in kidney and heart transplant recipients. <i>Lancet</i> , 342: 1514-6.
60468	Orsi L, Monnereau A, Dananche B, Berthou C, et al (2010). Occupational exposure to organic solvents and lymphoid neoplasms in men: results of a French case-control study. <i>Occup Environ Med</i> , 67: 664-72.
50662	Orsi L, Troussard X, Monnereau A, Berthou C, et al (2007). Occupation and lymphoid malignancies: results from a French case-control study. <i>JOEM</i> , 49(12): 1339-50.
52298	Ott G, Rosenwald A (2008). Molecular pathogenesis of follicular lymphoma. <i>Haematologica</i> , 93(12): 1773-6.
3068	Ott MG, Teta MJ, Greenberg HL (1989). Lymphatic and hematopoietic tissue cancer in a chemical manufacturing environment. <i>Am J Ind Med</i> , 16: 631-43.
9289	Palackdharry CS (1994). The epidemiology of Non-Hodgkin's lymphoma: Why the increased incidence? <i>Oncology</i> , 8: 67-78.
52300	Pan SY, Mao Y, Ugnat A-M, et al (2005). Physical activity, obesity, energy intake, and the risk of non-Hodgkin's lymphoma: a population-based case-control study. <i>Am J Epidemiol</i> , 162(12): 1162-73.
55862	Panaccione R, Fedorak RN, Aumais G, Bernard E-J, et al (2008). Review and clinical perspectives for the use of infliximab in ulcerative colitis. <i>Can J Gastroenterol</i> , 22(3): 261-72.
50726	Panjala C, Talwalkar JA, Lindor KD (2007). Risk of lymphoma in primary biliary cirrhosis. <i>Clin Gastroenterol Hepatol</i> , 5: 761-4.
3050	Pariante D, Anaya JM, Combe B, Jorgensen C, et al (1992). Non-Hodgkin's lymphoma associated with primary Sjogren's syndrome. <i>Eur J Med</i> , 1(6): 337-42.

52356	Park S, Lee J, Ko YH, Han A, et al (2007). The impact of Epstein-Barr virus status on clinical outcome in diffuse large B-cell lymphoma. <i>Blood</i> , 110: 972-8.
51889	Park SC, Jeong S-H, Kim J, Han CJ, et al (2008). High prevalence of hepatitis B virus infection in patients with B-cell non-Hodgkin's lymphoma in Korea. <i>J Med Virol</i> , 80: 960-6.
26299	Parker AS, Cerhan JR, Dick F, Kemp J, Habermann TM, Wallace RB, Sellers TA, Folsom AR (2000). Smoking and risk of non-Hodgkin lymphoma subtypes in a cohort of older women. <i>Leuk Lymphoma</i> , 37(3-4) pp 341-349.
1257	Parsonnet J, Hansen S, Rodriduez L, Gelb AB, et al (1995). Helicobacter pylori and gastric lymphoma. <i>Gastroenterology</i> , 108(2): 610-2.
10628	Parsonnet J, Hansen S, Rodriguez L, Gelb AB, et al (1994). Helicobacter pylori infection and gastric lymphoma. <i>NEJM</i> , 330: 1267-71.
55876	Parsonnet J, Isaacson PG (2004). Bacterial infection and MALT lymphoma. <i>NEJM</i> , 350(3): 213-5.
54754	Pavuk M, Patterson DG Jr, Turner WE, Needham LL, Ketchum NS (2007). Polychlorinated dibenzo-p-dioxins (PCDDs), polychlorinated dibenzofurans (PCDFs), and dioxin-like polychlorinated biphenyls (PCBs) in the serum of US Air Force veterans in 2002. <i>Chemosphere</i> , 68: 62-8.
13084	Paxton MB (1996). Leukemia risk associated with benzene exposure in the Pliofilm cohort. <i>Environmental Health Perspectives</i> , 104(6): 1431-6.
4608	Paxton MB, Chinchilli VM, Brett SM, Rodricks JV (1994). Leukemia risk associated with benzene exposure in the pliofilm cohort: 1. Mortality update and exposure distribution. <i>Risk Analysis</i> , 14(2): 147-54.
26195	Peach HG, Barnett NE. Critical review of epidemiological studies of the association between smoking and non-Hodgkin's lymphoma. <i>Hematol Oncol</i> 2001 Jun;19(2):67-80.
14486	Pearce N, Bethwaite P (1992). Increasing incidence of non-Hodgkin's lymphoma: occupational and environmental factors. <i>Cancer Research</i> , 52(Suppl): 5496s-500s.
52757	Pearce N, McLean D (2005). Agricultural exposures and non-Hodgkin's lymphoma. <i>Scand J Work Environ Health</i> , 31(Suppl 1): 18-25.
17372	Pearce N, Winkelmann R, Kennedy J, Lewis S, et al (1997). Further follow-up of New Zealand participants in United Kingdom atmospheric nuclear weapons tests in the Pacific. <i>Cancer Causes and Control</i> , 8: 139-45.
53802	Perez-Persona E, Mateos-Mazon JJ, Lopez-Villar O, et al (2006). [Comment] Complete remission of subcutaneous panniculitic T-cell lymphoma after allogeneic transplantation. <i>Bone Marrow Transplant</i> , 38: 821-2.
19626	Persson B and Fredrickson M (1999). Some Risk Factors for non- Hockgkin's lymphoma. <i>International Journal of Occupational Medicine and Environmental Health</i> 12 (2) pp 135-142.
14493	Persson B, Dahlander AM, Fredriksson M et al (1989). Malignant lymphomas and occupational exposures. <i>British Journal of Industrial Medicine</i> , 46: 516-20.
1297	Persson B, Fredriksson M, Olsen K, Boeryd B, Axelson O (1993). Some occupational exposures as risk factors for malignant lymphomas. <i>Cancer</i> , 72(5): 1773-8.
3079	Persson B, Fredriksson M, Olsen K, Boeryd B, et al (1993). Some occupational exposures as risk factors for malignant lymphomas. <i>Cancer</i> , 72(5): 1773-8.
26086	Pertovaara M, Pukkala E, Laippala P, Miettinen A, Pasternack A. A longitudinal cohort study of Finnish patients with primary Sjogren's syndrome: clinical, immunological, and epidemiological aspects. <i>Ann Rheum Dis</i> 2001 May;60(5):467-72.

50660	Petridou ET, Dikaloti SK, Skalkidou A, Andrie E, et al (2007). Sun exposure, birth weight, and childhood lymphomas: a case control study in Greece. <i>Cancer Causes Control</i> , 18: 1031-7.
16850	Pierce DA, Shimizu Y, Preston DL, Vaeth M, Mabuchi K (1996). Studies of the mortality of atomic bomb survivors. Report 12. Part 1. Cancer: 1950-1990. <i>Radiation Research</i> , 146: 1-27.
53795	Pietersma F, Piriou E, van Baarle D (2008). Immune surveillance of EBV-infected B cells and the development of non-Hodgkin lymphomas in immunocompromised patients. <i>Leukemia & Lymphoma</i> , 49(6): 1028-41.
52941	Pinkerton LE, Bloom TF, Hein MJ, Ward EM (2009). Mortality among a cohort of uranium mill workers: an update. <i>Occup Environ Med</i> , 61: 57-64.
27803	Pleil JD, Smith LB, Zelnick SD (2000). Personal exposure to JP-8 jet fuel vapors and exhaust at air force bases. <i>Environmental Health Perspectives</i> , 108(3) pp 183-192.
20359	Polednak AP, Frome EL. (1981). Mortality among men employed between 1943 and 1947 at a uranium-processing plant. <i>J Occup Med</i> 23(3):169-178.
50659	Polesel J, Clifford GM, Rickenbach M, et al (2008). Non-Hodgkin lymphoma incidence in the Swiss HIV cohort study before and after highly active antiretroviral therapy. <i>AIDS</i> , 22: 301-6.
50654	Polesel J, Dal Maso L, La Vecchia C, et al (2007). Dietary folate, alcohol consumption, and risk of non-Hodgkin lymphoma. <i>Nutrition and Cancer</i> , 57(2): 146-50.
52301	Polesel J, Talamini R, Montella M, Parpinel M, et al (2006). Linoleic acid, vitamin D and other nutrient intakes in the risk of non-Hodgkin lymphoma: and Italian case-control study. <i>Ann Oncol</i> , 17: 713-8.
47613	Popp JA, Crouch E, McConnell EE (2006). A weight-of-evidence analysis of the cancer dose-response characteristics of 2,3,7,8-Tetrachlorodibenzodioxin (TCDD). <i>Toxicol Sci</i> , 89(2): 361-9.
50658	Porojnicu AC, Robsahm TE, Ree AH, Moan J (2005). Season of diagnosis is a prognostic factor in Hodgkin's lymphoma: a possible role of sun-induced vitamin D. <i>Br J Cancer</i> , 93: 571-4.
3046	Preston DL, Kusumi S, Tomonaga M, Izumi S, et al (1994). Cancer incidence in atomic bomb survivors. Part III. Leukemia, lymphoma and multiple myeloma, 1950-1987. <i>Radiat Res</i> , 137(2 Suppl): S68-97.
8818	Preston DL, Kusumi S, Tomonaga M, Izumi S, et al (1994). Cancer incidence in atomic bomb survivors. Part III: Leukemia, lymphoma and multiple myeloma, 1950-1987. <i>Radiation Res</i> , 137: S68-S97.
41895	Prince MM, Hein MJ, Ruder AM, Waters MA, et al (2006). Update: cohort mortality study of workers highly exposed to polychlorinated biphenyls (PCB's) during the manufacture of electrical capacitors, 1940-1998. <i>Environmental Health</i> , 5: 13.
44866	Prince MM, Ruder AM, Hein MJ, Waters MA, Whelan EA, et al (2006). Mortality and exposure response among 14,458 electrical capacitor manufacturing workers exposed to polychlorinated biphenyls (PCBs). <i>Environ Health Perspect</i> , 114(10) pp 1508-1514.
26183	Pukkala E. Cancer incidence among Finnish oil refinery workers, 1971-1994. <i>J Occup Environ Med</i> 1998 Aug;40(8):675-679.
52302	Purdue MP, Bassani DG, Klar NS, Sloan M, et al (2004). Dietary factors and risk of non-Hodgkin lymphoma by histologic subtype: a case-control analysis. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(10): 1665-76.

50661	Purdue MP, Hartge P, Davis S, Cerhan JR, et al (2007). Sun exposure, vitamin D receptor gene polymorphisms and risk of non-Hodgkin lymphoma. <i>Cancer Causes Control</i> , 18: 989-99.
43103	Purdue MP, Hoppin JA, Blair A, Dosemeci M, Alavanja MCR (2007). Occupational exposure to organochlorine insecticides and cancer incidence in the Agricultural Health Study. <i>Int J Cancer</i> , 120(3): 642-9.
52303	Purdue MP, Lan Q, Krickler A, Grulich AE, et al (2007). Polymorphisms in immune function genes and risk of non-Hodgkin lymphoma: findings from the New South Wales non-Hodgkin lymphoma study. <i>Carcinogenesis</i> , 28(3): 704-12.
52759	Purdue MP, Severson RK, Colt JS, Stewart P, et al (2008). Degreasing and risk of non-Hodgkin lymphoma. <i>Occup Environ Med</i> , [Epub ahead of print].
50803	Pyatt D (2004). Benzene and hematopoietic malignancies. <i>Clin Occup Environ Med</i> , 4: 529-55.
55861	Quintana PJE, Delfino RJ, Korrick S, Ziogas A, et al (2004). Adipose tissue levels of organochlorine pesticides and polychlorinated biphenyls and risk of non-Hodgkin's lymphoma. <i>Environ Health Perspect</i> , 112(8): 854-61.
26158	Raabe GK, Collingwood KW, Wong O. An updated mortality study of workers at a petroleum refinery in Beaumont, Texas. <i>Am J Ind Med</i> 1998 Jan;33(1):61-81.
41493	Raaschou-Nielsen O, Hansen J, McLaughlin JK, Kolstad H, et al (2003). Cancer risk among workers at Danish companies using trichloroethylene: A cohort study. <i>Am J Epidemiol</i> , 158(12): 1182-92.
3033	Rabkin CS (1994). Epidemiology of AIDS-related malignancies. <i>Curr Opin Oncol</i> , 6(5): 492-6.
24942	Rachet B, Partanen T, Kauppinen T and Sasco AJ (2000). Cancer risk in laboratory workers: an emphasis on biological research. <i>American Journal of Industrial Medicine</i> , Vol 38 pp 651-665.
26157	Rachet B, Partanen T, Kauppinen T, Sasco AJ. Cancer risk in laboratory workers: an emphasis on biological research. <i>Am J Ind Med</i> 2000 Dec;38(6):651-665.
26119	Rafnsson V (2001). Incidence of cancer among bookbinders, printers, photoengravers, and typesetters. <i>Occup Environ Med</i> , 58(8) pp 523-527.
11024	Rahu M, Tekkel M, Veidebaum T, Pukkala E, et al (1997). The Estonian study of Chernobyl cleanup workers: II. Incidence of cancer and mortality. <i>Radiation Research</i> , 147: 653-7.
52304	Rainey JJ, Mwanda WO, Wairiumu P, Moormann AM, et al (2007). Spatial distribution of Burkitt's lymphoma in Kenya and association with malaria risk. <i>Trop Med Int Health</i> , 12(8): 936-43.
50657	Ramanakumar AV, Nadon L, Siemiatycki J (2008). Exposures in painting related occupations and risk of selected cancers: results from a case-control study in Montreal. <i>Am J Ind Med</i> , 51(51): 419-27.
15213	Ramlow JM, Spadacene NW, Hoag SR, Stafford BA, Cartmill JB, & Lerner PJ (1996). Mortality in a cohort of pentachlorophenol manufacturing workers, 1940-1989. <i>American Journal of Industrial Medicine</i> , 30: 180-94.
27792	Ramos G, Nghiem DX, Walterscheid JP, Ullrich SE (2002). Deraml application of jet fuel suppresses secondary immune reactions. <i>Toxicology & Applied Pharmacology</i> , Vol 180 pp 136-44.
14650	Rapiti E, Turi E, Forastiere F et al (1992). A mortality cohort study of seamen in Italy. <i>American Journal of Industrial Medicine</i> , 21: 863-72.

45088	Rapp K, Schroeder J, Klenk J, Ulmer H, Concin H, et al (2006). Fasting blood glucose and cancer risk in a cohort of more than 140,000 adults in Austria. <i>Diabetologia</i> , 49(5) pp 945-952.
55860	Ratner L, Harrington W, Feng X, Grant C, et al (2009). Human T cell leukemia virus reactivation with progression of adult T-cell leukemia-lymphoma. <i>PLoS One</i> , 4(2): e4420.
45664	Read D, Wright C, Weinstein P, Borman B (2007). Cancer incidence and mortality in a New Zealand community potentially exposed to 2,3,7,8-tetrachlorodibenzo-p-dioxin from 2,4,5-trichlorophenoxyacetic acid manufacture. <i>Aust N Z J Public Health</i> ; 31(1): 13-18.
53791	Redmond M, Quinn J, Murphy P, Patchett S, Leader M (2007). Plasmablastic lymphoma presenting as a paravertebral mass in a patient with Crohn's disease after immunosuppressive therapy. <i>J Clin Pathol</i> , 60: 80-1.
53849	Reeves GK, Pirie K, Beral V, Green J, et al (2007). Cancer incidence and mortality in relation to body mass index in the Million Women Study: cohort study. <i>BMJ</i> , 335(7630): 1134-45.
26265	Rego MA (1988). Non-Hodgkin's lymphoma risk derived from exposure to organic solvents: a review of epidemiologic studies. <i>Cad Saude Publica</i> , 14(S 3) pp 41-66
26378	Rego MA, Sousa CS, Kato M, de Carvalho AB, Loomis D and Carvalho FM (2002). Non-Hodgkin's lymphomas and organic solvents. <i>Journal of Occupational & Environmental Medicine</i> , Vol 44 pp 874-881.
15934	Reif J, Pearce N, Fraser J (1989). Cancer risks in New Zealand framers. <i>International Journal of Epidemiology</i> , Vol 18(4) pp 768-774.
52305	Renehan AG, Tyson, Egger M, Heller RF, Zwahlen M (2008). Body-mass index and incidence of cancer: a systematic review and meta-analysis of prospective observational studies. <i>The Lancet</i> , 371: 569-78.
10414	Repacholi MH, Basten A, Gebiski V, Noonan D, et al (1997). Lymphomas in Eu-Pim1 Transgenic mice exposed to pulsed 900 MHz Electromagnetic fields. <i>Radiation Research</i> , : 631 - 40.
52306	Rericha V, Kulich M, Rericha R, Shore DL, Sandler DP (2006). Incidence of leukemia, lymphoma, and multiple myeloma in Czech uranium miners: a case-cohort study. <i>Environ Health Perspectives</i> , 114(6): 818-22.
27797	Rhodes AG, LeMasters GK, Lockett JE, Smith JW, et al (2003). The effects of jet fuel on immune cells of fuel system maintenance workers. <i>Journal of Occupational & Environmental Medicine</i> , Vol 45 pp 79-86.
52307	Ribera J-M, Navarro J-T (2008). Human immunodeficiency virus-related non-Hodgkin's lymphoma. <i>Haematologica</i> , 93(8): 1129-32.
70864	Richardson DB (2008). Temporal variation in the association between benzene and leukemia mortality. <i>Environ Health Perspect</i> , 116: 370-4.
68828	Richardson DB, Sugiyama H, Wing S et al (2009). Positive association between ionizing radiation and lymphoma mortality among men. <i>Am J Epidemiol</i> , 169(8): 969-76.
50656	Richardson DB, Terschuren C, Hoffmann W (2008). Occupational risk factors for non-Hodgkin's lymphoma: a population-based case-control study in northern Germany. <i>Am J Ind Med</i> , 51: 258-68.
23973	Richter E, Berman T, Ben-Michael E, Laster R and Westin JB (2000). Cancer in radar technicians exposed to radiofrequency/microwave radiation: sentinel episodes. <i>International Journal of Occupational & Environmental Health</i> , 6(3) pp 187-193.

27605	Rinsky RA, Hornung RW, Silver SR, Tseng CY (2002). Benzene exposure and hematopoietic mortality: a long-term epidemiological risk assessment. <i>American Journal of Industrial Medicine</i> , 42(6) 474-480.
4602	Rinsky RA, Smith AB, Hornung R, Filloon TG, et al (1987). Benzene and leukemia. An epidemiologic risk assessment. <i>NEJM</i> , 316(17): 1044-50.
29480	Rinsky RA, Zumwalde RD, Waxweiler RJ, Murray WE Jr, Bierbaum PJ, Landrigan PJ, Terpilak M, Cox C. (1981) Cancer mortality at a naval nuclear shipyard. <i>The Lancet</i> Vol 1 pp 231-235
22083	Ritz B (1999). Cancer mortality among workers exposed to chemicals during uranium processing. <i>Occupational & Environmental Medicine</i> , 41(7) pp 556-566.
17998	Ritz B (1999). Radiation exposure and cancer mortality in uranium processing workers. <i>Epidemiology</i> , 10(5) pp 531-538.
15538	Ritz B, Morgenstern H, Froines J, Young BB (1999). Effects of exposure to external ionizing radiation of cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International. <i>American Journal of Industrial Medicine</i> , 35(1): 21-31.
27794	Riviere JE, Brooks JD, Monteiro-Riviere NA, Budsaba K, Smith CE (1999). Dermal absorption and distribution of topically dosed jet fuels Jet-A, JP-8, and JP-8(100). <i>Toxicology & Applied Pharmacology</i> , Vol 160 pp 60-75.
26271	Rix BA, Villadsen E, Engholm G, Lynge E (1998). Hodgkin's disease, pharyngeal cancer, and soft tissue sarcomas in Danish paper mill workers. <i>J Occup Environ Med</i> , 40(1): 55-62.
26575	Robinson BA, Colls BM, Fitzharris BM, Atkinson CH. Second malignant neoplasms in patients with Hodgkin's disease. <i>Aust N Z J Med</i> 1994 Aug;24(4):368-73
52308	Rodriguez-Abreu D, Bordoni A, Zucca E (2007). Epidemiology of hematological malignancies. <i>Ann Oncol</i> , 18(Suppl 1): i3-8.
50677	Rollison DE, Helzlsouer KJ, Pinney SM (2006). Personal hair dye use and cancer: a systematic literature review and evaluation of exposure assessment in studies published since 1992. <i>J Toxicol Environ Health Part B</i> , 9: 413-39.
52309	Rollison DEM, Page WF, Crawford H, Gridley G, et al (2004). Case-control study of cancer among US army veterans exposed to Simian virus 40-contaminated adenovirus vaccine. <i>Am J Epidemiol</i> , 160(4): 317-24.
35853	Ron E (2002). Ionizing radiation and cancer risk: evidence from epidemiology. <i>Pediatr Radiol</i> , Vol 32 pp 232-37.
35837	Ron E, Ikeda T, Preston DL, Tokuoka S (2005). Male breast cancer incidence among atomic bomb survivors. <i>Journal of the National Cancer Institute</i> , 97(8) pp 603-605.
16571	Ron E. (1998). Ionizing radiation and cancer risk: evidence from epidemiology. <i>Radiation Research</i> , Vol 150 Suppl pp S30-S41.
11772	Rooney C, Beral V, Macanochie N, Fraser P et al (1993). Case-control study of prostatic cancer in employees of the United Kingdom Atomic Energy Authority. <i>BMJ</i> , 307(6916): 1391-7.
52942	Rosado MF, Byrne GE, Ding F, Fields KA, et al (2006). Ocular adnexal lymphoma: a clinicopathologic study of a large cohort of patients with no evidence for an association with chlamydia psittaci. <i>The American Society of Hematology</i> , 107(2): 467-72.

3073	Rosenberg L, Palmer JR, Zauber AG, et al (1995). Relation of Benzodiazepine use to the risk of selected cancers: Breast, large bowel, malignant melanoma, lung, endometrium, ovary, Non-Hodgkin's lymphoma, testis, Hodgkin's disease, thyroid and liver. <i>Am J Epidemiol</i> , 141(12): 1153-60.
52758	Rosenquist R (2008). Introduction: the role of inflammation, autoimmune disease and infectious agents in development of leukaemia and lymphoma. <i>J Intern Med</i> , 264: 512-3.
26336	Ross JA, Kasum CM, Davies SM, Jacobs DR, et al (2002). Diet and risk of leukemia in the Iowa women's health study. <i>Cancer Epidemiology Biomarkers & Prevention</i> , Vol 11 pp 777-781.
14494	Ross R, Nichols P, Wright W et al (1982). Asbestos exposure and lymphomas of the gastrointestinal tract and oral cavity. <i>The Lancet</i> , 320(8308): 1118-20.
53829	Rossi D (2009). Thyroid lymphoma: beyond antigen stimulation. <i>Leukemia Research</i> , 33: 607-9.
35723	Rossouw JE, Anderson GL, Prentice RL, LaCroix A, et al (2002). Risks and Benefits of Estrogen Plus Progestin in Healthy Postmenopausal Woman. <i>JAMA</i> , 288: 321-33.
51920	Roswall N, Olsen A, Christensen J, et al (2008). Social inequality and incidence of and survival from Hodgkin lymphoma, non-Hodgkin lymphoma and leukaemia in a population-based study in Denmark, 1994-2003. <i>Eur J Cancer</i> , 44: 2058-73.
11469	Rothman N, Cantor KP, Blair A, Bush D, et al (1997). A nested case-control study of non-hodgkin lymphoma and serum organochlorine residues. <i>The Lancet</i> , 350: 240-4.
13017	Rothman N, Cantor KP, Blair A, et al (1997). A nested case-control study of non-Hodgkin lymphoma and serum organochlorine residues. <i>The Lancet</i> , 350(9073): 240-4.
52753	Roughan JE, Thorley-Lawson DA (2009). The intersection of Epstein-Barr virus with the Germinal Center. <i>J Virolol</i> , 83(8): 3968-76.
50678	Rousseau M-C, Parent M-E, Pollak MN, Siemiatycki J (2006). Diabetes mellitus and cancer risk in a population-based case-control study among men from Montreal, Canada. <i>Int J Cancer</i> , 118: 2105-9.
45702	Rowland RE, Edwards LA, Podd JV (2007). Elevated sister chromatid exchange frequencies in New Zealand Vietnam War veterans. <i>Cytogenet Genome Res</i> , 116: 248-51.
52310	Rudant J, Menegaux F, Leverger G, Baruchel A, et al (2007). Household exposure to pesticides and risk of childhood hematopoietic malignancies: the ESCALE Study (SFCE). <i>Environ Health Perspectives</i> , 115: 1787-93.
48792	Rudel RA, Seryak LM, Brody JG (2008). PCB-containing wood floor finish is a likely source of elevated PCBs in residents' blood, household air and dust: a case study of exposure. <i>Environ Health</i> , 7: 2.
41902	Ruder AM, Hein MJ, Nilsen N, Waters MA, et al (2006). Mortality among workers exposed to polychlorinated biphenyls (PCB's) in an electrical capacitor manufacturing plant in Indiana: an update. <i>Environmental Health Perspectives</i> , 114(1): 18-23.
26580	Ruder AM, Ward EM, Brown DP (2001). Mortality in dry-cleaning workers: an update. <i>Am J Ind Med</i> , 39(2): 121-32.
26082	Rueffer U, Josting A, Franklin J, May M, Sieber M, Breuer K, Engert A, Diehl V; German Hodgkin's Lymphoma Study Group. Non-Hodgkin's lymphoma after primary Hodgkin's disease in the German Hodgkin's Lymphoma Study Group: incidence, treatment, and prognosis. <i>J Clin Oncol</i> 2001 Apr 1;19(7):2026-32.

52311	Rusiecki JA, De Roos A, Lee WJ, Dosemeci M, et al (2004). Cancer incidence among pesticide applicators exposed to atrazine in the agricultural health study. <i>J Natl Cancer Inst</i> , 96(18): 1375-82.
52364	Saadoun D, Sellam J, Ghillani-Dalbin P, Crecel R, et al (2006). Increased risks of lymphoma and death among patients with non-hepatitis C virus-related mixed cryoglobulinemia. <i>Arch Intern Med</i> , 166: 2101-8.
50652	Sabaawy HE, Sandoval C, Guo Q, Yin C, et al (2007). Lymphoproliferative clonal origin of AIDS-related non-Hodgkin's lymphoma. <i>Leukemia and Lymphoma</i> , 48(4): 812-5.
8778	Sali D, Cardis E, Sztanyik L, Auvinen A, et al (1996). Cancer consequences of the Chernobyl accident in Europe outside the former USSR: a review. <i>Int J Cancer</i> , 67: 343-52.
12492	Salisbury JR, Deverell MH, Seaton JM & Cookson MJ (1997). Three-dimensional reconstruction of non-Hodgkin's lymphoma in bone marrow trephines. <i>Journal of Pathology</i> , 181: 451-54.
52312	Samanic C, Rusiecki J, Dosemeci M, Hou L, et al (2006). Cancer incidence among pesticide applicators exposed to dicamba in the agricultural health study. <i>Environ Health Perspectives</i> , 114(10): 1521-6.
26423	Samel-Westerhof C, Samel S, Back W, Gaa J and Sturm J (2000). Tracking down duodenopancreatic malignancy. <i>HPB Surgery</i> , 11(6) pp 405-411.
50715	Sandin S, Hjalgrim H, Glimelius B, Rostgaard K, et al (2006). Incidence of non-Hodgkin's lymphoma in Sweden, Denmark, and Finland from 1960 through 2003: an epidemic that was. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(7): 1295-300.
53891	Sanli H, Staman S, Akay BN, Yilmaz A, et al (2007). Mycosis fungoides in a patient with ankylosing spondylitis during infliximab therapy. <i>J Drugs Dermatol</i> , 6(8): 834-6.
1253	Sasieni P, Bataille V (1995). Non-Hodgkin's lymphoma and skin cancer. <i>BMJ</i> , 311(6993): 749-50.
15926	Sathiakumar N, Delzell E (1997). A review of epidemiologic studies of triazine herbicides and cancer. <i>Critical Reviews in Toxicology</i> , 27(6): 599-612.
56048	Sathiakumar N, Delzell E (2009). A follow-up study of mortality among women in the North American synthetic rubber industry. <i>J Occup Environ Med</i> , 51: 1314-25.
52370	Sathiakumar N, Graff J, Macaluso M, Maldonado G, et al (2005). An updated study of mortality among North American synthetic rubber industry workers. <i>Occup Environ Med</i> , 62: 822-9.
26168	Satin KP, Bailey WJ, Newton KL, Ross AY, Wong O. Updated epidemiological study of workers at two California petroleum refineries, 1950-95. <i>Occup Environ Med</i> 2002 Apr;59(4):248-256.
51919	Savage KJ (2007). Peripheral T-cell lymphomas. <i>Blood Reviews</i> , 21: 201-16.
32402	Scerri L. Azathioprine in dermatological practice. An overview with special emphasis on its use in non-bullous inflammatory dermatoses. <i>Adv Exp Med Biol</i> . 1999;455:343-8.
26302	Schabet M. Epidemiology of primary CNS lymphoma. <i>J Neurooncol</i> 1999 Jul;43(3):199-201.
45705	Schechter A, Birnbaum L, Ryan JJ, Constable JD (2006). Dioxins: an overview. <i>Environmental Research</i> , Vol 101 pp 419-428.
45745	Schechter A, et al (2007). [Comment] Response. <i>Environmental Research</i> , 103: 147-8.

45911	Schechter A, Quynh HT, Papke O, Tung KC, Constable JD (2006). Agent orange, dioxins, and other chemical of concern in Vietnam: update 2006. <i>J Occup Environ Med</i> , Vol 48 pp 408-413.
52053	Schenk M, Purdue MP, Colt JS, Hartge P, et al (2009). Occupation/industry and risk of non-Hodgkin's lymphoma in the United States. <i>Occup Environ Med</i> , 66: 23-31.
14519	Scherr PA, Hutchinson GB, Neiman RS (1992). Non-Hodgkin's lymphoma and occupational exposure. <i>Cancer Research</i> , 52(Suppl): 5503s-9s.
13016	Schiff D, Suman VJ, Yang P, Rocca WA, et al (1998). Risk factors for primary central nervous system lymphoma. A case-control study. <i>Cancer</i> , 82: 975-82.
26582	Schillaci ME. (1996). Comments on "effects of low doses and low dose rates of external ionizing radiation: cancer mortality among nuclear industry workers in three countries" by E. Cardis, et al (<i>Radiation Research</i> , Vol 142, 117-132, 1995). <i>Radiation Research</i> Vol 145(5) pp 647-9.
1298	Schmauz R, Mugerwa JW, Wright DH (1990). The distribution of non-Burkitt, Non-Hodgkin's lymphomas in Uganda in relation to malarial endemicity. <i>Int J Cancer</i> , 45: 650-3.
10343	Schnatter AR, Armstrong TW, Nicolich MJ, Thompson FS, et al (1996). Lymphohaematopoietic malignancies and quantitative estimates of exposure to benzene in Canadian petroleum distribution workers. <i>Occupational Environmental Medicine</i> , 53(11): 773-81.
13080	Schnatter AR, Armstrong TW, Nicolich MJ, Thompson FS, et al (1996). Lymphohaematopoietic malignancies and quantitative estimates of exposure to benzene in Canadian petroleum distribution workers. <i>Occupational & Environmental Medicine</i> , 53(11): 773-81.
3733	Schnatter AR, Katz AM, Nicolich MJ, Theriault G (1993). A Retrospective Mortality Study among Canadian Petroleum Marketing and Distribution Workers. <i>Environmental Health Perspectives Supplements</i> , 101(S6): 85-99.
26297	Schnatter R (2000). Petroleum worker studies and benzene risk assessment. <i>J Toxicol Environ Health Part A</i> , 61(5-6): 433-7.
11054	Schoen D (1996). Annals of conflicting results: looking back on electromagnetic field research. <i>Canadian Medical Association Journal</i> , 155(10): 1443-6.
50720	Schollkopf C, Melbye M, Munksgaard L, Smedby KE, et al (2008). Borrelia infection and risk of non-Hodgkins lymphoma. <i>Blood</i> , 111: 5524-9.
52313	Schollkopf C, Smedby KE, Hjalgrim H, Rostgaard K, et al (2005). Cigarette smoking and risk of non-Hodgkin's lymphoma - a population-based case-control study. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(7): 1791-6.
50647	Schollkopf C, Smedby KE, Hjalgrim H, Rostgaard K, et al (2008). Hepatitis C infection and risk of malignant lymphoma. <i>Int J Cancer</i> , 122(8): 1885-90.
25984	Schreinemachers DM (2000). Cancer mortality in four northern wheat-producing states. <i>Environ Health Perspect</i> , 108(9): 873-81.
26196	Schreinemachers DM, Creason JP and Garry VF (1999). Cancer Mortality in agricultural regions of Minnesota. <i>Environmental Health Perspectives</i> , 107(3) pp 205-211.
26263	Schroeder JC, Olshan AF, Baric R, Dent GA, et al (2001). Agricultural risk factors for t(14;18) subtypes of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 12(6) pp 701-9

26303	Schroeder JC, Olshan AF, Dent RB, Weinberg CR, Yount B, Cerhan JR, Lynch CF, Schuman LM, Tolbert PE, Rothman N, Cantor KP, Blair A. A case-control study of tobacco use and other non-occupational risk factors for t(14;18) subtypes of non-Hodgkin's lymphoma (United States). <i>Cancer Causes Control</i> 2002 Mar;13(2):159-68.
14960	Schumacher MC and Delzell E (1988). A death-certificate case-control study of non-hodgkin's lymphoma and occupation in men in North Carolina. <i>American Journal of Industrial Medicine</i> , Vol 13 pp 317-330.
45748	Schwarz M, Appel KE (2005). Carcinogenic risks of dioxin: mechanistic considerations. <i>Regulatory Toxicology and Pharmacology</i> , Vol 43 pp 19-34.
41492	Scott CS, Chiu WA (2006). Trichloroethylene cancer epidemiology: A consideration of select issues. <i>Environ Health Perspect</i> , 114(9): 1471-78.
52314	Scott K, Adamson PJ, Willett EV, et al (2008). [Comment] Genetic variation in genes expressed in the germinal center and risk of B cell lymphoma among Caucasians. <i>Haematologica</i> , 93(10): 1597-600.
50729	Scotti L, Tavani A, Bosetti C, Dal Maso L, et al (2007). Diabetes and risk of non-Hodgkin lymphoma: a case-control study. <i>Tumori</i> , 93: 1-3.
55859	Seidler A, Mohner M, Berger J, Mester B, et al (2007). Solvent exposure and malignant lymphoma: a population-based case-control study in Germany. 2 (2). Retrieved 9 March 2010, from http://www.occup-med.com/content/2/1/2
14820	Selden A, Ahlborg G Jr (1991). Mortality and cancer morbidity after exposure to military aircraft fuel. <i>Aviation, Space & Environment Medicine</i> , 62: 789-94.
6733	Selikoff IJ, Hammond EC, Seidman H (Eds) (1979). Mortality experience of insulation workers in the United States and Canada, 1943-1976. <i>Health Hazards of Asbestos Exposure</i> , 330: 91-116. <i>Annals of the New York Academy of Sciences</i> .
14774	Selikoff IJ, Seidman H (1991). Asbestos-associated deaths among insulation workers in the United States and Canada, 1967-1987. <i>Annals New York Academy of Sciences</i> , 643: 1-14.
13145	Seng JE, Peterson BA (1997). Indolent B-cell non-Hodgkin's lymphomas. <i>Oncology</i> , 11(12): 1883-97.
8171	Sentis HJ, Willemze R, Scheffer E (1986). Histopathologic studies in Sezary syndrome and erythrodermic mycosis fungoides: A comparison with benign forms of erythroderma. <i>J Am Acad Dermatol</i> , 15: 1217-26.
50728	Serraino D, Piselli P, Angeletti C, Scuderi M, et al (2005). Infection with Epstein-Barr virus and cancer: an epidemiological review. <i>J Biol Regul Homeost Agents</i> , 19: 63-70.
50679	Serraino D, Piselli P, Busnach G, Burra P, et al (2007). Risk of cancer following immunosuppression in organ transplant recipients and in HIV-positive individuals in southern Europe. <i>Eur J Cancer</i> , 43(43): 2117-23.
26349	Settimi L, Comba P, Bosia S, Ciapini C, Desideri E, Fedi A, Perazzo PL, Axelson O. Cancer risk among male farmers: a multi-site case-control study. <i>Int J Occup Med Environ Health</i> 2001;14(4):339-47
26159	Settimi L, Comba P, Carrieri P, Boffetta P et al (1999). Cancer risk among female agricultural workers: a multi-center case-control study. <i>Am J Ind Med</i> , 36(1): 135-41.
26296	Settimi L, Costellati L, Naldi M, Bersani G, Olanda S, Maiozzi P. Mortality among workers in an Italian cigarette factory. <i>Occup Med (Lond)</i> 1999 Aug;49(6):361-364.

50680	Seve P, Renaudier P, Sasco AJ, Dumontet C, et al (2004). Hepatitis C virus infection and B-cell non-Hodgkin's lymphoma: a cross-sectional study in Lyon, France. <i>Eur J Gastroenterol Hepatol</i> , 16: 1361-5.
53792	Shale M, Kanfer E, Panaccione R, Ghosh S (2008). Hepatosplenic T cell lymphoma in inflammatory bowel disease. <i>Gut</i> , 57(12): 1639-41.
50716	Shen M, Cozen W, Huang L, Colt J, et al (2007). Census and geographic differences between respondents and nonrespondents in a case-control study of non-Hodgkin lymphoma. <i>Am J Epidemiol</i> , 167(3): 350-61.
52315	Shen M, Purdue MP, Kricker A, Lan Q, et al (2007). Polymorphisms in DNA repair genes and risk of non-Hodgkin's lymphoma in New South Wales, Australia. <i>Haematologica</i> , 92(9): 1180-5.
55858	Shergill AK, Terdiman JP (2008). Controversies in the treatment of Crohn's disease: the case for an accelerated step-up treatment approach. <i>World J Gastroenterol</i> , 14(17): 2670-7.
48793	Shields PG (2006). Understanding population and individual risk assessment: the case of polychlorinated biphenyls. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(5): 830-9.
26532	Shimada Y, Nishimura M, Kakinuma S, Okumoto M, Shiroishi T, Clifton KH, Wakana S. Radiation-associated loss of heterozygosity at the <i>Znfn1a1</i> (Ikaros) locus on chromosome 11 in murine thymic lymphomas. <i>Radiat Res</i> 2000 Sep;154(3):293-300
7486	Shimizu Y, Kato H, Schull WJ (1991). Risk of cancer among atomic bomb survivors. <i>J Radiat Res, Supplement</i> , 2: 54-63.
3075	Shore RE, Gardner MJ and Pannett B (1993). Ethylene oxide: an assessment of the epidemiological evidence on carcinogenicity. <i>Br J Ind Med</i> , 50: 971-7.
51932	Shustov AR (2008). T-cell lymphoma - one name with a dozen faces. <i>Leukemia & Lymphoma</i> , 49(11): 2033-4.
54596	Siegel CA, Marden SM, Persing SM, Larson RJ, Sands BE (2008). Risk of lymphoma associated with anti-TNF agents for the treatment of Crohn's disease: a meta-analysis. <i>Gastroenterology</i> , 134(Suppl 1): A-144. [Abstract]
56049	Siegel CA, Marden SM, Persing SM, Larson RJ, Sands BE (2009). Risk of lymphoma associated with combination anti-tumor necrosis factor and immunomodulator therapy for the treatment of Crohn's disease: a meta-analysis. <i>Clin Gastroenterol Hepatol</i> , 7: 874-81.
1561	Sigurgeirsson B, Arnarsson BA, Lindelof B (1994). Risk of lymphoma in patients with dermatitis herpetiformis. <i>BMJ</i> , 308: 13-5.
26335	Silvestri F, Sperotto A, Fanin R. Hepatitis c and lymphoma. <i>Curr Oncol Rep</i> 2000 Mar;2(2):172-5
32424	Sinha A, Velangi S, Natarajan S. Non-Hodgkin's lymphoma following treatment of atopic eczema with cyclosporin A. <i>Acta Derm Venereol</i> . 2004;84(4):327-8
51918	Sjoberg K, Roth EB, Gustavsson L, Jonsson C, et al (2008). Autoimmune markers in lymphoid malignancies. <i>Scand J Immunol</i> , 67: 509-15.
53377	Sjogren B, Johanson G (2006). [Comment] Re: Mortality in Florida professional firefighters, 1972-1999. <i>Am J Ind Med</i> , 49: 138-40. Comment on ID: 38173.
25082	Skelcher B (2000)[LETTER]. Healthy worker effect. <i>J Radiol Prot</i> , 20(4) pp 71-72. [Comment on: The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot</i> Vol 20 pp 111-137.]
52316	Skibola CF (2007). Obesity, diet and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 392-5.

52317	Skibola CF, Holly EA, Forrest MS, Hubbard A, et al (2004). Body mass index, leptin and leptin receptor polymorphisms, and non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(5): 779-86.
1256	Slovak AJM, Kalman C, Davies NF, Pilling K (1994). The Gardner hypothesis. Found wanting. <i>BMJ</i> , 308(6920): 60.
1565	Slovak AJM, Kalman C, Davies NF, Pilling K (1994). The Gardner hypothesis. <i>BMJ</i> , 308: 60.
10114	Smart RC (1997). What are the risks of diagnostic medical radiation? <i>MJA</i> , 166: 589-91.
52371	Smedby KE, Akerman M, Hildebrand H, Glimelius B, et al (2005). Malignant lymphomas in coeliac disease: evidence of increased risks for lymphoma types other than enteropathy-type T cell lymphoma. <i>Gut</i> , 54: 54-9.
52737	Smedby KE, Baecklund E, Askling J (2006). Malignant lymphomas in autoimmunity and inflammation: A review of risks, risk factors, and lymphoma characteristics. <i>Cancer Epidemiol Biomarkers Prev</i> , 15(11): 2069-77.
50734	Smedby KE, Hjalgrim H, Chang ET, Rostgaard K, et al (2007). Childhood social environment and risk of non-Hodgkin lymphoma in adults. <i>Cancer Res</i> , 67(22): 11074-82.
50717	Smedby KE, Hjalgrim H, Melbye M, Torrang A, et al (2005). Ultraviolet radiation exposure and risk of malignant lymphomas. <i>J Natl Cancer Inst</i> , 97: 199-209.
50735	Smedby KE, Vajdic CM, Falster M, Engles EA, et al (2008). Autoimmune disorders and risk of non-Hodgkin lymphoma subtypes: a pooled analysis within the InterLymph Consortium. <i>Blood</i> , 111(8): 4029-38.
25815	Smith AH, Lopipero P (2001). Invited commentary: How do the Seveso findings affect conclusions concerning TCDD as a human carcinogen? <i>American Journal of Epidemiology</i> , Vol 153(11) pp 1045-1047.
52318	Smith MT, Jones RM, Smith AH (2007). Benzene exposure and risk of non-Hodgkin lymphoma. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 385-91.
16952	Smith PP, Douglas AJ (1986). Mortality of workers at the Sellafield plant of British nuclear fuels. <i>British Medical Journal Clinical Research</i> , 293(6551): 845-54.
50721	Smith SK, Zimmerman S, Williams CS, Preisser JS, Clipp EC (2008). Post-traumatic stress outcomes in non-Hodgkin's lymphoma survivors. <i>J Clin Oncol</i> , 26(6): 934-41.
52319	Smitten AL, Simon TA, Hochberg MC, Suissa S (2008). A meta-analysis of the incidence of malignancy in adult patients with rheumatoid arthritis. <i>Arthritis Res Ther</i> , 10: R45.
52046	Smoller BR (2008). Mycosis fungoides: what do/do not we know? <i>J Cutan Pathol</i> , Suppl 2: 35-9.
52321	Soderberg KC, Hagmar L, Schwartzbaum J, Feychting M (2004). Allergic conditions and risk of hematological malignancies in adults: a cohort study. <i>BMC Public Health</i> , 4: 51.
50681	Soderberg KC, Jonsson F, Winqvist O, et al (2006). Autoimmune diseases, asthma and risk of haematological malignancies: a nationwide case-control study in Sweden. <i>Eur J Cancer</i> , 42: 3028-33.
50682	Somigliana E, Viganò P, Parazzini F, Stoppelli S, et al (2006). Association between endometriosis and cancer: a comprehensive review and a critical analysis of clinical and epidemiological evidence. <i>Gynecologic Oncology</i> , 101: 331-41.

51917	Soni LK, Hou L, Gapstur SM, Evens AM, et al (2007). Sun exposure and non-Hodgkin lymphoma: a population-based, case-control study. <i>Eur J Cancer</i> , 43: 2388-95.
26169	Sont WN, Zielinski JM, Ashmore JP, Jiang H, Krewski D, Fair ME, Band PR and Letourneau EG (2001). First analysis of cancer incidence and occupational radiation exposure based on the national dose registry of Canada. <i>American Journal of Epidemiology</i> , 153(4) pp 309-318.
26171	Sont WN, Zielinski JM, Ashmore JP, Jiang H, Krewski D, Fair ME, Band PR and Letourneau EG (2001). Sont, et al Respond to "Studies of workers exposed to low doses of radiation". <i>American Journal of Epidemiology</i> , 153(4) pp 323-324.
26193	Sorahan T, Nichols L, Harrington JM (2002). Mortality of United Kingdom oil refinery and petroleum distribution workers, 1951-1998. <i>Occup Med</i> , 52(6): 333-9.
10765	Soslow RA, Davis RE, Warnke RA, Cleary ML, et al (1996). True histiocytic lymphoma following therapy for lymphoblastic neoplasms. <i>Blood</i> , 87(12): 5207-12.
12614	Soubeyran P, Eghbali H, Trojani M, Bonichon F, et al (1996). Is there any place for a wait-and-see policy in stage 10 follicular lymphoma? A study of 43 consecutive patients in a single center. <i>Annals of Oncology</i> , 7(7): 713-8.
26240	Soucek P (2001). Role of genetic factors in development and progression of non-Hodgkin's lymphomas. <i>Cent Eur J Public Health</i> , 9(2) pp 74-8.
51890	Soyoral Y, Dogan E, Sayarlioglu H, Erkoc R, Begenik H (2007). [Comment] Burkitt lymphoma in renal transplant recipient. <i>Renal Failure</i> , 29: 115-6.
26160	Sperati A, Rapiti E, Settini L, Quercia A, Terenzoni B, Forastiere F. Mortality among male licensed pesticide users and their wives. <i>Am J Ind Med</i> 1999 Jul;36(1):142-146.
52322	Spinelli J (2008). [Comment] Pesticides, soft tissue sarcoma and non-Hodgkin lymphoma. <i>Acta Oncologica</i> , 47: 335-6.
50683	Spinelli JJ, Demers PA, Le ND, Friesen MD, et al (2006). Cancer risk in aluminum reduction plant workers (Canada). <i>Cancer Causes Control</i> , 17: 939-48.
45750	Spinelli JJ, Ng CH, Weber J-P, Connors JM, et al (2007). Organochlorines and risk of non-Hodgkin lymphoma. <i>Int J Cancer</i> , Vol 121 pp 2767-75.
7450	Spirtas R, Stewart PA, Lee JS, et al (1991). Retrospective cohort mortality study of workers at an aircraft maintenance facility. I epidemiological results. <i>British Journal of Industrial Medicine</i> , 48: 515-30.
26238	Stagnaro E, Ramazzotti V, Crosignani P, Fontana A, Masala G, Miligi L, Nanni O, Neri M, Rodella S, Costantini AS, Tumino R, Vigano C, Vindigni C, Vineis P. Smoking and hematolymphopoietic malignancies. <i>Cancer Causes Control</i> 2001 May;12(4):325-334.
52323	Stagnaro E, Tumino R, Parodi S, Crosignani P, et al (2004). Non-Hodgkin's lymphoma and type of tobacco smoke. <i>Cancer Epidemiol Biomarkers Prev</i> , 13(3): 431-7.
18052	Stather J, Muirhead C, Cox R (1995). [Comment] Radiation-induced cancer at low doses and low dose rates. <i>Radiological Protection Bulletin</i> , 167: 8-12.
53828	Stathis A Chini C, Bertoni F, Proserpio I, et al (2009). Long-term outcome following helicobacter pylori eradication in a retrospective study of 105 patients with localised gastric marginal zone B-cell lymphoma of MALT type. <i>Ann Oncol</i> , 20: 1086-93.

52943	Stebbing J, & Bower M (2009). Epstein-Barr virus in Burkitt's lymphoma: the missing link. <i>Lancet Oncol</i> , 10: 430.
16976	Stebbing JH, Lucas HF and Stehney AF (1984). Mortality from cancers of major sites in female radium dial workers. <i>American Journal of Industrial Medicine</i> , 5(6) pp 435-459.
37715	Steenland K, Bertazzi P, Baccarelli A et al (2004). Dioxin Revisited: Developments since the 1997 IARC classification of dioxin as a human carcinogen. <i>Environ Health Perspect</i> , 112(13): 1265-8.
23674	Steenland K, Palu S (1999). Cohort mortality study of 57 000 painters and other union members: a 15 year update. <i>Occup Environ Med</i> , Vol 56 pp 315-321.
38736	Steenland K, Stayner L, Deddens J (2004). Mortality analyses in a cohort of 18 235 ethylene oxide exposed workers: follow up extended from 1987 to 1998. <i>Occup Environ Med</i> , 61(1): 2-7.
14181	Stein ME, Haim N, Ben-Shachar, Goldsher D, Bernstein Z, Ben-Arieh Y, & Kuten A (1995). Radiation-induced primary brain lymphoma: a case report. <i>Tumori</i> , 81(3): 204-7.
70082	Steinmaus C, Smith AH, Jones RM, et al (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: biases could mask an important association. <i>Occup Environ Med</i> , 65(6): 371-8.
50722	Steinmaus C, Smith AH, Jones RM, Smith MT (2008). Meta-analysis of benzene exposure and non-Hodgkin lymphoma: biases could mask an important association. <i>Occup Environ Med</i> , 65: 371-8.
70081	Steinmaus C, Smith AH, Smith MT (2011). [Comment] Regarding "meta-analysis and causal inference: a case study of benzene and non-Hodgkin lymphoma": an incomplete analysis. <i>Ann Epidemiol</i> , 21(1): 67-9; Author's reply: 70-1. Comment on ID: 70080.
42672	Sternglass E (1972). <i>Secret Fallout. Low-level radiation from Hiroshima to Three-Mile Island</i> . McGraw-Hill Book Company.
52324	Straif K, Baan R, Grosse Y, Secretan B, et al (2007). Carcinogenicity of shift-work, painting, and fire-fighting. <i>Lancet Oncol</i> , 8(12): 1065-6.
14760	Sutcliffe N, Inanc M, Speight P et al (1998). Predictors of lymphoma development in primary Sjogren's syndrome. <i>Seminars in Arthritis and Rheumatism</i> , 28(2): 80-7.
42673	Suzuki T, Nara N, Miyake S, Eishi Y, Sugiyama N, Aoki N (1989). Fatal strongyloidiasis latent over 42 years in the antineoplastic chemotherapy of a case with malignant lymphoma. <i>Japanese Journal of Medicine</i> , 28(1) pp 96-99.
53821	Suzuki Y, Niitsu N, Hayama M, Katayama T, et al (2009). Lymphoproliferative disorders after immunosuppressive therapy for aplastic anemia: a case report and literature review. <i>Acta Haematol</i> , 121: 21-6.
50757	Svec MA, Ward MH, Dosemeci M, et al (2005). Risk of lymphatic or haematopoietic cancer mortality with occupational exposure to animals or the public. <i>Occup Environ Med</i> , 62: 726-35.
14285	Swaen GH, van Vliet C, Slangen JJ et al (1992). Cancer mortality among licensed herbicide applicators. <i>Scand J Work Environ Health</i> , 18: 201-4.
70083	Swaen GM, Tsai SP, Burns C (2010). [Comment] Meta-analysis on benzene exposure and non-Hodgkin's lymphoma. <i>Occup Environ Med</i> , 67(4): 286-7; Author's reply: 287. Comment on ID: 70082.
52738	Sweetenham JW (2008). Highly aggressive lymphomas in adults. 2008, 22: 965-78.

52354	Swerdlow SH (2007). T-cell and NK-cell posttransplantation lymphoproliferative disorders. <i>Am J Clin Pathol</i> , 127: 887-95.
3809	Swinson CM, Slavin G, Coles EC, Booth CC (1983). Coeliac disease and malignancy. <i>Lancet</i> , 1(8316): 111-5.
50676	Swisher SC, Barbati AJ (2007). Helicobacter pylori strikes again. Gastric mucosa-associated lymphoid tissue (MALT) lymphoma. <i>Gastroenterol Nurs</i> , 30(5): 348-54.
53796	Swords R, Bruzzi J, Giles F (2007). Recent advances in the diagnosis and therapy of Richter's syndrome. <i>Med Oncol</i> , 24(1): 17-32.
3254	Symmons DPM (1988). Neoplasia in rheumatoid arthritis. <i>J Rheumatol</i> , 15(9): 1319 - 22.
52353	Symmons DPM, Silman AJ (2004). Anti-tumor necrosis factor a therapy and the risk of lymphoma in rheumatoid arthritis: no clear answer. <i>Arthritis & Rheumatism</i> , 50(6): 1703-6.
51916	Szekanecz E, Szamosi S, Gergely L, Keszthelyi P, et al (2008). Incidence of lymphoma in systemic sclerosis: a retrospective analysis of 218 Hungarian patients with systemic sclerosis. <i>Clin Rheumatol</i> , 27: 1163-6.
10413	Szmigielski S (1996). Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation. <i>The Science of the Total Environment</i> , 180: 9 - 17.
34856	't Mannelje A, McLean D, Cheng S et al (2005). Mortality in New Zealand workers exposed to phenoxy herbicides and dioxins. <i>Occup Environ Med</i> , 63(1): 34-40.
3070	Taillan B, Garnier G, Castanet J, Ferrari E, et al (1993). Lymphoma developing in a patient with rheumatoid arthritis taking Methotrexate. <i>Clin Rheum</i> , 12(1): 93-4.
50675	Talamini R, Polesel J, Montella M, Dal Maso L, et al (2006). Food groups and risk of non-Hodgkin lymphoma: a multi-center, case-control study in Italy. <i>Int J Cancer</i> , 118: 2871-6.
50674	Talamini R, Polesel J, Montella M, Dal Maso L, et al (2005). Smoking and non-Hodgkin lymphoma: case-control study in Italy. <i>Int J Cancer</i> , 115: 606-10.
18607	Talbott EO, Youk AO, McHugh KP, Shire JD, Zhang A, Murphy BP, & Engberg RA. (2000). Mortality among the residents of the Three Mile Island accident area: 1979-1992. <i>Environmental Health Perspectives</i> , Vol 108 (6) pp 545-552.
26581	Tao Z, Zha Y, Akiba S, Sun Q, Zou J, Li J, Liu Y, Kato H, Sugahara T, Wei L. Cancer mortality in the high background radiation areas of Yangjiang, China during the period between 1979 and 1995. <i>J Radiat Res (Tokyo)</i> 2000 Oct;41 Suppl:31-41
13002	Tatham L, Tolbert P & Kjeldsberg C (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(5): 551-8.
12506	Tatham L, Tolbert P, Kjeldsberg C (1997). Occupational risk factors for subgroups of non-Hodgkin's lymphoma. <i>Epidemiology</i> , 8(5): 551-8.
50673	Tavani A, Bosetti C, Franceschi S, Talamini R, et al (2006). Occupational exposure to ultraviolet radiation and risk of non-Hodgkin lymphoma. <i>Eur J Cancer Prev</i> , 15: 453-7.
26200	Tavani A, Gallus S, La Vecchia C, Franceschi S. Alcohol drinking and risk of non-Hodgkin's lymphoma. <i>Eur J Clin Nutr</i> 2001 Oct;55(10):824-6.
12937	Tavani A, Negri E, Franceschi S, Serraino D, et al (1994). Smoking habits and non-Hodgkin's lymphoma: a case-control study in northern Italy. <i>Preventive Medicine</i> , 23(4): 447-52.

3044	Tavani A, Negri E, Franceschi S, Talamini R, LaVecchia C (1994). Coffee consumption and risk of non-Hodgkin's lymphoma. <i>Eur J Cancer Prev</i> , 3(4): 351-6.
34929	Tavani A, Negri E, Franceschi S, Talamini R, Serraino D, La Vecchia C (2005). Hair dye use and risk of lymphoid neoplasms and soft tissue sarcomas. <i>Int J Cancer</i> , 113: 629-31.
10906	Tavani A, Pregnolato A, Negri E, Franceschi S, et al (1997). Diet and risk of lymphoid neoplasms and soft tissue sarcomas. <i>Nutrition and Cancer</i> , 27(3): 256-60.
26141	Tavani A, Soler M, La Vecchia C, Franceschi S (1999). Re: Blood transfusions and the risk of intermediate- or high-grade non-Hodgkin's lymphoma. <i>J Natl Cancer Inst</i> , 91(15) pp 1332-3.
48811	Tee PG, Sweeney AM, Symanski E, et al (2003). A longitudinal examination of factors related to changes in serum polychlorinated biphenyl levels. <i>Environ Health Perspect</i> , 111(5): 702-7.
51931	Teperman LW, Harbell JW (2008). [Comment] Response to: transmission of lymphoma via organ transplantation. <i>Am J Transplant</i> , 8(6): 1351.
26165	Teta MJ, Sielken RL Jr, Valdez-Flores C (1999). Ethylene oxide cancer risk assessment based on epidemiological data: application of revised regulatory guidelines. <i>Risk Anal</i> , 19(6) pp 1135-1155.
4564	the Selected Cancers Cooperative Study Group (1990). The association of selected cancers with service in the US military in Vietnam. I. Non-Hodgkin's lymphoma. The Selected Cancers Cooperative Study Group. <i>Arch Intern Med</i> , 150(12): 2473-83.
55915	The Selected Cancers Cooperative Study Group (1990). The Association of Selected Cancers with Service in the U.S. Military in Vietnam. Centers for Disease Control, Final Report. US Department of Health & Human Services, Atlanta.
14146	Thomas TL, Kang HK (1990). Mortality and morbidity among army chemical corps Vietnam Veterans: a preliminary report. <i>Am J Ind Med</i> , 18: 665-73.
52743	Thompson AK, Shaw DI, Minihane AM, Williams CM (2008). Trans-fatty acids and cancer: the evidence reviewed. <i>Nutrition Research Reviews</i> , 21: 174-88.
51915	Thorley-Lawson DA, Allday MJ (2008). The curious case of the tumour virus: 50 years of Burkitt's lymphoma. <i>Nature Reviews Microbiology</i> , 6: 913-24.
26118	Thorn A, Gustavsson P, Sadigh J, Westerlund-Hannestrand B, et al (2000). Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides. <i>Occup Environ Med</i> , 57(10): 718-20.
50672	Thu GO, Hem LY, Hansen S, Moller B, et al (2006). Is there an association between SV40 contaminated polio vaccine and lymphoproliferative disorders? An age-period-cohort analysis on Norwegian data from 1953 to 1997. <i>Int J Cancer</i> , 118: 2035-9.
4020	Thun MJ, Altekruse SF, Namboodiri MM, Calle EE, Myers DG, Heath CW Jr (1994). Hair dye use and risk of fatal cancers in U.S. women. <i>J Natl Cancer Inst</i> , 86(3): 210-5.
53810	Tickner JA (2002). Developing scientific and policy methods that support precautionary action in the face of uncertainty - the Institute of Medicine Committee on Agent Orange. <i>Public Health Reports</i> , 117: 534-44.
14489	Tielsch JM, Linet MS, Szklo M (1987). Acquired disorders affecting the immune system and non-Hodgkin's lymphoma. <i>Preventive Medicine</i> , 16: 96-106.

54445	Tokunaga M, Land CE, Yamamoto T, Asano M, et al (1987). Incidence of female breast cancer among atomic bomb survivors, Hiroshima and Nagasaki, 1950-1980. <i>Radiation Research</i> , 112: 243-72.
14484	Tondini M, Rocco G, Travaglini M et al (1994). Pleural mesothelioma associated with non-Hodgkin's lymphoma. <i>Thorax</i> , 49: 1269-70.
45703	Torchio P, Lepore AR, Corrao G, Comba P, et al (1994). Mortality study on a cohort of Italian licensed pesticide users. <i>The Science of the Total Environment</i> , Vol 149 pp 183-191.
51894	Tranah GJ, Bracci PM, Holly EA (2008). Domestic and farm-animal exposures and risk of non-Hodgkin's lymphoma in a population-based study in the San Francisco bay area. <i>Cancer Epidemiol Biomarkers Prev</i> , 17(9): 2382-7.
9107	Travis LB, Li C-Y, Zhang Z-N, Li D-G, et al (1994). Hematopoietic malignancies and related disorders among benzene-exposed workers in China. <i>Leukemia and Lymphoma</i> , 14: 91-102.
50671	Treggiari MM, Weiss NS (2004). Occupational asbestos exposure and the incidence of non-Hodgkin lymphoma of the gastrointestinal tract: an ecologic study. <i>Ann Epidemiol</i> , 14: 168-71.
50655	Trimeche M, Bonnet C, Korbi S, et al (2007). Association between Epstein-Barr virus and Hodgkin's lymphoma in Belgium: a pathological and virological study. <i>Leukemia and Lymphoma</i> , 48(7): 1323-31.
48814	Tryphonas H (1995). Immunotoxicity of PCBs (Aroclors) in relation to Great Lakes. <i>Environ Health Perspect</i> , 103(Suppl 9): 35-46.
50670	Tsai SP, Chen VW, Fox EE, Wendt JK, et al (2004). Cancer incidence among refinery and petrochemical employees in Louisiana, 1983-99. <i>Ann Epidemiol</i> , 14: 722-30.
30698	Tsao H, Kwitkiwski K, Sober AJ. A single-institution case series of patients with cutaneous melanoma and non-Hodgkin's lymphoma. <i>J Am Acad Dermatol</i> . 2002 Jan;46(1):55-61.
50669	Turesson I, Linet MS, Bjorkholm M, et al (2007). Ascertainment and diagnostic accuracy for hematopoietic lymphoproliferative malignancies in Sweden 1964-2003. <i>Int J Cancer</i> , 121: 2260-6.
52325	Turner JJ, Hughes AM, Kricker A, Milliken S, et al (2004). Use of the WHO lymphoma classification in population-based epidemiological study. <i>Ann Oncol</i> , 15: 631-7.
52326	Turner JJ, Hughes AM, Kricker A, Milliken S, et al (2005). WHO non-Hodgkin's lymphoma classification by criterion-based report review followed by targeted pathology review: an effective strategy for epidemiology studies. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(9): 2213-9.
13010	Uchiyama T (1997). Human T cell leukemia virus type 1(HTLV-1) and human diseases. <i>Ann Rev Immunol</i> , 15: 15-37.
28392	Uehara M, Takahashi K, Hoshuyama T, Pan G, Feng Y (2003). Geographical correlation between ambient UVB level and mortality risk of leukemia in Japan. <i>Environ Res</i> , 92(2): 78-84.
27801	Ullrich SE (1999). Dermal application of JP-8 jet fuel induces immune suppression. <i>Toxicological Sciences</i> , 52: 61-7.
71215	United Nations (2008). <i>Epidemiological Studies of Radiation and cancer. UNSCEAR 2006 report to the general assembly with scientific annexes, Vol 1 scientific annex A: 110-11.</i> United Nations, New York.

71214	United Nations (2008). Table 41 risk estimates for cancer incidence and mortality from studies of radiation exposure: non-Hodgkin's lymphoma. UNSCEAR 2006 report to the general assembly with scientific annexes, Vol 1 scientific annex A: 209-10. United Nations, New York.
71213	United Nations (2013). Sources, effects and risks of ionizing radiation: report to the general assembly with scientific annexes. UNSCEAR, Vol 2 scientific annex B: effects of radiation exposure of children. .
18947	United Nations Scientific Committee on the Effects of Atomic Radiation [UNSCEAR] (2000). Epidemiological Evaluation of Radiation-Induced Cancer: Annex F. United Nations General Assembly, Forty-ninth session of UNSCEAR Vienna R.607: 1-188. .
55814	UNSCEAR (2006). Non-Hodgkin's lymphoma. United Nations Scientific Committee on the Effects of Atomic Radiation, Vol 1: 108-10, 209-12. United Nations Publications, New York.
26556	Utteridge TD, GebSKI V, Finnie JW, Vernon-Roberts B, & Kuchel TR. (2002). Long-term exposure of E-mu-Pim1 transgenic mice to 898.4 MHz microwaves does not increase lymphoma incidence. Radiation Research, Vol 158 (3)pp357-364
50667	Vajdic CM, Fritschi L, Grulich AE, Kaldor JM, et al (2007). Atopy, exposure to pesticides and risk of non-Hodgkin lymphoma. Int J Cancer, 120: 2271-4.
52327	Vajdic CM, Grulich AE, Kaldor JM, Fritschi L, et al (2006). Specific infections, infection-related behavior, and risk of non-Hodgkin lymphoma in adults. Cancer Epidemiol Biomarkers Prev, 15(6): 1102-8.
26161	Vallisa D, Berte R, Rocca A, Civardi G, et al (1999). Association between hepatitis C virus and non-Hodgkin's lymphoma, and effects of viral infection on histologic subtype and clinical course. American Journal of Medicine, 106(5) pp 556-560.
26272	Vamvakas EC (2000). Allogeneic blood transfusion as a risk factor for the subsequent development of non-Hodgkin's lymphoma. Transfus Med Rev, 14(3) pp 258-68
50666	van der Rhee HJ, de Vries E, Coebergh JWW (2006). Does sunlight prevent cancer? A systematic review. Eur J Cancer, 42: 2222-32.
52953	van der Veldt AA, Kleijn SA, Nanayakkara PW (2009). [Comment] Silicone breast implants and anaplastic large T-cell lymphoma. JAMA, 301(12): 1227; authors' reply pp 1227.
24771	van Kaick G, Dalheimer A, Hornik S, Kaul A, et al (1999). The German Thorotrast study: recent results and assessment of risks. Radiation Research, 152: S64-S71.
48817	Van Larebeke N, Hens L, Schepens P, et al (2001). The Belgian PCB and dioxin incident of January-June 1999: exposure data and potential impact on health. Environ Health Perspect, 109(3): 265-73.
26576	van Leeuwen FE, Klokman WJ, Veer MB, Hagenbeek A, Krol AD, Vetter UA, Schaapveld M, van Heerde P, Burgers JM, Somers R, Aleman BM. Long-term risk of second malignancy in survivors of Hodgkin's disease treated during adolescence or young adulthood. J Clin Oncol 2000 Feb;18(3):487-497
26185	van Wijngaarden E, Savitz DA. Occupational sunlight exposure and mortality from non-Hodgkin lymphoma among electric utility workers. J Occup Environ Med 2001 Jun;43(6):548-53.
26419	Varady E, Deak B, Molnar ZS, Rosta A, Schneider T, Esik O, Eckhardt S. Second malignancies after treatment for Hodgkin's disease. Leuk Lymphoma 2001 Nov-Dec;42(6):1275-1281.

50704	Varma S, Rhiman RK, et al; Gisbert JP, Garcia-Buey, et al (2004). [Comment] Absence of hepatitis C virus infection among patients with lymphoproliferative disorders in Northern India. <i>Gastroenterology</i> , 126(5): 1498-9.
24955	Verkasalo PK, Pukkala E, Kaprio J, Heikkila KV, Koskenvuo M. (1996). Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: nationwide cohort study. <i>BMJ</i> , Vol 313 (7064) pp 1047-1051.
8939	Vianna NJ, Polan A (1979). Lymphomas and occupational benzene exposure. <i>Lancet</i> , 1(8131): 1394-5.
26068	Viel J-F, Arveux P, Baverel J and Cahn J-Y (2000). Soft-tissue sarcoma and non-Hodgkin's lymphoma clusters around a municipal solid waste incinerator with high dioxin emission levels. <i>American Journal of Epidemiology</i> , 152(1) pp 13-19.
26252	Viel JF, Arveux P, Baverel J, Cahn JY. Soft-tissue sarcoma and non-Hodgkin's lymphoma clusters around a municipal solid waste incinerator with high dioxin emission levels. <i>Am J Epidemiol</i> 2000 Jul 1;152(1):13-9
50752	Vilchez RA (2006). Limitation of epidemiological and serologic studies addressing simian virus 40 and non-Hodgkin's lymphoma. <i>Cancer Investigation</i> , 24(3): 333-6.
50653	Vilchez RA (2006). Limitations of epidemiological and serologic studies addressing Simian virus 40 and non-Hodgkin's lymphoma. <i>Cancer Investigation</i> , 24(3): 333-6.
50665	Viljamaa M, Kaukinen K, Pukkala E, et al (2006). Malignancies and mortality in patients with coeliac disease and dermatitis herpetiformis: 30-year population-based study. <i>Digestive and Liver Disease</i> , 38: 374-80.
26117	Villeneuve PJ, Agnew DA, Miller AB, Corey PN. Non-Hodgkin's lymphoma among electric utility workers in Ontario: the evaluation of alternate indices of exposure to 60 Hz electric and magnetic fields. <i>Occup Environ Med</i> 2000 Apr;57(4):249-57.
26084	Vineis P, Crosignani P, Sacerdote C, Fontana A, Masala G, et al (2000). Haematopoietic cancer and medical history: a multicentre case control study. <i>J Epidemiol Community Health</i> , Vol 54(6) pp 431-6.
20813	Vineis P, Crosignani P, Sacerdote C, Fontana, et al (1999). Haematopoietic cancer and medical history: a multicentre case control study. <i>J Epidemiol Comm Health</i> , 54: 431-6.
26264	Vineis P, Crosignani P, Vigano C, Fontana A, et al (2001). Lymphomas and multiple sclerosis in a multicenter case-control study. <i>Epidemiology</i> , 12(1) pp 134-5
14554	Vineis P, D'Amore F (1992). The role of occupational exposure and immunodeficiency in B-Cell malignancies. Working group on the epidemiology of hematolymphopoietic malignancies in Italy. <i>Epidemiology</i> , 3(3): 266-70.
52328	Vineis P, Milligi L, Costantini AS (2007). Exposure to solvents and risk of non-Hodgkin lymphoma: clues on putative mechanisms. <i>Cancer Epidemiol Biomarkers Prev</i> , 16(3): 381-4.
1258	Visfeldt J, Andersson M (1995). Pathoanatomical aspects of malignant haematological disorders among Danish patients exposed to thorium dioxide. <i>APMIS</i> , 103(1): 29-36.
1567	Visintainer PF, Barone M, McGee H, Peterson EL (1995). Proportionate mortality study of Vietnam-era Veterans of Michigan. <i>JOEM</i> , 37(4): 423-8.
47576	Viswanatha DS, Dogan A (2007). Hepatitis C virus and lymphoma. <i>J Clin Pathol</i> , 60(12): 1378-83.

60463	Vlaanderen J, Lan Q, Kromhout H, Rothman N, Vermeulen R (2011). Occupational benzene exposure and the risk of lymphoma subtypes: a meta-analysis of cohort studies incorporating three study quality dimensions. <i>Environ Health Perspect</i> , 119(2): 159-67.
51887	Vose JM (2008). Peripheral t-cell non-Hodgkin's lymphoma. <i>Hematol Oncol Clin North Am</i> , 22: 997-1005.
53812	Voulgarelis M, Moutsopoulos HM (2008). Mucosa-associated lymphoid tissue lymphoma in Sjogren's syndrome: risks, management, and prognosis. <i>Rheum Dis Clin N Am</i> , 34: 921-33.
52055	Voulgarelis M, Tzioufas AG, Moutsopoulos HM (2008). Mortality in Sjogren's syndrome. <i>Clin Exp Rheumatol</i> , 26(Suppl 51): S66-71.
26069	Waddell BL, Balir A and Zahm SH; Freedman DS (1999)[LETTERS]. Re: "Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men". <i>American Journal of Epidemiology</i> , 150(6) pp 661-662.
26375	Waddell BL, Zahm SH, Baris D, Weisenburger DD, Holmes F, Burmeister LF, Cantor KP, Blair A. Agricultural use of organophosphate pesticides and the risk of non-Hodgkin's lymphoma among male farmers (United States). <i>Cancer Causes Control</i> 2001 Aug;12(6):509-17
25083	Wakeford R (2000)[LETTER]. Depleted uranium. <i>J Radiol Prot</i> , 20(4) pp 76-77. [Comment on: The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95. <i>J Radiol Prot Vol</i> 20 pp 111-137.]
50711	Wakeford R, McElvenny D (2007). [Comment] From epidemiological association to causation. <i>Occupational Medicine</i> , 57: 464-5.
26565	Wallace S, Bedu-Addo G, Rutherford TR, Bates I. Serological similarities between hyperreactive malarial splenomegaly and splenic lymphoma in west Africa. <i>Trans R Soc Trop Med Hyg</i> 1998 Jul-Aug;92(4):463-7
52329	Wang F, Zu R-H, Han B, Shi Y-X, et al (2007). High incidence of hepatitis B virus infection in B-cell subtype non-Hodgkin lymphoma compared with other cancers. <i>Cancer</i> , 109: 1360-4.
52330	Wang F, Zu R-H, Luo H-Y, Zhang D-S, et al (2008). Clinical and prognostic analysis of hepatitis B virus infection in diffuse large B-cell lymphoma. <i>BMC Cancer</i> , 8: 115.
52331	Wang R, Zhang Y, Lan Q, Holford TR, et al (2009). Occupational exposure to solvents and risk of non-Hodgkin lymphoma in Connecticut women. <i>Am J Epidemiol</i> , 169: 176-85.
51914	Wang SS, Davis S, Hartge P, Cozen W, et al (2008). Chromosomal aberrations in peripheral blood lymphocytes and risk for non-Hodgkin lymphoma. <i>J Natl Cancer Inst Monogr</i> , 39: 78-82.
50756	Wang SS, Slager SL, Brennan P, Holly EA, et al (2007). Family history of hematopoietic malignancies and risk of non-Hodgkin lymphoma (NHL): a pooled analysis of 10 211 cases and 11 905 controls from the International Lymphoma Epidemiology Consortium (InterLymph). <i>Blood</i> , 109(8): 3479-88.
10767	Ward EM, Fajen JM, Ruder AM, Rinsky RA, et al (1995). Mortality study of workers in 1,3-Butadiene production units identified from a chemical workers cohort. <i>Environmental Health Perspectives</i> , 103(6): 598-603.
14522	Ward EM, Ruder AM, Suruda A et al (1994). Cancer mortality patterns among female and male workers employed in a cable manufacturing plant during World War 11. <i>J Occup Med</i> , 36(8): 860-6.

26085	Ward MH, Mark SD, Cantor KP, Weisenburger D, Correa-Villasenor A; Law GR, Cartwright R, Parslow R and McKinney P (2000)[LETTERS]. Non-Hodgkin's lymphoma and nitrate in drinking water. <i>J Epidemiol Community Health</i> , 54(10) pp 772-3.
10901	Ward MH, Mark SD, Cantor KP, Weisenburger DD, et al (1996). Drinking water nitrate and the risk of non Hodgkin's lymphoma. <i>Epidemiology</i> , 7(5): 456-71.
3043	Ward MH, Zahm SH, Weisenburger DD, Gridley G, et al (1994). Dietary factors and non-Hodgkin's lymphoma in Nebraska (United States). <i>Cancer Causes Control</i> , 55(5): 422-32.
20703	Wartenberg D, Reyner D, Scott CS (2000). Trichloroethylene and cancer: epidemiologic evidence. <i>Environmental Health Perspective</i> , 108(S2): 161-76.
29720	Wartenberg D, Scott CS (2002). Carcinogenicity of trichloroethylene. <i>Environ Health Perspect</i> , 110(1): A13-14.
55874	Wartenburg D (2007). [Comment] Causal relationship between trichloroethylene exposure and non-Hodgkin's lymphoma. <i>Occup Environ Med</i> , 64: 352.
26828	Wassberg C, Thorn M, Yuen J, Hakulinen T, Ringborg U (1999). Cancer risk in patients with earlier diagnosis of cutaneous melanoma in situ. <i>Int J Cancer</i> , 83(3) pp 314-317.
9337	Watanabe KK, Kang HK (1995). Military service in Vietnam and the risk of death from trauma and selected cancers. <i>Ann Epidemiology</i> , 5: 407-12.
7199	Watanabe KK, Kang HK (1996). Mortality patterns among Vietnam Veterans: a 24-year retrospective analysis. <i>JOEM</i> , 38(3): 272-8.
7499	Watanabe KK, Kang HK, Dalager NA (1995). Cancer mortality risk among military participants of a 1958 atmospheric nuclear weapons test. <i>American Journal of Public Health</i> , 85(4): 523-7.
14725	Watanabe KK, Kang HK, Thomas TL (1991). Mortality among Vietnam veterans: with methodological considerations. <i>J Occup Med</i> , 33(7): 780-5.
12938	Waterhouse D, Carman WJ, Schottenfeld D, Gridley G, et al (1996). Cancer incidence in the rural community of Tecumseh, Michigan: a pattern of increased lymphopietic neoplasms. <i>Cancer</i> , 77(4): 763-70.
10629	Webb PM, Forman D (1995). Helicobacter pylori as a risk factor for cancer. <i>Baillieres Clinical Gastroenterology</i> , 9(3): 563-82.
70080	Weed DL (2010). Meta-analysis and causal inference: a case study of benzene and non-Hodgkin lymphoma. <i>Ann Epidemiol</i> , 20(5): 347-55.
13893	Weed DL, Hursting SD (1998). Biologic plausibility in causal inference: current method and practice. <i>American Journal of Epidemiology</i> , 147(5): 415-25.
26536	Wei-Lu X, Wang Jian Z (1994). Estimate of cancer risk for a large population continuously exposed to higher background radiation in Yangjiang, China. <i>Chinese Medical Journal</i> , 107: 541-544
52756	Weinreb NJ, Andersson HC, Banikazemi M, Barranger J, et al (2008). [Comment] Prevalence of type 1 Gaucher disease in the United States. <i>Arch Intern Med</i> , 168(3): 326-328. Comment on ID: 52355.
26078	Weir E (2001). Sunlight exposure and non-Hodgkin's lymphoma. <i>Canadian Medical Association Journal</i> , 165(3) p 331.
32851	Weir E (2001). Sunlight exposure and non-Hodgkin's lymphoma. <i>CMAJ</i> , 165(3) p 331.
3058	Weisenburger DD (1990). Environmental epidemiology of Non-Hodgkin's lymphoma in Eastern Nebraska. <i>Am J Ind Med</i> , 18: 303-5.

12414	Weisenburger DD (1990). Environmental epidemiology of non-Hodgkin's lymphoma in Eastern Nebraska. <i>American Journal of Industrial Medicine</i> , 18: 303-5.
1300	Weisenburger DD (1994). Epidemiology of non-Hodgkin's lymphoma: recent findings regarding an emerging epidemic. <i>Annals of Oncology</i> , 5(Suppl 1): s19-s24.
25044	Weiss HA, Darby SC, & Doll R. (1994). Cancer mortality following x-ray treatment for ankylosing spondylitis. <i>International Journal of Cancer</i> , Vol 59 pp 327-338.
3031	Weiss LM, Gaffey MJ, Chen YY, Frierson HF (1992). Frequency of Epstein-Barr Viral DNA in "Western" sinonasal and Waldeyer's Ring Non-Hodgkin's lymphomas. <i>Am J Surg Pathol</i> , 16(2): 156-62.
52049	West J (2009). [Comment] Celiac disease and its complications: a time traveller's perspective. <i>Gastroenterology</i> , 136: 32-48. Comment on ID: 52048.
55912	WHO (1983). Summary of data reported and evaluation. <i>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans - Miscellaneous Pesticides</i> , Vol 30. IARC Press, Lyon.
55906	WHO (1987). Chlorophenoxy herbicides (Group 2B). <i>IARC Monographs - Overall evaluations of carcinogenicity: An updating of IARC Monographs Vol 1-42, Supplement 7: 156-60</i> . IARC Press, Lyon.
6757	WHO (1989). Occupational exposures in petroleum refining: crude oil and major petroleum fuels. <i>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans</i> , 45: 105-10, 150-2, 191-4, 234-6, 262-4. IARC, Lyon, France.
55910	WHO (1991). Summary of final evaluations. <i>IARC Monographs - Occupational exposures in insecticide application, and some pesticides</i> , Vol 53: 535. IARC Press, Lyon.
47841	WHO (1992). Polychlorinated Biphenyls and Terphenyls. <i>Environmental health criteria</i> . : 140. Retrieved 23 April 2008, from http://www.inchem.org/documents/ehc/ehc/ehc140.htm
55908	WHO (1997). Polychlorinated dibenzo-para-dioxins. <i>IARC Monographs - Polychlorinated dibenzo-para-dioxins and polychlorinated dibenzofurans</i> , Vol 8: 137-95, 335-43. IARC Press, Lyon.
55909	WHO (1999). Polychlorophenols and their sodium salts. <i>IARC Monographs - Re-evaluation of some organic chemicals, hydrazine and hydrogen peroxide</i> , Vol 71: 769-816. IARC Press, Lyon.
55818	WHO (2001). Summary of final evaluations. <i>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Some Thyrotropic Agents</i> , Vol 79: 727. IARC Press, Lyon.
55810	WHO (2003). Cancer-preventive effects. <i>IARC Handbooks of Cancer Prevention. Fruit and vegetables</i> , Vol 8: 103. IARC Press, Lyon.
55817	WHO (2007). Studies of cancer in experimental animals. <i>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Combined estrogen-progesteron contraceptives and combined estrogen-progesteron menopausal therapy</i> , Vol 91: 122-3, 332. IARC Press, Lyon.
56120	WHO (2008). 1,3-Butadiene. <i>IARC Monographs on the Evaluation of Carcinogenic Risks to Humans</i> , Volume 97: 45-184. IARC Press, Lyon.
55911	WHO (2008). Studies of cancer in humans. <i>IARC Monographs - 1,3-Butadiene, Ethylene Oxide and Vinyl Halides (Vinyl Fluoride, Vinyl Chloride and Vinyl Bromide)</i> , Vol 97: 68-93, 185-309. IARC Press, Lyon.

26301	Wiernik PH, Hu X, Ratech H, Fineberg S, Marino P, Schleider MA, Etkind P, Walewski JA. Non-Hodgkin's lymphoma in women with breast cancer. <i>Cancer J</i> 2000 Sep-Oct;6(5):336-42.
23575	Wiggs LD, Cox-deVore CA, Wilkinson GS, & Reyes M. (1991). Mortality among workers exposed to external ionizing radiation at a nuclear facility in Ohio. <i>Journal of Occupational Medicine</i> , Vol 33 (5) pp 632-7.
960	Wigle DT, Semenciw RM, Wilkins K, et al (1990). Mortality study of Canadian male farm operators: non-Hodgkin's lymphoma and agricultural practices in Saskatchewan. <i>J Natl Cancer Inst</i> , 82(7): 575-82.
3045	Wiklund K, Dich J (1994). Cancer risks among female farmers in Sweden. <i>Cancer Causes Control</i> , 5: 449-57.
3849	Wiklund K, Dich J, Holm L-E, Eklund G (1989). Risk of cancer in pesticide applicators in Swedish agriculture. <i>Br Journal of Industrial Med</i> , 46: 809-14.
8934	Wilcosky TC, Checkoway H, Marshall EG, Tyroler HA (1984). Cancer mortality and solvent exposures in the rubber industry. <i>Am Ind Hyg Assoc J</i> , 45(12): 809-811.
7381	Wilkinson GS, Dreyer NA (1991). Leukemia among Nuclear Workers with Protracted Exposure to Low-Dose Ionizing Radiation. <i>Epidemiology</i> , 2(4): 305-9.
26116	Wilkinson P, Thakrar B, Walls P, Landon M, Falconer S, Grundy C, Elliott P. Lymphohaematopoietic malignancy around all industrial complexes that include major oil refineries in Great Britain. <i>Occup Environ Med</i> 1999 Sep;56(9):577-580.
50302	Willett EV (2008). [Comment] Non-Hodgkin lymphoma and obesity. <i>Int J Cancer</i> , 123: 491-2.
50930	Willett EV, Morton LM, Hartge P, Becker N, et al (2008). Non-Hodgkin lymphoma and obesity: a pooled analysis from the InterLymph consortium. <i>Int J Cancer</i> , 122: 2062-70.
50639	Willett EV, Smith AG, Dovey GJ, et al (2004). Tobacco and alcohol consumption and the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 15: 771-80.
3431	Williams CKO, Alexander SS, Bodner A, et al (1993). Frequency of adult T-cell leukaemia/lymphoma and HTLV-1 in Ibadan, Nigeria. <i>Br J Cancer</i> , 67(4): 783 - 6.
41295	Wilson E, Horsley K, van der Hoek R (2005). Australian National Service Vietnam Veterans Mortality and Cancer Incidence Study, . Department of Veterans Affairs, Canberra.
43077	Wilson EJ, Horsley KW, van der Hoek R (2005). Cancer incidence in Australian Vietnam veterans study. Australian Institute of Health and Welfare, : 430-77. Department of Veterans Affairs, Canberra.
41296	Wilson EJ, Horsley KW, van der Hoek R (2005). The Third Australian Vietnam Veterans Mortality Study, . Department of Veterans Affairs, Canberra.
27799	Winder C, Balouet JC (2002). The toxicity of commercial jet oils. <i>Environmental Research Section A</i> , Vol 89 pp 146-164.
11083	Wing S, Richardson D, Armstrong D and Crawford-Brown D (1997). A Reevaluation of Cancer Incidence near the Three Mile Island Nuclear Plant: The Collision of evidence and Assumptions. <i>Environmental Health Perspectives</i> , 105(1): 52-57.

29761	Wing S, Shy CM, Wood JL, Wolf S, Cragie DL, Tankersley W, & Frome EL. (1993) Job factors, radiation and cancer mortality at Oak Ridge National Laboratory: follow-up through 1984. <i>American J of Industrial Medicine</i> Vol 23 pp 265-79
48818	Wingfors H, Selden AI, Nilsson C, Haglund P (2006). Identification of markers for PCB exposure in plasma from Swedish construction workers removing old elastic sealants. <i>Ann Occup Hyg</i> , 50(1): 65-73.
10771	Winnett A, Thomas SJ, Brabin BJ, Bain C, et al (1997). Familial Burkitt's lymphoma in Papua New Guinea. <i>British Journal of Cancer</i> , 75(5): 757-61.
51892	Wohl Y, Tur E (2007). Environmental risk factors for mycosis fungoides. <i>Curr Probl Dermatol</i> , 35: 52-64.
52332	Wolfe F, Michaud K (2004). Lymphoma in rheumatoid arthritis. The effect of methotrexate and anti-tumor necrosis factor therapy in 18,572 patients. <i>Arthritis & Rheumatism</i> , 50(6): 1740-51.
56276	Wolfe F, Michaud K (2007). The effect of methotrexate and anti-tumor necrosis factor therapy on the risk of lymphoma in rheumatoid arthritis in 19,562 patients during 89,710 person-years of observation. <i>Arthritis Rheum</i> , 56(5): 1433-9.
18605	Wolfe WH, Michalek JE, Miner JC, Rahe A, Silva J, Thomas WF, Grubbs WD, Lustik MB, Karrison TG, Roegner RH, Williams DE (1990). Health status of air force veterans occupationally exposed to herbicides in Vietnam. 1. Physical health. <i>JAMA</i> , Vol 264(14) pp 1824-1831.
55870	Wolff MS, Britton JA, Teitelbaum SL, Eng S, et al (2005). Improving organochlorine biomarker models for cancer research. <i>Cancer Epidemiol Biomarkers Prev</i> , 14(9): 2224-36.
52047	Wong AK, Lopategui J, Clancy S, Kulber D, Bose S (2008). Anaplastic large cell lymphoma associated with a breast implant capsule: a case report and review of the literature. <i>Am J Surg Pathol</i> , 32(8): 1265-8.
8932	Wong O (1987). An industry wide mortality study of chemical workers occupationally exposed to benzene. I general results. <i>British Journal of Industrial Medicine</i> , 44: 365-81.
8933	Wong O (1987). An industry wide mortality study of chemical workers occupationally exposed to benzene. I dose response analyses. <i>British Journal of Industrial Medicine</i> , 44: 382-95.
50640	Wong O, Fu H (2005). Exposure to benzene and non-Hodgkin lymphoma, an epidemiologic overview and an ongoing case-control study in Shanghai. <i>Chemico-Biological Interactions</i> , 153-4: 33-41.
26186	Wong O, Harris F, Rosamilia K, Raabe GK. An updated mortality study of workers at a petroleum refinery in Beaumont, Texas, 1945 to 1996. <i>J Occup Environ Med</i> 2001 Apr;43(4):384-401.
4601	Wong O, Harris F, Smith TJ (1993). Health effects of gasoline exposure. II. Mortality patterns of distribution workers in the United States. <i>Environ Health Perspect</i> , 101(Suppl 6): 63-76.
4330	Wong O, Raabe GK (1989). Critical review of cancer epidemiology in petroleum industry employees, with a quantitative meta-analysis by cancer site. <i>American Journal of Industrial Medicine</i> , 15: 283-310.
26190	Wong O, Raabe GK (2000). Non-Hodgkin's lymphoma and exposure to benzene in a multinational cohort of more than 308,000 petroleum workers, 1937 to 1996. <i>J Occup Environ Med</i> , 42(5) pp 554-67.
26295	Wong O, Raabe GK. A critical review of cancer epidemiology in the petroleum industry, with a meta-analysis of a combined database of more than 350,000 workers. <i>Regul Toxicol Pharmacol</i> 2000 Aug;32(1):78-98.

26197	Wong O; Hayes RB, Linet M, Dosemeci M, et al (1998). [Comment] Re: Benzene and the dose-related incidence of hematologic neoplasms in China. <i>Journal of the National Cancer Institute</i> , 90(6): 469-71.
55916	World Health Organisation (1992). Polychlorinated biphenyls and terphenyls. <i>Environmental Health Criteria</i> , 2nd edition, Vol 140.
12156	World Health Organization International Agency for Research on Cancer (1997). Polychlorinated dibenzo-para-dioxins and polychlorinated dibenzofurans. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Vol 69 Various chapters: 1-30, 137-194, 227-295, 305-343. World Health Organization.
10630	Wotherspoon AC, Doglioni C, Diss TC, Pan L, et al (1993). Regression of primary low-grade-B-cell lymphoma of mucosa-associated lymphoid tissue type after eradication of <i>Helicobacter pylori</i> . <i>Lancet</i> , 342(8871): 575-7.
10631	Wotherspoon AC, Ortiz-Hidalgo C, Falzon MR, Isaacson PP (1991). <i>Helicobacter pylori</i> -associated gastritis and primary B-cell gastric lymphoma. <i>Lancet</i> , 338: 1175-6.
26087	Wright DH (1999). What is Burkitt's lymphoma and when is it endemic? <i>Blood</i> , 93(2) p 758.
55871	Xie J, Itzkowitz SH (2008). Cancer in inflammatory bowel disease. <i>World J Gastroenterol</i> , 14(3): 378-89.
43271	Yamane GK (2006). Cancer incidence in the U.S. Air Force: 1989-2002. <i>Aviation, Space, and Environmental Medicine</i> , 77(8) pp 789-794.
50668	Yood MU, Quesenberry CP Jr, Guo D, Caldwell C, et al (2007). Incidence of non-Hodgkin's lymphoma among individuals with chronic hepatitis B virus infection. <i>Hepatology</i> , 46: 107-12.
26162	Yoshida EM, et al; Vallisa D, et al (2000). [LETTERS] Hepatitis C and B-cell non-Hodgkin's lymphoma: a geographically variable association? <i>Am J Med</i> , 108(4) pp 350-1.
26371	Yoshino T, Miyake K, Ichimura K, Mannami T, Ohara N, Hamazaki S and Akagi T (2000). Increased incidence of follicular lymphoma in the duodenum. <i>The American Journal of Surgical Pathology</i> , 24(5) pp 688-693.
45822	Youakim S (2006). Risk of cancer among firefighters: a quantitative review of selected malignancies. <i>Archives of Environmental & Occupational Health</i> , 61(5): 223-31.
45879	Young AL, Giesy JP, Jones PD, Newton M (2004). Environmental fate and bioavailability of Agent Orange and its associated dioxin during the Vietnam War. <i>Environ Sci & Pollut Res</i> , 11(6) pp 359-370.
45880	Young AL, Newton M (2004). Long overlooked historical information on Agent Orange and TCDD following massive applications of 2,4,5-T-containing herbicides, Eglin Air Force Base, Florida. <i>Environ Sci & Pollut Res</i> , 11(6) pp 209-221.
45701	Young AL, Regens JL (2005). Serum TCDD levels and health effects from elevated exposure: medical and scientific evidence. <i>ESPR</i> , 12(1): 1-4.
26163	Young GA (1999). Lymphoma at uncommon sites. <i>Hematol Oncol</i> , 17(2) pp 53-83.
8927	Young N (1989). Editorial: Benzene and lymphoma. <i>American Journal of Industrial Medicine</i> , 15: 495-8.
32406	Younger IR, Harris DW, Colver GB. Azathioprine in dermatology. <i>J Am Acad Dermatol</i> . 1991 Aug;25(2 Pt 1):281-6

13891	Yu GP, Ostroff JS, Zhang Z-F, Tang J et al (1997). Smoking history and cancer patient survival: a hospital cancer registry study. <i>Cancer Detection and Prevention</i> , 21(6): 497-509.
26531	Yukiiri K, Mizushige K, Ueda T, Kohno M. Second primary cardiac B-cell lymphoma after radiation therapy and chemotherapy--a case report. <i>Angiology</i> 2001 Aug;52(8):563-5.
14764	Zahm SH (1997). Mortality study of pesticide applicators and other employees of a lawn care service company. <i>Journal of Occupational & Environmental Medicine</i> , 39(11): 1055-67.
26226	Zahm SH, Hoffman-Goetz L, Dosemeci M, Cantor KP, Blair A. Occupational physical activity and non-Hodgkin's lymphoma. <i>Med Sci Sports Exerc</i> 1999 Apr;31(4):566-71.
14649	Zahm SH, Weisenburger DD, Babbitt PA et al (1990). A case-control study of non-Hodgkin's lymphoma and the herbicide 2,4-dichlorophenoxyacetic acid (2,4 -D) in eastern Nebraska. <i>Epidemiology</i> , 1: 349-56.
3076	Zahm SH, Weisenburger DD, Cantor KP, Holmes FF, Blair A (1993). Role of the herbicide atrazine in the development of non-Hodgkin's lymphoma. <i>Scand J Work Environ Health</i> , 19(2): 108-14.
12939	Zahm SH, Weisenburger DD, Holmes FF, Cantor KP, et al (1997). Tobacco and non-Hodgkin's lymphoma: combined analysis of three case-control studies (United States). <i>Cancer Causes & Control</i> , 8(2): 159-66.
13045	Zahm SH, Weisenburger DD, Holmes FF, Cantor KP, et al (1997). Tobacco and non-Hodgkin's lymphoma: combined analysis of three case-control studies. (US). <i>Cancer Causes & Control</i> , 8(2): 159-66.
27804	Zeiger E, Smith L (1998). The first international conference on the environmental health and safety of jet fuel. <i>Environmental Health Perspectives</i> , 106(11) pp 763-764.
51896	Zekri A-R, Mohamed W, Bahnassy A, Refat L, et al (2007). Detection of simian virus 40 DNA sequences in Egyptian patients with different hematological malignancies. <i>Leukemia & Lymphoma</i> , 48(9): 1828-34.
35337	Zendejdel K, Nyren O, Ostenson C-G, Adami H-O, et al (2003). Cancer incidence in patients with Type I diabetes mellitus: a population-based cohort study in Sweden. <i>J Natl Cancer Inst</i> , 95(23): 1797-1800.
26140	Zhang S, Hunter DJ, Rosner BA, Colditz GA, Fuchs CS, Speizer FE, Willett WC (1999). Dietary fat and protein in relation to risk of non-Hodgkin's lymphoma among women. <i>J Natl Cancer Inst</i> , 91(20) pp 1751-1758.
26172	Zhang SM, Calle EE, Petrelli JM, Jacobs EJ, Thun MJ (2001). Vitamin supplement use and fatal non-Hodgkin's lymphoma among US men and women. <i>Am J Epidemiol</i> , 153(11) pp 1064-1070.
26173	Zhang SM, Giovannucci EL, Hunter DJ, Rimm EB, Ascherio A, Colditz GA, Speizer FE, Willett WC (2001). Vitamin supplement use and the risk of non-Hodgkin's lymphoma among women and men. <i>Am J Epidemiol</i> , 153(11) pp 1056-1063.
26097	Zhang SM, Hunter DJ, Rosner BA, Giovannucci EL, Colditz GA, Speizer FE, Willett WC (2000). Intakes of fruits, vegetables, and related nutrients and the risk of non-Hodgkin's lymphoma among women. <i>Cancer Epidemiol Biomarkers Prev</i> , 9(5) pp 477-485.
53839	Zhang W, Jiang S-P, Huang L (2009). Dermatomyositis and malignancy: a retrospective study of 115 cases. <i>Eur Rev Med Pharmacol Sci</i> , 13: 77-80.
50641	Zhang Y, Coogan PF, Palmer JR, et al (2006). Risk of non-Hodgkin lymphoma and use of non-steroidal anti-inflammatory drugs. <i>Cancer Detection and Prevention</i> , 30: 99-101.

52335	Zhang Y, De Sanjose S, Bracci PM, Morton LM, et al (2008). Personal use of hair dye and the risk of certain subtypes of non-Hodgkin lymphoma. <i>Am J Epidemiol</i> , 167(11): 1321-31.
52334	Zhang Y, Holford TR, Leaderer B, Boyle P, et al (2004). Blood transfusion and risk of non-Hodgkin's lymphoma in Connecticut women. <i>Am J Epidemiol</i> , 160(4): 325-30.
55872	Zhang Y, Holford TR, Leaderer B, Boyle P, et al (2004). Hair-coloring product use and risk of non-Hodgkin's lymphoma: a population-based case-control study in Connecticut. <i>Am J Epidemiol</i> , 159(2): 148-54.
52333	Zhang Y, Holford TR, Leaderer B, Boyle P, et al (2007). Ultraviolet radiation exposure and risk of non-Hodgkin's lymphoma. <i>Am J Epidemiol</i> , 165(11): 1255-64.
32844	Zhang Y, Holford TR, Leaderer B, Zahm SH, Boyle P, et al (2004). Prior medical conditions and medication use and risk of non-Hodgkin lymphoma in connecticut United States women. <i>Cancer Causes and Control</i> , Vol 15 pp 419-428.
25563	Zhang L, Rothman N, Wang Y, et al (1996). Interphase Cytogenetics of Workers exposed to Benzene. <i>Environmental Health Perspectives</i> , Vol 104 Suppl 6. http://ehpnet1.niehs.nih.gov/docs/1996/Suppl-6/zhang.html
43554	Zhao Y, Krishnadasan A, Kennedy N, Morgenstern H, Ritz B (2005). Estimated effects of solvents and mineral oils on cancer incidence and mortality in a cohort of aerospace workers. <i>Am J Ind Med</i> , 48(4): 249-58.
26187	Zheng T, Blair A, Zhang Y, Weisenburger DD, Zahm SH. Occupation and risk of non-Hodgkin's lymphoma and chronic lymphocytic leukemia. <i>J Occup Environ Med</i> 2002 May;44(5):469-74, USA.
26126	Zheng T, Owens PH (2000)[LETTER]. Sunlight and non-Hodgkin's lymphoma. <i>Int J Cancer</i> , 87(6) pp 884-5.
26188	Zheng T, Zahm SH, Cantor KP, Weisenburger DD, Zhang Y, Blair A. Agricultural exposure to carbamate pesticides and risk of non-Hodgkin lymphoma. <i>J Occup Environ Med</i> 2001 Jul;43(7):641-9.
9918	Zhong Y, Rafnsson V (1996). Cancer incidence among Icelandic pesticide users. <i>International Journal of Epidemiology</i> , 25(6): 1117-24.
51913	Zhou Y, Wang H, Fang W, Romaguer JE, et al (2008). Incidence trends of mantle cell lymphoma in the United States between 1992 and 2004. <i>Cancer</i> , 113: 791-8.
26578	Zhu D, Thompsett AR, Bedu-Addo G, Stevenson FK, Bates I (1999). VH gene sequences from a novel tropical splenic lymphoma reveal a naive B cell as the cell of origin. <i>Br J Haematol</i> , 107(1): 114-20.
52336	Zhu Y, Zheng T (2008). Clock-cancer connection in non-Hodgkin's lymphoma. <i>Med Hypotheses</i> , 70(4): 788-92.
49250	Zignego AL, Giannini C, Ferri C (2007). Hepatitis C virus-related lymphoproliferative disorders: an overview. <i>World J Gastroenterol</i> , 13(17): 2467-78.
52368	Zintzaras E, Voulgarelis M, Moutsopoulos HM (2005). The risk of lymphoma development in autoimmune diseases. <i>Arch Intern Med</i> , 165: 2337-44.
55873	Zucca E, Bertoni F (2006). Chlamydia or not chlamydia, that is the question: which is the microorganism associated with MALT lymphomas of the ocular adnexa? <i>J Natl Cancer Inst</i> , 98(19): 1348-9.

26192	Zucca E, Roggero E, Maggi-Solca N, Conconi A, Bertoni F, Reilly I, Castelli D, Pedrinis E, Piffaretti JC, Cavalli F (2000). Prevalence of Helicobacter pylori and hepatitis C virus infections among non-Hodgkin's lymphoma patients in Southern Switzerland. <i>Haematologica</i> , 85(2) pp147-153.
-------	---



Australian Government
Repatriation Medical Authority

Appendix A

*Information received in relation to investigation 109-06
concerning non-Hodgkin's lymphoma as at 9 April 2014*

[Investigation restricted to 'exposure to ionising radiation' and 'benzene exposure' as causal factors of non-Hodgkin's lymphoma in accordance with ss196B(7A) of the Veterans' Entitlements Act 1986.]

1. Submissions

- 1.1 Repatriation Commission, 27 October 1994 (submission for consideration of the Authority in relation to non-Hodgkin's lymphoma prior to determination of SOPs concerning non-Hodgkin's lymphoma, Numbers 79 and 80 of 1994, including draft SOPs and medline search records) (1412340R);
- 1.2 [REDACTED], 7 March 1995 (1412341R);
- 1.3 RMA medical researcher letter, 7 September 1995 (1412343R);
- 1.4 [REDACTED], 5 February 1996 (1413875R);
- 1.5 RMA medical researcher letter, 21 March 1996 (1412344R);
- 1.6 [REDACTED], Secretary, South West Rocks RSL Sub-Branch 10 April 1996 (1412346R);
- 1.7 [REDACTED], Chairman, Pensions Committee, Melbourne Legacy, 31 May 1996 (1413886R);
- 1.8 [REDACTED] RSL NSW Branch, 19 July 1996 (1413888R);
- 1.9 [REDACTED], RSL SA Branch, 2 December 1996 (1412342R);
- 1.10 RMA medical researcher discussion paper, 10 January 1997 (14215R);
- 1.11 RMA medical researcher briefing paper, 'Review of non-Hodgkin's lymphoma', undated (1412345R);
- 1.12 [REDACTED], 15 July 1997 (1413877R);
- 1.13 RMA medical researcher file minute, 24 September 1997 (1413880R);
- 1.14 [REDACTED], 17 November 1997 (request for investigation) (1413894R);
- 1.15 [REDACTED], 22 December 1997 (1413900R);
- 1.16 [REDACTED], 20 April 1998 (1413902R);
- 1.17 [REDACTED], 23 April 1998 (1413890R);
- 1.18 [REDACTED], 24 April 1998 (1413898R);
- 1.19 [REDACTED], 8 May 1998 (1413876R);

- 1.20 Repatriation Commission, submission in relation to non-Hodgkin's lymphoma, May 1998 (1413897R);
- 1.21 [REDACTED], 12 June 1998 (1413892R);
- 1.22 [REDACTED], letter, 23 June 1998 (1413899R);
- 1.23 [REDACTED], 30 June 1998 (1413893R);
- 1.24 [REDACTED], 18 September 1998 (request for investigation) (1413901R);
- 1.25 RMA medical researcher briefing paper, 'Non-Hodgkin's lymphoma', 22 January 1999 (13102178R);
- 1.26 [REDACTED], President, Vietnam Veterans' Federation, 2 March 1999 (1413896R);
- 1.27 [REDACTED], President, Vietnam Veterans' Federation, 25 March 1999 (1413895R);
- 1.28 [REDACTED], Chairman Legacy National Pensions Committee, 26 March 1999 (1413889R);
- 1.29 [REDACTED], RSL Queensland Branch, 8 April 1999 (1413891R);
- 1.30 [REDACTED], Chairman Legacy National Pensions Committee, 6 May 1999 (1413903R);
- 1.31 [REDACTED], Decision Support Unit, Department of Veterans' Affairs, 5 October 1999 (1413884R);
- 1.32 [REDACTED], RSL Vic Branch, 29 November 2001 (request for investigation) (1413887R);
- 1.33 RMA medical researcher discussion paper, 'Request to investigate dermatitis as a factor in non-Hodgkin's lymphoma SOPs', 5 December 2001 (1413881R);
- 1.34 [REDACTED], 4 April 2002 (1413908R);
- 1.35 [REDACTED], Everyman's Veterans Group, 7 November 2002 (request for investigation) (1413909R);
- 1.36 [REDACTED], 11 November 2002 (1413904R);
- 1.37 [REDACTED], 21 November 2002 (1413907R);
- 1.38 [REDACTED], 18 December 2002 (1413906R);
- 1.39 RMA medical researcher letter, 4 February 2003 (1413905R);
- 1.40 RMA medical researcher briefing paper, 'Non-Hodgkin's lymphoma', February 2003 (13102273R);
- 1.41 RMA medical researcher discussion paper - Appendix A – Benzene and non-Hodgkin's lymphoma (13102264R);
- 1.42 RMA medical researcher discussion paper - Appendix B - Low-dose radiation and cancer risk (13102265R);
- 1.43 RMA medical researcher discussion paper - Appendix C – Insecticides and non-Hodgkin's lymphoma (13102266R);
- 1.44 RMA medical researcher discussion paper - Appendix D – Malaria and non-Hodgkin's lymphoma (13102267R);
- 1.45 RMA medical researcher summary of studies - non-Hodgkin's lymphoma (13102305R);
- 1.46 [REDACTED], 6 October 2003 (1413879R);
- 1.47 [REDACTED], 9 December 2003 (1413878R);
- 1.48 [REDACTED], 10 May 2004 (1413882R);
- 1.49 [REDACTED], RDFWA - request for an investigation into spraying herbicides & defoliants in Vietnam - 24 August 2005 (1394914R);

- 1.50 [REDACTED], 16 September 2005 (1413911R);
- 1.51 [REDACTED], 28 September 2005 (request for investigation) (1413912R);
- 1.52 [REDACTED], 28 November 2006 (request for investigation) (1413917R);
- 1.53 [REDACTED], 7 March 2007 (1413913R);
- 1.54 [REDACTED], 26 July 2007 (1413915R);
- 1.55 [REDACTED] (email), 11 December 2007 (1413914R);
- 1.56 [REDACTED], 11 August 2009 (1413916R);
- 1.57 [REDACTED], 24 September 2009 (13102474R);
- 1.58 RMA medical researcher summary of issues, 'Non-Hodgkin's lymphoma', April 2010 (13102467R);
- 1.59 RMA medical researcher summary of studies table, 'Non-Hodgkin's lymphoma', April 2010 (13102468R);
- 1.60 RMA medical researcher summary plots, 'Non-Hodgkin's lymphoma', April 2010 (13102466R);
- 1.61 RMA medical researcher briefing paper, 'Non-Hodgkin's lymphoma', April 2010 (13102469R);
- 1.62 [REDACTED], Canberra Legacy – submission re benzene exposure – 14 November 2012 (1411242R);
- 1.63 [REDACTED] - Request for investigation of non-Hodgkin's lymphoma - inhaling benzene vapour - 5 June 2013 (1316662R);
- 1.64 [REDACTED] – request for review of Non-Hodgkins lymphoma - ionizing radiation - 7 August 2013 (1374389R);
- 1.65 [REDACTED] (Legacy Adelaide) - letter – 27 August 2013 (1399627R);
- 1.66 medical researcher discussion paper - investigation request - non-Hodgkin's lymphoma - ionising radiation - RMA meeting October 2013 (1383683R);
- 1.67 medical researcher discussion paper - non-Hodgkin's lymphoma and benzene factor - RMA meeting October 2013 (1383687R);
- 1.68 medical researcher discussion paper - benzene factors in leukaemia and lymphoma SoPs Table - RMA meeting October 2013 (1387119R);
- 1.69 [REDACTED] - request for review - non-Hodgkin's lymphoma and other autoimmune diseases - 8 November 2013 (1392845R);
- 1.70 medical researcher discussion paper 'Briefing in response to an investigation request - [REDACTED] - non-Hodgkin's lymphoma, myasthenia gravis, autoimmune diseases and ionising radiation' - RMA meeting December 2013 (1393243R);
- 1.71 [REDACTED] - focussed review of non-Hodgkin's lymphoma – email submission re benzene exposure - 12 December 2013 (13107914R);
- 1.72 [REDACTED] - focussed review of non-Hodgkin's lymphoma – further email submission re benzene exposure - 12 December 2013 (13107915R).

TABLE 2 RELEVANT SMSE FOR THIS REVIEW

RMA ID	Authors	Details	Relied on by
050309	Alexander DD, Mink PJ, Adami H-O, Chang ET, et al 2007	The non-Hodgkin lymphomas: a review of the epidemiologic literature Int J Cancer. 2007; 120 Suppl 12:1-39.	Applicant Commissions
009570	Beral V, Inskip H, Fraser P, Booth M, Coleman D, Rose G, 1985	Mortality of employees of the United Kingdom Atomic Energy Authority, 1946-1979, Br Med J (Clin Res Ed) 1985 Aug 17;291(6493):440-447.	Commissions
001249	Boice JD Jr, 1992, Radiation and non-Hodgkin's lymphoma., CANCER RESEARCH (SUPPL.) 52. 5489s-5491s, October 1, 1992)		Commissions
050298	Boice JD Jr, Bigbee WL, Mumma MT, Blot WJ, 2003, Cancer incidence in municipalities near two former nuclear materials processing facilities in Pennsylvania, Health Phys. 2003 Dec;85(6):678-90.		Commissions
050299	Boice JD Jr, Mumma MT, Blot WJ, 2007, Cancer and noncancer mortality in populations living near uranium and vanadium mining and milling operations in Montrose County, Colorado, 1950-2000, Radiat Res. 2007 Jun;167(6):711-26.		Commissions
005770	Cardis E, Gilbert ES, Carpenter L, et al, 1995, Effects of low doses and low dose rates of external ionizing radiation: Cancer mortality among nuclear industry workers in three countries, Radiat Res. 1995 May;142(2):117-32.		
043945	Cardis E, Vrijheid M, Blettner M, Gilbert E, Hakama M, et al, 2007, The 15-country collaborative study of cancer risk among radiation workers in the nuclear industry: estimates of radiation-related cancer risks, Radiat Res. 2007 Apr;167(4):396-416.		Applicant Commissions
016570	Carpenter L, Higgins C, Douglas A, Fraser P, Beral V & Smith P, 1994, Combined analysis of mortality in three United Kingdom nuclear industry workforces, 1946-1988, Rad Res, Vol 138 pp 224-238		Commissions
016797	Carpenter LM, Higgins CD, Douglas AJ, Maconochie NES, et al, 1998, Cancer mortality in relation to monitoring for radionuclide exposure in three UK nuclear industry workforces, British Journal of Cancer, 78(9) pp 1224-1232		Commissions
020354	Checkoway H, Mathew RM, Shy CM, et al, 1985, Radiation, work experience, and cause specific mortality among workers at an energy research laboratory, Br J Ind Med. 1985 Aug;42(8):525-33.		Commissions
006813	Cragle DL, McLain RW, Qualters J, Hickey JLS, et al, 1988, Mortality among workers at a nuclear fuels production facility, Am J Ind Med, 14(4):379-401.		Commissions
007436	Damber L, et al, 1995, A cohort study with regard to the risk of haematological malignancies in patients treated with x-rays for benign lesions in the locomotor system, Acta Oncol. 1995;34(6):721-6.		Commissions

RMA ID	Authors	Details	Relied on by
026537	Darby S, Kendall G, Fell T, et al, 1993, Further follow up of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapons tests and experimental programmes., BMJ, 307: 1530-1535		Commissions
006753	Darby SC, Kendall GM, Fell TP, O'Hagan JA, et al, 1988, A summary of mortality and incidence of cancer in men from the United Kingdom who participated in the United Kingdom's atmospheric nuclear weapon tests and experimental programmes, BMJ, 296, 332-338		Commissions
015937	Douglas AJ, Omar RZ & Smith, 1994, Cancer mortality and morbidity among workers at the Sellafield plant of British nuclear fuels, Br J Cancer. 1994 Dec;70(6):1232-43.		Commissions
025028	Eheman CR, Tolbert PE, Coates RJ, et al, 2000, Case-control assessment of the association between non-Hodgkin's lymphoma and occupational radiation with doses assessed using a job exposure matrix, Am J Ind Med. 2000 Jul;38(1):19-27.		Commissions
005214	Fraser P, Carpenter L, Maconochie N, Higgins C, et al, 1993, Cancer mortality and morbidity in employees of the United Kingdom Atomic Energy Authority, 1946-86, Br J Cancer. 1993 Mar;67(3):615-24		Commissions
016856	Frome EL, Cragle DL, Watkins JP, Wing S, Shy CM, Tankersley WG, & West CM, 1997, A mortality study of employees of the nuclear industry in Oak Ridge, Tennessee, Radiation Research, Vol 148 pp 64-80		Commissions
007183	Gilbert ES, Cragle DL, Wiggs LD, 1993, Updated analyses of combined mortality data for workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Weapons Plant, Radiat Res. 1993 Dec;136(3):408-21.		Commissions
007188	Gilbert ES, Fry SA, Wiggs LD, Voelz GL, et al, 1989, Analyses of combined mortality data on workers at the Hanford Site, Oak Ridge National Laboratory, and Rocky Flats Nuclear Weapons Plant, Radiat Res. 1989 Oct;120(1):19-35.		Commissions
014543	Gilbert ES, Marks S, 1979, An analysis of the mortality of workers in a nuclear facility. Radiat Res. 1979 Jul;79(1):122-48.		Commissions
016572	Gilbert ES, Omohundro E, Buchanan JA, & Holter NA, 1993, Mortality of workers at the Hanford Site: 1945-1986, Health Phys, Vol 64(6) pp 577		Commissions
029478	Gribbin MA, Weeks JL, & Howe GR, 1993, Cancer mortality (1956-1985) among male employees of atomic energy of Canada limited with respect to occupational exposure to external low-linear-energy-transfer ionizing radiation, Radiation Research Vol 133 pp 375-80		Commissions
072597	Hsu WL, Preston DL, Soda M et al, 2013, The incidence of leukemia, lymphoma and multiple myeloma among atomic bomb survivors:1950-2001, Radiat Res. 2013 Mar;179(3):361-82		Commissions
021776	IARC Working Group, 2000, IARC Monographs on the evaluation of carcinogenic risks to humans: Ionizing Radiation Part 1: X - and Gamma - radiation, and neutrons.		

RMA ID	Authors	Details	Relied on by
003087	Inskip PD, Kleinerman RA, Stovall M, Cookfair DL, et al, 1993, Leukemia, lymphoma and multiple myeloma after pelvic radiotherapy for benign disease, Radiat Res. 1993 Jul;135(1):108-24.		
052954	Karipidis KK, Benke G, Sim MR, Kauppinen T, et al, 2007, Occupational exposure to ionizing and non-ionizing radiation and risk of non-Hodgkin lymphoma, Int Arch Occup Environ Health. 2007 Aug;80(8):663-70. Epub 2007 Mar 2.		Commissions
52274	Karunanayake CP, McDuffie HH, Dosman JA, Spinelli JJ, Pahway P, 2008 Occupational exposures and non-Hodgkin's lymphoma: Canadian case-control study, Environmental Health 2008, 7:44 .		Commissions
014621	Kendall GM, Muirhead CR, MacGibbon BH et al, 1992, Mortality and occupational exposure to radiation: first analysis of the national registry for radiation workers, BMJ. 1992 Jan 25; 304(6821): 220–225.		Commissions
052044	Kesminiene A, Evrard A-S, Ivanov VK, Malakhova IV, et al, 2008, Risk of hematological malignancies among Chernobyl liquidators, Radiat Res. 2008 Dec;170(6):721-35.		Commissions
069996	Kim CJ, Freedman DM, Curtis RE, et al, 2013, Risk of non-Hodgkin lymphoma after radiotherapy for solid cancers, Leuk Lymphoma. Vol. 54, No. 8 , Pages 1691-1697		Applicant Commissions
15938	Linnet MS, Freedman DM, Mohan AK, Doody MM, et al, 2005, Incidence of haematopoietic malignancies in US radiologic technologists, Occup Environ Med. 2005 Dec;62(12):861-7.		Commissions
011771	Loomis DP, Wolf SH, 1996, Mortality of workers at a nuclear materials production plant at Oak Ridge, Tennessee, 1947-1990, American Journal of Industrial Medicine, 29(2):131-41.		Commissions
021774	McGeoghegan D & Binks K., 2000, The mortality and cancer morbidity experience of workers at the Springfields uranium production facility, 1946-95, J Radiol Prot Vol 20 pp 111-137		Commissions
017201	Muirhead CR, Goodill AA, Haylock RGE, Vokes J, Little MP, Jackson DA, O'Hagan JA, Thomas JM, Kendall GM, Silk TJ, Bingham D, & Berridge GLC., 1999, Occupational radiation exposure and mortality: second analysis of the National Registry for radiation workers, J Radiol Prot, Vol 19(1) pp 3-26		Commissions
054444	Nishiyanma H, Anderson RE, Ishimaru T, Ishida K, et al, 1973, The incidence of malignant lymphoma and multiple myeloma in Hiroshima and Nagasaki atomic bomb survivors, 1945-1965, Cancer		Commissions
15938	Omar RZ, Barber JA, Smith PP, 1999, Cancer mortality and morbidity among plutonium workers at the Sellafield plant of British nuclear fuels, Br J Cancer. 1999 Mar; 79(7-8): 1288–1301.		Commissions
017372	Pearce N, Winkelmann R, Kennedy J, Lewis S, et al, 1997, Further follow-up of New Zealand participants in United Kingdom atmospheric nuclear weapons tests in the Pacific, Cancer Causes Control. 1997 Mar;8(2):139-45.		Commissions

RMA ID	Authors	Details	Relied on by
016850	Pierce DA, Shimizu Y, Preston DL, Vaeth M, Mabuchi K, 1996, Studies of the mortality of atomic bomb survivors. Report 12. Part 1. Cancer: 1950-1990, Radiat Res. 2012 Aug;178(2).		
52941	Pinkerton LE, Bloom TF, Hein MJ, Ward EM, 2009, Mortality among a cohort of uranium mill workers: an update, Occup Environ Med. 2004 Jan;61(1):57-64.		Commissions
020359	Polednak AP, Frome EL, 1981, Mortality among men employed between 1943 and 1947 at a uranium-processing plant, J Occup Med 23(3):169-178.		Commissions
003046	Preston DL, Kusumi S, Tomonaga M, Izumi S, et al, 1994, Cancer incidence in atomic bomb survivors. Part III. Leukemia, lymphoma and multiple myeloma, 1950-1987 + Errata, Radiat Res. 1994 Feb;137(2 Suppl):S68-97.		Commissions
011024	Rahu M, Tekkel M, Veidebaum T, Pukkala E, et al, 1997, The Estonian study of Chernobyl cleanup workers: II. Incidence of cancer and mortality, Radiat Res. 1997 May;147(5):653-7.		Commissions
052306	Rericha V, Kulich M, Rericha R, Shore DL, Sandler DP, 2006 Incidence of leukemia, lymphoma, and multiple myeloma in Czech uranium miners: a case-cohort study, Environ Health Perspect. 2006 Jun;114(6):818-22.		Commissions
068828	Richardson DB, Sugiyama H, Wing S et al, 2009, Positive association between ionizing radiation and lymphoma mortality among men, Am J Epidemiol 2009;169:969-976		Applicant Commissions
017998	Ritz B, 1999, Radiation exposure and cancer mortality in uranium processing workers. Epidemiology, 10(5) pp 531-538.		Commissions
015538	Ritz B, Morgenstern H, Froines J, Young BB, 1999, Effects of exposure to external ionizing radiation of cancer mortality in nuclear workers monitored for radiation at Rocketdyne/Atomics International, Am J Ind Med. 1999 Jan;35(1):21-31.		Commissions
016952	Smith PP, Douglas AJ, 1986, Mortality of workers at the Sellafield plant of British nuclear fuels, Br J Cancer. 1999 Mar; 79(7-8): 1288-1301.		Commissions
026169	Sont WN, Zielinski JM, Ashmore JP, Jiang H, Krewski D, Fair ME, Band PR and Letourneau EG, 2001, First analysis of cancer incidence and occupational radiation exposure based on the national dose registry of Canada, American Journal of Epidemiology, 153(4) pp 309-318.		Commissions
071214	United Nations, 2008, Table 41 risk estimates for cancer incidence and mortality from studies of radiation exposure: non-Hodgkin's lymphoma UNSCEAR 2006 report to the general assembly with scientific annexes		Applicant Commissions
055814	UNSCEAR, 2006, Non-Hodgkin's lymphoma,, United Nations Scientific Committee on the Effects of Atomic Radiation		Commissions
024771	van Kaick G, Dalheimer A, Hornik S, Kaul A, et al, 1999, The German Thorotrast study: recent results and assessment of risks, Radiat Res. 1999 Dec;152(6 Suppl):S64-71.		Commissions

RMA ID	Authors	Details	Relied on by
001258	Visfeldt J, Andersson M, 1995, Pathoanatomical aspects of malignant haematological disorders among Danish patients exposed to thorium dioxide, APMIS. 1995 Jan;103(1):29-36.		
007499	Watanabe KK, Kang HK, Dalager NA, 1995, Cancer mortality risk among military participants of a 1958 atmospheric nuclear weapons test, Am J Public Health. 1995 April; 85(4): 523–527.		Commissions
025044	Weiss HA, Darby SC, & Doll R, 1994, Cancer mortality following x-ray treatment for ankylosing spondylitis, International Journal of Cancer, Vol 59 pp 327-338.		Commissions
023575	Wiggs LD, Cox-deVore CA, Wilkinson GS, & Reyes M, 1991< Mortality among workers exposed to external ionizing radiation at a nuclear facility in Ohio, Journal of Occupational Medicine, Vol 33 (5) pp 632-7		Commissions

TABLE 3 NEW INFORMATION RELIED ON BY THE APPLICANT

Disability Compensation Presumptive Disability Benefits, U.S. Department of Veterans Affairs, Compensation and Pension Service – June 2011
Federal Register, Vol. 77, No 24. Guidelines for Determining Probability of Causation Under the Energy Employees Occupational Illness Compensation Program Act of 2000; Revision of Guidelines on Non-Radiogenic Cancers, A Rule by the US Health and Human Services Department on 02/06/2012.
Personal communication between Applicant and David Richardson, Radiation and Lymphoma Mortality, February 2013.

APPENDIX B: THE CONSTITUTED COUNCIL AND LEGISLATIVE FRAMEWORK OF THE REVIEW

The Specialist Medical Review Council

1. The composition of each Review Council changes from review to review depending on the issues relevant to the particular Statement/s of Principles under review. When a review is undertaken three to five Councillors selected by the Convener constitute the Council.
2. The Minister must appoint one of the Councillors to be the Convener. If the Council does not include the Convener, the Convener must appoint one of the Councillors selected for the review to preside at all meetings as Presiding Councillor.
3. **Professor Lin Fritschi** was the Presiding Councillor for this review. She is Professor of Epidemiology at Curtin University, and a National Health and Medical Research Council Senior Research Fellow. Her research interests include, cancer epidemiology, occupational causes of cancer, and exposure assessment in epidemiological studies.
4. The other members of the Council were:
 - **Professor Doug Joshua**, who was the Alan Ng Professor of Haematology at the University of Sydney and was until January 2014 Head of the Haematology Department of the Royal Prince Alfred Hospital and Concord Hospital. He returned to the Royal Prince Alfred Hospital as a consultant from 1 April 2014 and a Professor Emeritus of the Sydney University Medical School. Professor Joshua is a scientific advisor and member of the International Myeloma Foundation.
 - **Dr Rick Tinker**, who is the Director of the Assessment and Advice Section, Australian Radiation Protection and Nuclear Safety Agency. He is responsible for assessing the impact on health of radiation exposures to workers, the public, and the environment in planned, existing, and emergency situations. He has over 20 years' experience in research and measurement of radiation and assessment of health impacts and has played a leading role in advancing radiation protection in Australia.
 - **Dr Hang Quach**, who is a consultant clinical and laboratory haematologist at St Vincent's Hospital, Melbourne, a Clinical Fellow of the University of Melbourne and Member of the International Myeloma Foundation. Dr Quach's research focuses on mechanisms of immune modulation in myeloma and novel therapeutics in the treatment of multiple myeloma.

The Legislation

5. The legislative scheme for the making of Statements of Principles is set out in Parts XIA and XIB of the VEA. Statements of Principles operate as templates. They are determined by the RMA, and set out those criteria (conditions or exposures), known as factors, that must as a minimum exist before it can be said that an injury, disease or death can be connected with service, on either or both of the two statutory tests, the reasonable hypothesis test¹ and the balance of probabilities test.² Statements of Principles are ultimately applied by decision-makers in determining individual claims for benefits under the VEA and the *Military Rehabilitation and Compensation Act 2004* (the MRCA).³

¹ The reasonable hypothesis test is set out in section 196B(2) of the VEA which provides:
If the Authority is of the view that there is sound medical-scientific evidence that indicates that a particular kind of injury, disease or death can be related to:
(a) operational service rendered by veterans; or
(b) peacekeeping service rendered by members of Peacekeeping Forces; or
(c) hazardous service rendered by members of the Forces; or
(caa) British nuclear test defence service rendered by members of the Forces; or
(ca) warlike or non-warlike service rendered by members;
the Authority must determine a Statement of Principles in respect of that kind of injury, disease or death setting out:
(d) the factors that must as a minimum exist; and
(e) which of those factors must be related to service rendered by a person;
before it can be said that a reasonable hypothesis has been raised connecting an injury, disease or death of that kind with the circumstances of that service.

² The balance of probabilities test is set out in section 196B(3) of the VEA which provides:
If the Authority is of the view that on the sound medical-scientific evidence available it is more probable than not that a particular kind of injury, disease or death can be related to:
(a) eligible war service (other than operational service) rendered by veterans; or
(b) defence service (other than hazardous service and British nuclear test defence service) rendered by members of the Forces; or
(ba) peacetime service rendered by members;
the Authority must determine a Statement of Principles in respect of that kind of injury, disease or death setting out:
(c) the factors that must exist; and
(d) which of those factors must be related to service rendered by a person;
before it can be said that, on the balance of probabilities, an injury, disease or death of that kind is connected with the circumstances of that service.

³ See sections 120, 120A and 120B of the VEA and sections 335, 338 and 339 of the MRCA.

APPENDIX C:

List of Abbreviations

df	degrees of freedom
cGy	centigray
CI	confidence interval
EAR	excess absolute rate
ERR	excess relative risk
Gy	gray
IARC	International Agency for Research on Cancer
mGy	milligray
mrem	millirem
mSv	millisievert
NHL	non-Hodgkin lymphoma
OR	odds ratio
RAD	radiation absorbed dose
Rem	roentgen equivalent in man
RMA	Repatriation Medical Authority
RR	relative risk
SIR	standardised incidence rate
SMR	standardised mortality rate
Sv	units of sievert
UNSCEAR	United Nations Scientific Committee on the Effects of Atomic Radiation